LEBANESE AMERICAN UNIVERSITY

Teaching and Learning limits at the Secondary Level in
Lebanon

By

Najwa Riad Thabet

A thesis

Submitted in partial fulfillment of the requirements for the
degree of Masters of Arts in Education

School of Arts and Sciences
July 2015

THESIS APPROVAL FORM

Student Name: Najwa Riad Thabet I.D. #: 199204410

Thesis Title : Teaching and Learning Limits at the Secondary Level in Lebanon

Program: MA in Education, Emphasis Math Education

Department: Education

School: School of Arts and Sciences

The undersigned certify that they have examined the final electronic copy of this thesis and approved it in Partial Fulfillment of the requirements for the degree of:

Masters in Arts in the major of Education

Signatures Redacted

Thesis Advisor's Name	<u>Dr. Iman Osta</u>	Signature		DATE: <u>27 / 07 / 2015</u> <small>Day Month Year</small>
-----------------------	----------------------	-----------	--	--

Committee Member's Name	<u>Dr. May Hamdan</u>	Signature		DATE: <u>27 / 07 / 2015</u> <small>Day Month Year</small>
-------------------------	-----------------------	-----------	--	--

Committee Member's Name	<u>Dr. Mona Majdalani</u>	Signature		DATE: <u>27 / 07 / 2015</u> <small>Day Month Year</small>
-------------------------	---------------------------	-----------	--	--

THESIS COPYRIGHT RELEASE FORM

LEBANESE AMERICAN UNIVERSITY NON-EXCLUSIVE DISTRIBUTION LICENSE

By signing and submitting this license, you (the author(s) or copyright owner) grants the Lebanese American University (LAU) the non-exclusive right to reproduce, translate (as defined below), and/or distribute your submission (including the abstract) worldwide in print and electronic formats and in any medium, including but not limited to audio or video. You agree that LAU may, without changing the content, translate the submission to any medium or format for the purpose of preservation. You also agree that LAU may keep more than one copy of this submission for purposes of security, backup and preservation. You represent that the submission is your original work, and that you have the right to grant the rights contained in this license. You also represent that your submission does not, to the best of your knowledge, infringe upon anyone's copyright. If the submission contains material for which you do not hold copyright, you represent that you have obtained the unrestricted permission of the copyright owner to grant LAU the rights required by this license, and that such third-party owned material is clearly identified and acknowledged within the text or content of the submission. IF THE SUBMISSION IS BASED UPON WORK THAT HAS BEEN SPONSORED OR SUPPORTED BY AN AGENCY OR ORGANIZATION OTHER THAN LAU, YOU REPRESENT THAT YOU HAVE FULFILLED ANY RIGHT OF REVIEW OR OTHER OBLIGATIONS REQUIRED BY SUCH CONTRACT OR AGREEMENT. LAU will clearly identify your name(s) as the author(s) or owner(s) of the submission, and will not make any alteration, other than as allowed by this license, to your submission.

Name: Najwa Riad Thabet

Signature: Signatures Redacted

Date: July, 24, 2015

PLAGIARISM POLICY COMPLIANCE STATEMENT

I certify that:

1. I have read and understood LAU's Plagiarism Policy.
2. I understand that failure to comply with this Policy can lead to academic and disciplinary actions against me.
3. This work is substantially my own, and to the extent that any part of this work is not my own I have indicated that by acknowledging its sources.

Name: Najwa Riad Thabet

Signature: Signatures Redacted

Date: July, 24, 2015

Dedication Page

To my beloved late Father, your memory kept me going
Finally one of our dreams came through

ACKNOWLEDGMENT

This project would not have been possible without the support of many people.

Many thanks to my advisor and mentor, Dr Iman Osta, who without her support, guidance, patience, and hard work this would not have been possible. Many thanks to my committee members, Dr Mona Majdalani, and Dr May Hamdan, for all their help and encouragement.

Finally, many thanks to all those who endured this long process with me, always offering support and love.

Teaching and Learning limits at the Secondary Level in Lebanon

Najwa Riad Thabet

ABSTRACT

The concept of “limit of a function” plays a fundamental key role in comprehending basic calculus notions and its application is also essential in other disciplines. This makes it necessary for students to develop a firm conceptual understanding of limits. The main purpose of this study is to investigate the types of difficulties that Grade 11 scientific track students face while learning limits of functions and the possible sources of those difficulties as well as students’ perceptions of limits. The study took course over two academic years in a Lebanese school. The participants were grade 11 class (24 students and teacher) in a chosen Lebanese school. The conducted research is a qualitative study based on curriculum and textbook analysis, class observation log analysis, analysis of two tests prepared by the teacher, as well as a questionnaire and a post-test analysis administered to 36 grade-12 students to analyze their conceptual understanding and retention of the concept, a year from instruction. Findings show that the difficulties that students face while learning the concept of “limit of a function” are due to several reasons. The analysis of curriculum and textbook shows that the difficulties that students face relate to the representations used in the textbook as well as the way the concept is developed in the Lebanese National Curriculum and textbooks. The analysis of the observation log shows that the difficulties are mainly related to the metaphysical aspect of the notion of limit, and the elusive concept of infinity, as well as to the fact that the limit process cannot be performed by merely simple arithmetic or algebra. The analysis of the questionnaire shows that the most adopted conception of limit adopted by students is that the “limit describes how a function moves as x moves toward a certain point”, followed by the two ideas, the first one being that “a limit is a number that the y -values of a function can be made arbitrarily close to by assigning specific numbers to the x -values” and the second one that “a limit is determined by plugging in numbers closer and closer to a given number until the limit is reached”. The analysis of the three tests shows that the difficulties are mainly related to the fact that the limit process cannot be performed by simple arithmetic or algebra, to the concept of infinity, the concept of function, as well as to previous knowledge. This study gives an incentive to all stakeholders to work collaboratively to rethink the curriculum and textbooks they are using and to create a suitable learning context to develop and apply the concept of limit.

Keywords: Limit of a function, Calculus, Conceptual understanding, Epistemological obstacles, Representations, Infinity

TABLE OF CONTENTS

CHAPTER ONE.....	1
INTRODUCTION	1
1.1 Overview	1
1.2 Statement of the Problem.....	3
1.3 Purpose of the Study	7
1.4 Research Questions	7
1.5 Significance of the Study	8
CHAPTER TWO	10
LITERATURE REVIEW	10
2.1 Cognitive Theories of Learning	10
2.2 Calculus and Limits	19
2.3 Research on Limits and the Difficulties/Obstacles that Students Face.....	21
CHAPTER THREE	28
RESEARCH DESIGN AND METHOD	28
3.1 Research Context	28
3.2 Sampling and Participants.....	28
3.3 Procedures	30
3.3.1 Curriculum analysis	30
3.3.2 Class observation	31
3.3.3 Formative tests	32
3.3.4 Post-test and questionnaire	33
3.4 Data Analysis Framework.....	33
CHAPTER FOUR.....	39
FINDINGS.....	39

4.1 Framework for Analysis	41
4.2 Curriculum and Book Analysis.....	48
4.2.1 Curriculum analysis	48
4.2.1.1. Summary of Introduction and General Objectives of the curriculum.....	48
4.2.1.2 Objectives of the secondary cycle.....	49
4.2.1.3 Scope and Sequence of the Calculus part of the secondary cycle	51
4.2.2 Textbook analysis	53
4.2.2.1 Structural analysis of the textbook.....	53
4.2.2.2 Analytical analysis of the textbook.....	64
4.3 Observation Log Analysis.....	112
4.3.1 (D1) Insufficiency of simple arithmetic or algebra and shift in symbolism	112
4.3.2 (D2) The notion of the infinitely large and infinitely small.....	113
4.3.3 (D3) The metaphysical aspect of the notion of limit	115
4.3.4 (D4) Is the Limit attained or not?	116
4.3.5 (D5) Difficulties embodied in the language and symbolism	117
4.3.6 (D6) Teaching approach and use of representations.....	118
4.3.7 (D7) The failure to link geometry with numbers	119
4.4 Formative Tests Analysis (Test1 and Test2)	121
4.4.1 Test1 analysis.....	121
4.4.1.1 A Priori analysis Test1	122
4.4.1.2 Students' work analysis Test1	124
4.4.2 Test2 Analysis.....	135
4.4.2.1 A Priori analysis Test2.....	136

4.4.2.2 Students' work analysis Test2	140
4.5 Post-test and Questionnaire Analysis.....	152
4.5.1 Post-test analysis	152
4.5.1.1 A Priori analysis Post-test.....	153
4.5.2.2 Students' work analysis Post-test.....	159
4.5.2 Questionnaire analysis	190
4.5.2.1 Question 1: Conception of limit.....	192
4.5.2.2 Question 2: Conception of limit.....	198
4.5.2.3 Question 3: Difficulties and obstacles	207
CHAPTER FIVE	216
CONCLUSIONS AND RECOMMENDATIONS.....	216
5.1 Discussion of the Results of the Research Questions	216
5.1.1 Research question 1	216
5.1.2 Research question 2	221
5.1.3 Research question 3	224
5.1.4 Research question 4	227
5.2 Limitations of the Study.....	230
5.3 Recommendations for Teaching and Learning Limits.....	230
5.4 Perspective for Further Research	231
REFERENCES.....	233
APPENDICES	237
Appendix A: Test1	238
Appendix B: Test2	239
Appendix C: Post-test	242

Appendix D: Questionnaire	247
Appendix E: Test1 A Priori Analysis Tables.....	248
Appendix F: Test2 A Priori Analysis Tables.....	264
Appendix G: Post-test A Priori Analysis Tables	271
Appendix H: Classification of Students' Perceptions of their Difficulties.....	284

LIST OF TABLES

Table 1: Number of students in Grade 12, General Sciences and Life Sciences tracks	29
Table 2: Distribution of the “Reminder” Items.....	100
Table 3: Distribution of the “Test your Knowledge” Items.....	102
Table 4: Distribution of the “For Seeking” Items.....	103
Table 5: Distribution of the “For Training” Items	105
Table 6: General Sciences Students’ choices of statements 1 to 6, weighted by the three levels of preference (3 for first choice, 2 for second choice and 1 for third choice).....	194
Table 7: Life Science Students’ choices of statements 1 to 6, weighted by the three levels of preference (3 for first choice, 2 for second choice and 1 for third choice	195
Table 8: Both-Sections Global Students’ choices of statements 1 to 6, weighted by the three levels of preference (3 for first choice, 2 for second choice and 1 for third choice).....	197
Table 9: Classification of Students’ Perceptions of their Difficulties	207

LIST OF FIGURES

<i>Figure 1.</i> Research and Instruction Cycle.....	16
<i>Figure 2.</i> Polynomial Function Activity	55
<i>Figure 3.</i> Rational Function Activity	55
<i>Figure 4.</i> Operation on Limits – Sum	66
<i>Figure 5.</i> Operations on Limits – Quotient.....	67
<i>Figure 6.</i> “Course” – Text Example	69
<i>Figure 7.</i> “Course” – Graphical Representation Example.....	70
<i>Figure 8.</i> Notions of the Finite Limits - Block One	73
<i>Figure 9.</i> Notions of the Finite Limits - Block Two.....	74
<i>Figure 10.</i> Notions of the Finite Limits - Block Three.....	74
<i>Figure 11.</i> Notions of the Finite Limits - Block Four.....	75
<i>Figure 12.</i> Infinite Limits - Block One.....	76
<i>Figure 13.</i> Infinite Limits - Block Two	77
<i>Figure 14.</i> Infinite Limits – Blocks Three and Four.....	78
<i>Figure 15.</i> Infinite Limits: Examples.....	78
<i>Figure 16.</i> Infinite Limits: Generalization.....	79
<i>Figure 17.</i> Finite Limits - Block One	80
<i>Figure 18.</i> Finite Limits – Examples	81
<i>Figure 19.</i> Finite Limits – Generalization	82
<i>Figure 20.</i> Horizontal Asymptote: Block One.....	82
<i>Figure 21.</i> First Part: Limit at a Point - Blocks One and Two.....	84
<i>Figure 22.</i> First Part: Limit at a Point - Blocks Three and Four.....	86
<i>Figure 23.</i> First Part: Limit at a Point - Block Five.....	87

<i>Figure 24. Second Part: Vertical Asymptote - Blocks One and Two</i>	89
<i>Figure 25. Second Part: Vertical Asymptote – Examples</i>	90
<i>Figure 26. Operations on the Limits – Indeterminate Forms</i>	92
<i>Figure 27. Limits by Comparison - Blocks One and Two</i>	94
<i>Figure 28. Limits by Comparison - Block Three</i>	95
<i>Figure 29. Continuity at a Point – Definition</i>	96
<i>Figure 30. Continuity at a Point – Remark and Examples</i>	97
<i>Figure 31. Use of the “+” and “-” Signs</i>	113
<i>Figure 32. List of Gradually Closer and Closer Values to 4</i>	114
<i>Figure 33. Operations that Involve Infinity</i>	115
<i>Figure 34. Distinction Between $\frac{1}{0^+}$ and $\lim_{x \rightarrow 0^+} \frac{1}{x}$</i>	115
<i>Figure 35. Process: “Limit does not Exist”</i>	116
<i>Figure 36. Double-folded Difficulty</i>	117
<i>Figure 37. Axis of the Orthonormal System</i>	117
<i>Figure 38. Difference Between 0^+ and 0^-</i>	118
<i>Figure 39. Summary of Lesson Using Flowchart</i>	118
<i>Figure 40. Piece-wise-Defined Function</i>	119
<i>Figure 41. Test1 Question I</i>	123
<i>Figure 42. Test1 Question II</i>	123
<i>Figure 43. Test1 Question III</i>	124
<i>Figure 44. Test1 Indeterminate Form – IA</i>	124
<i>Figure 45. Test1 Indeterminate Form – IIA</i>	125
<i>Figure 46. Test1 Indeterminate Form – IID</i>	126

<i>Figure 47. Test1 Existence of Asymptote – IA</i>	<i>127</i>
<i>Figure 48. Test1 Overgeneralization of Rules - Finding Limits</i>	<i>129</i>
<i>Figure 49. Test1 Choosing Wrong Side of Piece-wise Function</i>	<i>130</i>
<i>Figure 50. Test1 Choosing Both Sides of Piece-wise Function</i>	<i>131</i>
<i>Figure 51. Test1 Choosing Same Side of Piece-wise Function.....</i>	<i>131</i>
<i>Figure 52. Test1 Substituting Values and Calculating - Solving Equations</i>	<i>132</i>
<i>Figure 53. Test1 Factorization and Eliminating like terms</i>	<i>133</i>
<i>Figure 54. Test1 Dealing with Fractions</i>	<i>134</i>
<i>Figure 55. Test1 Equation of an Asymptote.....</i>	<i>134</i>
<i>Figure 56. Test1 Horizontal Asymptote Instead of Vertical Asymptote.....</i>	<i>135</i>
<i>Figure 57. Test2 Question I.....</i>	<i>136</i>
<i>Figure 58. Test2 Question II.....</i>	<i>137</i>
<i>Figure 59. Test2 Question III</i>	<i>138</i>
<i>Figure 60. Test2 Question IV</i>	<i>139</i>
<i>Figure 61. Test2 Indeterminate Form – IA.....</i>	<i>142</i>
<i>Figure 62. Test2 Continuity – III Part IIB</i>	<i>143</i>
<i>Figure 63. Test2 Equation of an Asymptote.....</i>	<i>144</i>
<i>Figure 64. Test2 Horizontal Asymptote Instead of Vertical Asymptote.....</i>	<i>145</i>
<i>Figure 65. Test2 Overgeneralization of Rules - Finding Limits</i>	<i>146</i>
<i>Figure 66. Test2 Finding Limits from the Graph – III Part IA</i>	<i>147</i>
<i>Figure 67. Test2 Finding Limits from the Graph – IIA.....</i>	<i>148</i>
<i>Figure 68. Test2 Solve Equations: Square Roots</i>	<i>150</i>
<i>Figure 69. Test2 Factorization and Eliminating like terms</i>	<i>151</i>

<i>Figure 70. Post-test Question I</i>	153
<i>Figure 71. Post-test Question II</i>	156
<i>Figure 72. Post-test Question III</i>	158
<i>Figure 73. Post-test Question IV</i>	159
<i>Figure 74. Limit of Function at Point not belonging to Domain – GS</i>	160
<i>Figure 75. Limit of Function at Point not belonging to Domain – LS</i>	161
<i>Figure 76. Indeterminate Form, Existence of Limits – GS</i>	162
<i>Figure 77. Indeterminate Form, Existence of Limits – LS</i>	162
<i>Figure 78. Limit of a Rational Function at Infinity – GS</i>	163
<i>Figure 79. Limit of a Rational Function at Infinity – LS</i>	163
<i>Figure 80. Limit of an Oscillating Function at Infinity – GS</i>	164
<i>Figure 81. Limit of an Oscillating Function at Infinity – LS</i>	165
<i>Figure 82. Rational Function, Vertical Asymptote – GS</i>	166
<i>Figure 83. Rational Function, Vertical Asymptote – LS</i>	166
<i>Figure 84. Function, Horizontal Asymptote – GS</i>	167
<i>Figure 85. Function, Horizontal Asymptote – LS</i>	167
<i>Figure 86. Relating Wrong Asymptote to Function – GS</i>	168
<i>Figure 87. Relating Wrong Asymptote to Function – LS</i>	168
<i>Figure 88. Recognizing what Happens at Infinity – GS</i>	169
<i>Figure 89. Recognizing what Happens at Infinity – LS</i>	170
<i>Figure 90. Existence of a Limit – GS</i>	171
<i>Figure 91. Existence of a Limit – LS</i>	171
<i>Figure 92. Property of a Limit – GS</i>	172

<i>Figure 93. Property of a Limit – LS</i>	<i>172</i>
<i>Figure 94. Reading Graphs to Find Limits – GS.....</i>	<i>173</i>
<i>Figure 95. Reading Graphs to Find Limits – LS</i>	<i>174</i>
<i>Figure 96. Polynomial Functions – GS</i>	<i>175</i>
<i>Figure 97. Polynomial Functions – LS.....</i>	<i>176</i>
<i>Figure 98. Domain and Range of a Function with Absolute Value – GS</i>	<i>177</i>
<i>Figure 99. Domain and Range of a Function with Absolute Value – LS.....</i>	<i>178</i>
<i>Figure 100. Domain of a Function with Square Root – LS.....</i>	<i>179</i>
<i>Figure 101. Continuity of a Function, Closed Interval – GS.....</i>	<i>180</i>
<i>Figure 102. Continuity of a Function, Closed Interval – LS</i>	<i>181</i>
<i>Figure 103. Continuity of a Function, Minimum and Maximum – GS.....</i>	<i>182</i>
<i>Figure 104. Continuity of a Function, Minimum and Maximum – LS</i>	<i>183</i>
<i>Figure 105. Symmetry of a Function – GS.....</i>	<i>184</i>
<i>Figure 106. Symmetry of a Function – LS</i>	<i>184</i>
<i>Figure 107. Value of a Function – LS</i>	<i>185</i>
<i>Figure 108. Defining a Function – GS</i>	<i>185</i>
<i>Figure 109. Defining a Function – LS.....</i>	<i>186</i>
<i>Figure 110. Solving Inequalities, Square Roots Number 9 – GS.....</i>	<i>187</i>
<i>Figure 111. Solving Inequalities, Square Roots Number 9 – LS</i>	<i>187</i>
<i>Figure 112. Solving Inequalities, Square Roots Number 10 – LS</i>	<i>188</i>
<i>Figure 113. Equation of an Asymptote – GS</i>	<i>189</i>
<i>Figure 114. Equation of an Asymptote – LS.....</i>	<i>190</i>
<i>Figure 115. Number Function Cannot Reach 1</i>	<i>204</i>
<i>Figure 116. Number Function Cannot Reach 2.....</i>	<i>206</i>

CHAPTER ONE

INTRODUCTION

1.1 Overview

Mathematics is generally perceived to be a difficult subject to learn since it requires higher-order thinking abilities. Hence a solid conceptual understanding of mathematical concepts is critical for students to decide where, when, and how to use their knowledge of the concepts. Calculus, as one of the mathematics disciplines, is not an exception.

The concept of “limit of a function” plays a fundamental key role in comprehending basic calculus notions such as: derivative, integral, and continuity (Williams, 1991; Ervynck, 1988). Its application is also essential in other disciplines such as: physics, chemistry, economics...etc (Ferrini-Mundy & Lauten, 1993; Tall, 1992a). This makes it necessary for students to develop a firm conceptual understanding of limits. Students’ difficulties in understanding limits will not only affect their understanding of that concept but also their whole subsequent learning process in mathematics as well as in other subjects, hence creating problems for them later in their future life.

Research shows that the concept of limit creates major difficulties for students. Students face many obstacles while coming to understand the concept of limits (Cornu, 1991; Tall & Vinner, 1981). Juter (2006) considers that learning limits of functions requires effort and time, possibly more than other topics and concepts in basic calculus. Cornu (1991) believes that the concept of limits is a difficult one since it requires advanced critical thinking which is entailed in advanced mathematics.

The concept of limits also holds a vital position that lays the foundation for the entire mathematical analysis (as a basis of several theories and operations such as: approximation, differentiation, integration, and continuity). The main reason behind the difficulties in learning and teaching the concept of limits is not only related to the complexity and richness of the concept but also to the impossibility to recognize the cognitive aspects of the concept merely from its mathematical formal definition.

Moreover, students' intuitive understanding of the formal aspect of the concept of limits depends greatly on the understanding of several other concepts such as: infinitesimals, the notion of infinity, and continuity (Cornu, 1991; Tall, 1992b). A misconception in any of those concepts will lead to a problem in understanding the concept of limits. This creates a need for studying how the concept is developed throughout the curriculum.

Moreover, Barbe, Bosch, Espinoza and Cascon (2005) consider that the processes of learning and teaching go hand in hand and that the problems that arise while teaching the concept of limits require an understanding of the choices that teachers make and the related content of the curriculum. Results of research studies done by Mastorides and Zachariades (2004) and Huillet (2005) show that the poor performance of students related to the concept of limits points directly to deficiencies in teachers' content knowledge of the concept and the teaching strategies they use.

Cornu (1991) also regards "the diversity of conceptions, the richness and complexity of notions, and the cognitive obstacles" (p.165) as the main reasons why teachers face difficulties while teaching the concept.

A thorough investigation of the concept of “limit of a function”, its development, and the difficulties/obstacles that students face when learning this concept can help in creating a basis for enhancing its teaching and learning.

1.2 Statement of the Problem

The concept of “limit of a function” is one of the elemental concepts in calculus. A good conceptual understanding of this concept and its applications is essential in order for students to successfully proceed further with other concepts that they will need later on (derivatives, integrals, etc...). The difficulties and obstacles faced by students while constructing an understanding of such a concept make it a necessity to investigate and analyze the way it is taught in schools.

Several research studies investigated the difficulties and obstacles that students face while learning concepts in calculus particularly the concept of limits. Some of these obstacles emerge due to previous knowledge (Juter, 2005), curriculum, as well as teachers’ practices and teaching methods (Barbe, Bosch, Espinoza, & Cascon, 2005). Other obstacles emerge from students’ intuitive understanding of the formal aspect of the concept that depends greatly on the understanding of several other concepts such as: infinitesimals, the notion of infinity, and continuity (Cornu, 1991; Tall, 1992b). According to Cornu (1991), these obstacles are divided into three types: genetic and psychological, didactical, and epistemological obstacles.

Some studies, on the other hand relate the difficulties to the development of the concept through time (Juter, 2006; Furinghetti & Radford, 2002). Some additional difficulties can be due to the different representational means such as: symbolic, verbal,

and visual that are used when working with limits (Tall, 1992b; Sierpinska, 1987; Moru, 2008).

When analyzing such obstacles the following questions come to mind:

- Is the concept of limits developed in a way that helps students build their mathematical knowledge meaningfully?
- Do the students master all other concepts that are needed as a basis for understanding the concept of limits?
- Does the teacher use various teaching methods that address all types of intelligences in the classroom?
- Can the students correctly use their understanding of limits in mathematical problem solving as well as problem solving in other disciplines?
- Can students apply their knowledge of limits in real life situations?

The present study is concerned with the teaching and learning of the concept of limits in the Lebanese context.

The Lebanese Mathematics Curriculum (LMC) regards mathematics as an “essential science” that can help students build the necessary knowledge needed “to understand and explore the real world in all domains: physical, chemical, biological, social, psychological ... etc” (Ministry of Education & Educational Center for Research and Development (ECRD), 1997, p. 288).

The General Objectives of the Lebanese Mathematics curriculum (ECRD, 1997) stress on several aspects mainly: mathematical thinking, solving mathematical problems, communicating mathematically, establishing “relations between mathematics and the surrounding reality” (p. 289), as well as valuing mathematics. The main aim of the

curriculum is to raise individuals that are able to use their mathematical knowledge efficiently and effectively in order to “understand and explore the real world” (p. 288).

The Secondary Education of the Lebanese system is made up of three years. According to the Lebanese curriculum syllabus, Calculus is introduced in the first year and includes numerical functions, their graphical representation, using graphs to solve equations and inequalities, and the study of functions.

In the second secondary year, a student may choose one of two tracks: Humanities and Sciences. The curriculum shows that the calculus syllabus as well as scope and sequence of both tracks are the same and include: limit of a function at a point and at infinity. It also includes calculations with Limits, Arithmetic and Geometric sequences, continuity of a function, derivative of function, differentiation rules, study of different types of functions (polynomial and homographic), and integration.

In the third secondary year, a student may choose one of four tracks: Literature and Humanities (LH), Sociology and Economics (SE), General Sciences (GS), and Life Sciences (LS). In this third year, the curriculum shows some major differences among the four tracks, in their syllabus and in their scope and sequence.

The calculus syllabus in the third secondary year includes only one common topic among the four tracks: exponential functions.

Following is an overview of the topics included in the calculus syllabus of the different tracks of the third secondary year.

Topics common to the three tracks SE, GS, and LS:

Natural logarithmic functions, inverse functions, derivatives of composite functions, second derivative, L'Hospital's rule, integration; definition, properties and

calculation, differential equation; definition, equations in separable variables, first order linear equations with coefficients as constants.

Topics present only in LH and SE tracks: Rational functions. This topic is not mentioned in Grade 11 sciences track.

Topics present only in GS and SE tracks: Limits of numerical sequences.

Topics present only in GS and LS tracks: Inverse trigonometric functions, closed interval in relation with continuous function, derivatives of inverse functions, successive derivatives, as well as integration rules and how to apply integral calculation, Differential equation; second order linear equations with coefficients as constants.

Topics present only in LH track: Graphical representations as well as simple and compounded interests as mathematical models for economics and social sciences.

Topics present only in SE track: Limits of geometric sequences, finite differences equations and functions that are related to economics and social sciences as well as finance mathematics.

Topics present only in GS track: Irrational functions, numerical sequences (bounded and convergent sequences), and parametric curves, Rolle's and Mean value theorem, Mean value theorem for definite integrals.

As the above information from the Lebanese Calculus Curriculum shows, despite the differences in the various tracks of the third secondary year, almost all concepts mentioned depend greatly on students' mastery of the concept of limits. Moreover, the objectives of each track are not all the same, which raises the question: do teachers have this distinction in mind while teaching the concept of limits to different students in different tracks in Grade 11? For example, are students in Grade 11 Humanities and

Sciences tracks able to apply their knowledge later in Grade 12 and further in other disciplines such as economics? Another major question comes to mind: Do the National books used address students' needs in different tracks and do they contain enough diverse material to prepare students for their future studies?

This study sheds light on how the concept of “limit of a function” is presented and developed in the Lebanese National Curriculum and its actual implementation and development in a Lebanese classroom. It also discusses the difficulties that students face while learning and applying the concept and the related obstacles that could have created such difficulties.

1.3 Purpose of the Study

The main purpose of this study is to investigate the types of difficulties that students face while learning limits of functions and the possible sources of those difficulties as well as the related obstacles. It also investigates the ways students apply their understanding of the concept in solving problems.

Moreover, this study examines how the concept of “limit of a function” is presented and developed in the Lebanese National Curriculum and textbooks and the way the curriculum is implemented through the actual classroom practices in a chosen classroom (Grade 11 scientific track of a Lebanese private school).

1.4 Research Questions

This study addresses the following questions

1. How is the concept of “limit of a function” presented and developed in the Lebanese National Curriculum and textbooks?

2. How is the concept of “limit of a function” actually presented and developed in the classroom?
3. What types of difficulties/obstacles do Lebanese secondary students face while learning limits of functions?
4. How do students perceive the concept of limit and describe their difficulties regarding this concept?

1.5 Significance of the Study

The concept of functions in general and their limits in particular creates an appealing context for studying important mathematical beliefs. The concept of limit is an important mathematical concept to investigate due to several reasons.

It is probably the most basic idea in standard calculus. Students face many difficulties in acquiring such a concept, which makes it a must to investigate those difficulties and understand them, in order to find solutions; Sierpiska (1987), Davis and Vinner (1986), Williams (1991), and Tall and Vinner (1981) claim that, even after building up carefully developed instruction to minimize such difficulties, students still continue to have alternative and incomplete conceptions of limits.

Furthermore, since there is a necessity for students to develop a good understanding of the concept of limits in order to be able to apply it successfully in other disciplines (such as: economics, physics, etc...), analyzing the difficulties and obstacles that they face while learning the concept becomes a must. Any misconceptions of the concept of limits can create difficulties for them while learning other mathematical concepts, or concepts in other disciplines.

In addition, many international research studies have given the concept of limit considerable attention, and provided solid and formal frameworks for evaluating and assessing students' conceptions of limit. Such frameworks help in providing a good tool for evaluating and thinking about limits (Szydlik, 2000). However, to my knowledge there are no studies that investigated the teaching and learning of this concept in the Lebanese, or even the Arab countries' context. The present study is expected to make a much needed contribution in this field.

Furthermore, the outcomes of this study will provide teachers and curriculum developers with the following:

- An insight into the difficulties that students face while learning the concept of “limit of a function”.
- An incentive to rethink the curriculum they are using and its textbooks in order to achieve a conceptual understanding of the concept and its application in mathematics as well as other disciplines, i.e. assess the need for changes, extra activities and looking for other resources.
- An incentive to create a suitable learning context through designing effective situations to develop and apply the concept of “limit of a function”.

CHAPTER TWO

LITERATURE REVIEW

The following section includes a basic discussion of the main educational theories in the literature, associated with the subject of the study.

2.1 Cognitive Theories of Learning

Educational researchers are in general concerned with psychological factors that continuously affect students' learning and thinking, which are better understood and analyzed in light of cognitive theories. Cognitive theories can help in detecting the factors and situations that affect students' understanding and development of concepts.

According to Dubinsky and McDonald (2001), "a theory of learning mathematics can help us understand the learning process by providing explanations of phenomena that we can observe in students who are trying to construct their understandings of mathematical concepts and by suggesting directions for pedagogy that can help in this learning process" (p.275). Since students' understanding of any concept depends highly on their previous knowledge and the way they use this knowledge in order to acquire new concepts, the reference to cognitive theories becomes essential in order to detect some of the difficulties that students face while learning any new concept such as "limit of a function".

One of the main cognitive theories of learning is that of Piaget (1975). Piaget identified three types of abstraction:

1. *Empirical abstraction* which is related to how an individual obtains knowledge from objects and their properties (Beth & Piaget, 1974). This type of abstraction leads to the passage from “the specific to the general”.

2. *Pseudo-empirical abstraction* (Piaget, 1975) which is the intermediate stage between *empirical* and *reflective abstraction*. This type of abstraction is extracted from transitory properties of objects that are derived from the coordination of the individual’s actions. During this stage the individual separates the properties that he/she attributed to the objects in the first stage. *Pseudo-empirical abstraction* stage focuses on *actions* on objects and the properties of the actions.

3. *Reflective abstraction* which was introduced by Piaget (1975) is directly related to the *general coordination* of actions. The source of this type of abstraction is the individual. This type of abstraction involves both: recognizing properties from physical or mental actions, as well as reorganizing and reconstructing the content, thus leading to a new content where new operations can be applied. According to Piaget, “reflective abstraction” continues to develop through the higher stages of mathematical learning (Piaget, 1985). Beth and Piaget (1974) believe that “reflective abstraction” is the main reason behind the reconstructions that take place while moving through the four stages of “sensori-motor actions”, “semiotic representations”, “concrete operations” and “formal operations”. Although Piaget’s main concern is how mathematical knowledge develops at the early stages, he suggests that the same process of knowledge development can be applied to more advanced knowledge and topics in mathematics.

Dubinsky (1991) suggests that the beliefs that Piaget uses to depict how children construct simple concepts can be used to analyze the construction of more complex

concepts, among which is the concept of mathematical limit. Dubinsky (1991) discusses “reflective abstraction”, as well, and considers it as a general framework that can be used to describe any mathematical concept and how it is acquired. He refers to that framework as the “general theory”, a special type of which is *genetic decomposition*. The “general theory” defines *genetic decomposition* as “a hypothetical model that describes the mental structures and mechanisms that a student might need to construct in order to learn a specific mathematical concept” (Arnon, et al., 2014, pp.27, 28). According to Dubinsky, the study of “reflective abstraction” goes hand in hand with the exploration of *epistemological obstacles* investigated by Cornu (1981) and Sierpiska (1987).

Moreover Dubinsky and McDonald (2001) believe that mathematical knowledge depends on students’ inclination to deal with apparent mathematical problems and situations by structuring mental *actions*, *processes*, and *objects* and then arranging them in *schemas* in order to understand the given situations and hence solve the mathematical problems. Dubinsky (2000) explains extensively these mental structures in a theoretical construct that he coined as the APOS theory. This theory considers that understanding a mathematical concept begins with manipulating previously constructed mental or physical objects to form actions; actions are then interiorized to form processes, which are then encapsulated to form objects. Objects can be de-encapsulated back to the processes from which they were formed. Finally, actions, processes, and objects can be organized into schemas. Dubinsky (1991) discusses five types of reflective abstraction, or mental mechanisms—interiorization, coordination, reversal, encapsulation, and generalization—that lead to the construction of the before-mentioned mental structures: Actions, Processes, Objects, and Schemas. According to Piaget, and adopted by APOS

Theory, a concept is first conceived as an Action, that is, as an externally directed transformation of a previously conceived Object, or Objects. An Action is external in the sense that each step of the transformation needs to be performed explicitly and guided by external instructions; additionally, each step prompts the next, that is, the steps of the Action cannot yet be imagined and none can be skipped. An individual who is limited to an Action conception relies on external cues. As an individual repeats and reflects on an action, it may be interiorized into a mental process. A process is a mental structure that performs the same operation as the action being interiorized, but wholly in the mind of the individual, thus enabling him or her to imagine performing the transformation without having to execute each step explicitly. Encapsulation occurs when an individual applies an Action to a Process, that is, sees a dynamic structure (Process) as a static structure to which Actions can be applied. If one becomes aware of the process as a totality, realizes that transformations can act on that totality and can actually construct such transformations (explicitly or in one's imagination), then it is said that the individual has encapsulated the process into a cognitive object. Once a Process has been encapsulated into a mental Object, it can be de-encapsulated, when the need arises, back to its underlying Process. In other words, by applying the mechanism of de-encapsulation, an individual can go back to the Process that gave rise to the Object. The mechanism of coordination is indispensable in the construction of some Objects. Two Objects can be de-encapsulated, their Processes coordinated, and the coordinated Process encapsulated to form a new Object. According to Dubinsky (1991), Schemas are structures that contain the descriptions, organization, and exemplifications of the mental structures that an individual has constructed regarding a mathematical concept

“Action. A transformation is considered an action when it is a reaction to stimuli which the subject perceives as external. This means that the individual requires complete and understandable instructions giving precise details on steps to take in connection with the concept.

Process. When an individual reflects on an action scheme and internalizes it then the action can become perceived as a part of the individual and he or she can establish control over it.

Object. When an individual reflects on operations applied to a particular process, becomes aware of the process as a totality, realizes that transformations (whether they be actions or processes) can act on it, and is able to actually construct such transformations, then he or she is thinking of this process as an object.

Schema. Once constructed, objects and processes can be interconnected in various ways. A collection of actions, processes, and objects can be organized in a structured manner to form a schema which may also include previously constructed schema. The structure of the schema has coherence in the sense that an individual understands, implicitly or explicitly, which phenomena the schema can be used to deal with” (Dubinsky, 1991, pp. 5 - 7).

The development of the APOS theory started in the early 1980s (Dubinsky, 1984), and since that time it became an essential basis for research in mathematics education as well as curriculum development (Arnon, et al., 2014). Piaget’s *Reflective abstraction* was used as the basis for the development of APOS theory. Piaget (1970) believes that mental or physical knowledge of an object can only be developed if both the object and a subject acting on that object are involved. The general framework, “content and operations on content that lead to the operations themselves becoming new content”, sets the basis for more delicate differences; for example, the difference between the mental structure of *Action* and *Process* and how mental mechanisms, encapsulation and exteriorization, result in the creation of various conceptions that comprise the A – P – O – S progression. Beth and Piaget (1974), consider that “reflective abstraction consists of translating a succession of material actions into a system of interiorized operations, the laws of which are simultaneously implied in an act”. According to Dubinsky (1991) “Interiorized operations” refer to Processes in APOS theory, “translations” refer to the

mental mechanism of “interiorization”, and “system” refers to “Schema”. Moreover, Piaget’s *Reflective abstraction* had an effect on the APOS theory regarding the development of transformation of a Process into an Object through the “mental mechanism of encapsulation”.

Moreover, Dubinsky (1991) generally describes the mental structures and mechanisms – involved in the construction of mathematical knowledge – that are used in the APOS theory and the relation between them. The mental structures involve: (a) Actions, (b) Processes, (c) Objects, and (d) Schemas whereas the mental mechanisms or constructions (derived from Piaget’s on *reflective abstraction*) that lead to the construction of these structures involve: (a) Interiorization, (b) Coordination, (c) Reversal, (d) Encapsulation, and (e) Generalization (Piaget, 1970, 1972).

Generally, genetic decomposition may include several aspects (Arnon, et al., 2014):

- Description of how Action, Process, and Object structures are related, and the way they are organized into Schemas which are larger mental structures.
- Explanation of individuals’ expected performances that show variations in their development of constructions.
- Description of a student’s prerequisite structures that he/she might have constructed previously, and an explanation of the variations in the development of different students that might have had an effect on the discrepancies in their mathematical performance.

According to Arnon, et al. (2014) research based on APOS theory depends greatly on genetic decompositions. *Preliminary genetic decomposition*, as a theoretical

hypothesis, can set the basis for designing instruments that can be used in obtaining and analyzing students' data. Through their work, students' constructions can be inferred and their answers to questions can be compared to what was originally forecasted in the *preliminary genetic decomposition*.

According to Asiala et al. (1996), curriculum development and/or research based on the APOS theory encompasses three constituents: (a) theoretical analysis, (b) design and implementation of instruction, and (c) collection and analysis of data. Figure 1 reveals the relationship between these three constituents.

Figure 1. Research and Instruction Cycle (Asiala et al., 1996)

Based on this figure, the first step in a research is a theoretical analysis of the development of the mathematical concept under study, which leads the way to the *preliminary genetic decomposition* of that concept. The three constituents of the research cycle affect each other as shown by the arrows in Figure 1. The design and implementation of instruction are coerced by the theoretical analysis through exercises and/or activities that are specially designed to promote the mental constructions required by the analysis. These exercises and/or activities can assist students in constructing Actions, interiorizing these Actions into Processes, encapsulating the resulting Processes into Objects, and finally coordinating these Processes in order to construct new ones. The

implementation of instruction offers a chance to the collection and analysis of data based on the APOS theory. Based on the analysis of students' work either one of theoretical analysis or instruction could be revisited and reconsidered.

Moreover, Tall and Vinner (1981) use the theory of *concept image* and *concept definition* to distinguish between the images that the individuals create in their mind for a specific concept and the definition of the concept using mathematical statements and words. Based on this theory, a study of the curriculum can help in postulating some reasons for the disparity between individuals' concept images and their knowledge of the definition of the concept. According to this theory, the term concept image is used to describe the total cognitive structure that is associated with a given concept, together with all the mental pictures and associated properties and processes. ... As the concept image develops, it need not be coherent at all times. ... The portion of the concept image which is activated at a particular time is referred to as the evoked concept image. At different times, seemingly conflicting images may be evoked. Only when conflicting aspects are evoked simultaneously need there be any actual sense of conflict or confusion (Tall, 1990, p. 5). The concept definition [is] a form of words used to formally specify that concept (Tall & Vinner, 1981, p.152)

“On the other hand, Chevallard's *theory of didactic transposition* states that a unique model called “praxeology” (Greek based praxis means practice and logos means reason) can describe every individual's activity. Based on that, mathematical activities in schools are related to two blocks: theoretical and know-how, The *process of didactical transposition* refers to the adjustments that a body of knowledge has to pass through in order to become a type of knowledge that can be learned and taught at schools. Based on Chevallard's theory and other research on the topic (Bosch, Chevallard & Gascón, 2005; Barbé, Bosch, Espinoza, & Gascón, 2005), Hardy (2009) divides knowledge into several types: Scholarly knowledge, understood as knowledge produced by professional mathematicians, Knowledge to be taught, described in curricular documents, Knowledge actually taught which can be gleaned from the teachers' classroom discourse and the tasks he or she prepares for the students, Knowledge to be learned, which can be a subset of the

knowledge to be taught or of the knowledge actually taught and whose minimal core can be deduced from the assessment instruments, and finally Knowledge actually learned which can be accessed somewhat from students' responses to tasks, clinical interviews, observations of students' behavior in the ordinary classroom or in specially designed problem solving situations" (p. 343).

In addition to the previously mentioned theories, Tall's (2004) three-world-theory of mathematics is used to differentiate between the different styles of mathematical thinking. This theory concentrates on mental representations and their constructions and is based on several other theories related to concept development, some of which include the work of Sfard (1991) based on Processes and their encapsulation into Objects as well as the reflective abstraction theory of Piaget. Individuals in the first world (referred to as *embodied world*) make use of their physical understanding of the real world around them in order to execute mental experiments that help them in creating mental notions of mathematical concepts. In the second world (referred to as the *proceptual world*) individuals start using procedural actions, such as symbols, in order to encapsulate mental conceptions into concepts. These symbols correspond to both concepts and Processes. All three, symbols, processes, and concepts, are referred to by Gray and Tall (1994) as *procepts*. In the third world (referred to as the *formal world*), formal definitions and axioms are used to convey properties. Individuals move back and forth between the three worlds based on their experiences and needs during which their concept mental representations are formed and modified.

Cottrill, Dubinsky, Nichols, Schwingendorf, Thomas, and Vidakovic (1996) consider that in order to learn the concept of "limit of a function" an explorative approach should be used starting with the use of tables, which include the values of a function, and graphs and later with the use of entities that can be expressed symbolically. Moreover,

Hiebert and Carpenter (1992) as well as Dreyfus (1991) believe that individuals can better understand any mathematical concept through creating more connections between mental representations.

2.2 Calculus and Limits

Tall (1992b) emphasizes that calculus represents a mixture of diverse approaches in different curriculums around the world, some of which are:

1. *Informal calculus*: “informal ideas of rate of change and the rules of differentiation with integration as the inverse process” (p.1), in addition to applications of integration such as calculation of areas and volumes.

2. *Formal analysis*: “formal ideas of *completeness*, $\varepsilon - \delta$ definitions of limits, continuity, differentiation, Riemann integration, and formal deductions of theorems such as mean-value theorem, the fundamental theorem of calculus etc.” (p.1).

3. Ideas about infinitesimal related to a non-standard analysis basis.

4. Several computer based manipulation facilities including numerical, graphical, and symbolic ones

According to Tall and Vinner (1981) and Williams (1991), the words “approaching/getting close to” that are used to express the dynamic images of a limit do not convey accurately the mathematical indication of the concept.

According to Roh (2008), individuals’ mental images of limits are endorsed in their earlier learning experiences prior to the formal *rigorous* definition. Such dynamic mental images change into concept images that individuals keep on using even after the introduction of the definition.

Several studies confirm that a full understanding of the concept of limit is relatively rare (Williams, 1991; Davis & Vinner, 1986; Sierpiska, 1987; Tall, 1980; Cornu, 1981; Tall & Vinner, 1981). Also, the understanding of several concepts in calculus such as continuity, differentiation, and integration depends to a great extent on the understanding of the concept of a function in general and its limit in particular (Ervynck, 1988; Williams, 1991).

Moreover, the concept of limit is important for developing mathematical thinking for other disciplines and subjects and for practicing mathematical rigor (Ferrini-Mundy & Lauten, 1993; Tall, 1992a). This justifies the need for further and continuous research related to the concept.

One of the main pillars of Calculus is the concept of Limit. This concept requires a type of calculation that cannot be performed using simple algebra and arithmetic (Tall, 1993). It also includes infinite processes that can only be performed using indirect arguments (Tall, 1992b).

According to Juter (2007), different Students deal with such a concept in different ways based on their conceptual development. They are required to have specific abstraction skills in order to be able to understand the concept of “limit of a function”. Some students cannot be persuaded that arguments and proofs are of any importance; hence they need special instructions that help them make sense of mathematical concepts. Other students cannot work on mathematical concepts without formal structures. Rigorous definitions provide such students with specific criteria that can help them create mathematical arguments, for example proving the existence of a certain limit. Educators must make sure not to underestimate the importance of rigor and formal definitions.

Szydlik (2000) suggests that “calculus should be taught in an informal manner that allows students to discover the important ideas, or presented to students as rigorous and structured” (p.274).

2.3 Research on Limits and the Difficulties/Obstacles that Students face

Tall (1990) confirms that tentative analyses of students’ conceptions reveal primary inadequacies. Students bring pre-mathematical knowledge and experiences into the classroom, which influences their understanding and perception of mathematics in general and of new concepts in particular. According to Juter (2005), “when students learn a new mathematical concept or learn something further about an already known concept, they have to draw on parts of what they have already learned or perhaps draw on related concepts” (p. 91).

Sfard (1991) claims that it is essential to refer to the process of concept development when deciding to address mathematical objects. According to Sfard (1991), operational rather than structural form is the main focus in the early stages of learning any concept. For example, the notion of infinity, which is one of the main focuses while learning the concept of limit, is not considered in the early stages of learning the concept. Students first approach the concept intuitively without full understanding, then as the learning process matures their understanding becomes more solid. Pehkonen, Hannula, Maijala, and Soro (2006) consider infinity as an inspiring but rather difficult concept for both mathematicians and students. Since the infinity concept is directly related to the concept of limits, any misconception of the former concept can hinder proper understanding of the latter one.

Juter (2007) considers that understanding the “termination of an infinite procedure

as a finite object such as $\lim_{x \rightarrow \infty} \frac{\sin(\frac{1}{x})}{\frac{1}{x}} = 1$ ” is challenging to individuals and hard to

understand.

Dubinsky, Weller, McDonald, and Brown (2005) use the APOS theory to distinguish between potential and actual infinity. The APOS theory regards potential infinity as “the conception of the infinite as a process” (p. 263), and actual infinity as “the mental object obtained through encapsulation of that process” (p. 263). Based on APOS analysis, students can comprehend the infinite as a completed totality once they can visualize all the steps of the process as one operation which can be carried out and completed. Encapsulating this totality can lead to the transformation of potentiality into a case of actual infinity where actions are applied. Hence, potential and actual infinity correspond to two cognitive conceptions that are different but can be related through the use of encapsulation’s mental mechanism. These cognitive conceptions and the relation between them create the infinity Schema in a student’s mind.

Katz (1998) states that the notion of “limit of function” took many centuries to develop until it reached the present level of stringency. Mathematicians have faced several difficulties with this concept due to several reasons. Some of these reasons are related to the development of the concept through time. As for Furinghetti and Radford (2002), they suggest that an evaluation of the historical development compared to the conceptual development of students can be informative and useful despite some methodological and theoretical complications that emerge due to the fact that psychology and history belong to two different domains. Moreover, the historical development of the

concept can help in inspiring students in learning mathematics (Bartolini Bussi & Sierpinska, 2000; Grugnetti & Rogers, 2000). According to Bagni (2005), historically, potential and actual infinity are both ancient notions. Aristotle (384-322 BCE) was the first to distinguish the two notions, but he considered mathematical infinity as just potential and refused actual infinity. The hidden opposition between the two became apparent only after calculus was originated.

The most frequently mentioned obstacle that students face while developing a dynamic notion of limit is the idea whether a limit is actually attained or not. Eryvynck (1988) and Williams (1991) on the other hand agree that the main obstacles arise when students try to pass from a “dynamic or process conception” of limit to a formal understanding of the concept. Other researchers argue that in order to develop a formal understanding, a solid “dynamic conception” is a must (Cottrill et al., 1996; Davis & Vinner, 1986; Orton as cited in Artigue, 1992).

However, although different researchers tried to develop and create instructional methods that can help students visualize and properly use and evaluate limits accurately; students still face difficulties while learning the *rigorous definition of limits* due to the dynamic images that they created prior to the introduction of the definition (Roh, 2010).

According to Barbe, Bosch, Espinoza, and Gascon (2005), some of the obstacles that students face while coming to understand the concept of limits materialize when they start using limits to solve mathematical problems. Other obstacles emerge due to the way mathematical knowledge is planned to be taught in textbooks official syllabi. Two basic restrictions are associated with such obstacles: Didactic restrictions and restrictions

related to mathematical knowledge and the way it is presented in official syllabi and textbooks as well as the way it is taught in classrooms

Other types of obstacles create difficulties for students when trying to understand the concept of “limit of a function”. According to Cornu (1991), these obstacles are divided into three types:

- Genetic and psychological obstacles which arise as a result of the students’ personal development;
- Didactical obstacles which arise due to the teacher and the teaching methods;
- Epistemological obstacles which arise due to the mathematical concepts themselves, such as: (a) failure to link numbers with geometry, (b) lack of understanding of infinitely large and small numbers, (c) the metaphysical characteristic of the concept of limit, and (d) the question “is the limit attained or not?”

As for Tall (1992b), the concept of “limit of a function” generates several cognitive difficulties some of which are related to:

- Language difficulties (Monaghan, 1991); terms such as “limit”, “tends to”, “approaches”, ‘as small as we please’ have informal meanings that conflict with their meanings in mathematical contexts.
- The notion that simple algebra and arithmetic cannot be used to perform the limit process.
- The difficulty of understanding the concept of infinite numbers and infinitesimal concepts.
- The confusion that arises when passing from finite to infinite and understanding what occurs at infinity.

- The difficulty that students face when questioning whether the limit can actually be reached.

Moreover, Tall (1992b) discusses other issues in calculus that he considers worthy of analyzing due to their effect on understanding the concept of “limit of a function” such as students’:

- Preference to use procedural methods over conceptual understanding.
- Inability to understand functions which occurs when students are faced by problems a bit past their usual experiences.
- Difficulties in modeling real life problems and formulating them into mathematical notations. This is due to the fact that the focus of many calculus exams is on symbolic manipulation rather than problem solving.
- Inability to understand new complex concepts in a limited time. This usually happens at the college level. The concepts in calculus change with time. A limit might start as an innate process of “getting close”, the definition “epsilon-delta” comes into the picture, but after the proving of several theorems the definition is concealed and the theorems are used instead. This causes students to deal with diverse meanings of the concept while trying to cope with the transition between the different stages.
- Inability to choose appropriate representations. Flexibly using various approaches such as visual, symbolic, and numeric helps students to be more successful in solving limit related questions. However, most teachers adopt symbolic and numeric approaches rather than a visual approach due to the way the concept has been taught over the years. Students are also reluctant to use the visual approach

although the usage of visual representations can make solving certain problems much easier (Dreyfus, 1991).

Tall (1992b) mentions several hypotheses that suggest ways that might help students improve their understanding of calculus concepts, some of which include: “active learning, build up intuitions suitable for later formalizations, computer graphics, computer programming, and symbol manipulators” (p.8). He also suggests that in order to improve learning it is better to have a positive attitude while developing a theory of “cognitive development” rather than searching for difficulties and trying later to avoid or reduce them.

Sierpinska (1987) relates epistemological obstacles to four notions: (a) scientific knowledge, (b) infinity, (c) function, and (d) real numbers. Moru (2008) agrees on most of the epistemological obstacles mentioned by Cornu (1991) and links these obstacles to the:

- Limited conception of numbers.
- Focus on the generic (common) notion of limits rather than their mathematical notion.
- Use of “equal” sign that comprises the symbolism, which creates a structural problem related to the construction of a formula. Since the “equal” sign used with limits is not used in the same sense as in any equation or formula.

Tall (1990) recommends the usage of computer software and programming to provide students with an open forum that can help them in overcoming the cognitive conflicts, which are an essential part of the human nature, that arise while learning some

mathematical concepts such as the concept of limits. He also suggests that such a method requires a fundamental reform of the mathematics curriculum.

CHAPTER THREE

RESEARCH DESIGN AND METHOD

3.1 Research Context

The study takes place at a mixed private school located in Beirut, Lebanon. The chosen school provides education from K to 12 and is commonly considered to be a “good / well-achieving” school based on its students’ results in the national exams. The students are mostly from Beirut and its suburbs and belong to the average socio-economic class. The school adopts the National Lebanese Curriculum, but the textbooks used are not the national ones developed by ECRD. The school uses a local textbook series composed by Lebanese authors and edited, arranged, printed and distributed by a local Lebanese press. According to the rules of the Ministry of Education, these textbooks have been officially approved by ECRD and considered adherent to the national curriculum.

The conducted research is a qualitative study based on curriculum and textbook analysis, class observation of instructional methods and students’ class work during the lessons on Limits in Grade 11, analysis of two tests, as well as a questionnaire and post-test developed to analyze students’ conceptual understanding and retention of the concept a year after instruction (in Grade 12). The study took course over two academic years.

3.2 Sampling and Participants

The study extended over two academic years. It used a convenience purposive sample. The first year’s participants were a grade 11 class (students and teacher) in a Sciences track class in the chosen school. The participants are chosen due to the

convenience of access to the school. The number of student participants was 24 students, nine girls and 15 boys. Their age ranged from 15 to 17 years.

The second year's participants were grade 12 students in two classes, General Sciences and Life Science tracks in the same school. The two chosen classes included, in the second year of research, the first year's participants together with other students who had been, in the first year, in the other section of grade 11 Sciences track in the same school. The total number of participants in the two classes was 36 students. Table 1 shows how the students in grade 12 are distributed.

Table 1: *Number of students in Grade 12, General Sciences and Life Sciences tracks.*

	Track	Number of Boys	Number of Girls	Number of Students
Grade 11	Sciences	15	9	24
Grade 12	General Sciences	10	6	16
	Life Science	9	11	20
	Total Grade 12	19	17	36

The class instructor holds a BS degree in pure math from the Lebanese University and a Masters' degree in math education from a reputable Lebanese university with American type education. She has 18 years of teaching experience which includes: teaching Mathematics to grades 10, 11, and 12 (American and Lebanese system), and coordination for Grades 7 to 12 for both systems.

She uses a mixture of teaching methods and strategies in her classroom. These include explaining, lecturing, questioning, demonstration, collaboration, problem solving, drill and practice, reflective discussion as well as computer assisted instruction.

3.3 Procedures

The conducted research is a qualitative study based on curriculum and textbook analysis, class observation of instructional methods and students' class work, analysis of two tests, as well as a post-test and a questionnaire developed to analyze students' conceptual understanding and retention of the concept after a year from instruction.

3.3.1 Curriculum analysis

The development of the concept in the Lebanese National Curriculum and textbook is analyzed as to the flow of information and representations used in order to investigate if the scope and sequence, content, or chapter structure and exercises, could be a source of possible obstacles.

The first part of the curriculum study is a descriptive analysis of the curriculum, consisting of information about the Lebanese Mathematics curriculum starting with its philosophy expressed in the introduction and general objectives. It also includes a discussion of the objectives of secondary education science sections calculus curriculum and the place of limits in it as well as a discussion of its scope and sequence, and how the content (mainly limits) of the second year secondary calculus (science sections) is related to the first and third years.

The second part of this analysis is related to the textbook utilized in the participating class. It is divided into two sections: descriptive and analytical. The descriptive section includes the structure and flow of the chapter "Limits", regarding sections included, and how the concept is developed throughout the chapter. The analytical part aims to investigate the instances in chapter where difficulties may be created or overcome. It is based on a framework based on Tall's (1992b), Cornu's (1991)

and other math educators' views of the difficulties and "cognitive obstacles" of learning the concept of limits. This analysis is conducted for each section of the chapter:

"Course", "Examples" in the "Course" section, "Exercises and Problems".

3.3.2 Class observation

The class observation, during the first year of the study, is used to describe the instructional method/s, strategies, and materials used by the teacher in teaching limits of functions, as well as students' participation, work and the nature of the difficulties they face while learning the concept, according to the framework, based on Tall's (1992b), Cornu's (1991) and other math educators' views of the difficulties and "cognitive obstacles" of learning the concept of limits.. The class observation has been conducted during all the sessions of work on limits (15 sessions, 50 minutes each) as well as the first 4 sessions (50 minutes each) on the concept of derivatives (Grade 11 Science track).

An observation log is used as an instrument to identify and classify the types of obstacles and difficulties that the students face while learning the concept of "limits of a function". The log was organized based on the expected obstacles that are categorized according to Cornu's "cognitive obstacles" as well as the related difficulties. It was used as an instrument to record a thorough observation of students' interactions during the teaching / learning sessions. Detailed notes of the exercises and problems tackled and student-student and student-teacher discussions, were taken session by session. These notes include all the instances where students faced difficulties while dealing with the concept inside the classroom. Types of obstacles and difficulties were derived from the observation log and categorized based on the framework.

3.3.3 Formative tests

Two tests, Test1 and Test2, (Appendices A and B) were prepared by the class teacher as formative assessment instruments, during the first year of the study, and constructed to evaluate students' abilities of solving problems related to the concept of limits. The two tests are analyzed to identify students' types of errors reflecting specific difficulties and obstacles that the students may have encountered during the sessions. The tests are also analyzed to uncover the evolution of students' conceptual understanding between the first test and the second one. The first test was administered immediately after the end of instruction on the concept of limit as an object of instruction, while the second one was administered a few sessions after the introduction of two other related concepts (derivatives and differentials) in which the concept of limit is used as a mathematical tool. Twenty-five days separated the administration of the two tests. So they also serve to check whether duration has an effect on the students' difficulties.

The first test includes questions that are directly related to the concept of limits: finding limits, continuity and asymptotes; whereas the second includes both, questions directly related to limits and other questions where the concept is applied in order to help in solving mathematical problems: derivatives, differentiability, tangents, finding coordinates, and finding areas. Conceptual a priori analyses of both tests are included in the analysis section of the research and incorporate detailed possible solutions of all the questions in both tests, possible errors that students might make while solving each question and their meaning regarding difficulties. They also include the skills needed and the concepts involved in order to solve each question.

3.3.4 Post-test and Questionnaire

The post-test (Appendix C) and the questionnaire (Appendix D) were administered the second year of the study to Grade 12 General Sciences and Life Sciences sections in order to analyze students' retention, conceptual understanding and ability to apply the concept of "limit of a function", as well as students' perceptions of the concept of limit and their difficulties, almost a year after instruction.

The questionnaire includes three subjective questions that aim to investigate the meaning that students attribute to the concept of limit as well as the types of difficulties that the students may have faced while learning the concept.

The post-test includes different types of mathematical questions and test items involving limits. It includes: "True or False", multiple choice as well as problem solving questions. The students are asked, in all test items, to show their work and explain their choices. The questions are developed and categorized based on Cornu's "cognitive obstacles" (1991).

A conceptual a priori analysis of the post-test is included in the analysis section of the research and incorporates detailed solutions of all the questions in the test, possible errors that students might make while solving each question and their meaning regarding difficulties. They also include the skills needed and the concepts involved in order to solve each question.

3.4 Data Analysis Framework

The current study intends to explore and categorize the difficulties that students face while learning and working with the concept of "limit of a function" and then relate them to possible obstacles that may have created these difficulties. The analysis thus

necessitates taking into consideration the difficulties and obstacles investigated in previous research and documented in the literature.

Although the current study will benefit from frameworks of obstacles and lists of difficulties used by other researchers in order to create a reliable data analysis framework, it is essential that some adaptations be made to the chosen framework in order to suit the current context.

Cornu's (1991) framework will be globally adopted. It concentrates on epistemological obstacles which arose through the historical development of the concept, and due to the mathematical concept itself, such as:

- The failure to link geometry with numbers

Cornu refers to the geometrical “method of exhaustion”, historically used four centuries BC, and credited to Eudoxus of Cnidos, to identify an obstacle related to “the failure to link geometry with numbers”. He states that, even though the exhaustion method seems to be very close to the notion of limit, the Greeks were not able at that time to go further than the geometrical and exceed it to a numerical processing of the concept.

“...There is no transfer from geometrical figures to a purely numerical interpretation, so the unifying concept of limit of numbers is absent. The geometrical interpretation, and its success in resolving pertinent problems, is therefore seen to cause an obstacle which prevents the passage to the notion of a numerical limit.” (p. 160)

- The notion of the infinitely large and infinitely small

Cornu introduces a few questions that were confusing to mathematicians throughout history. For example, “is it possible to have quantities which are so small as to be almost zero, and yet not having a specific ‘assignable’ size? What happens at the instant when one of these quantities becomes zero?”. These types of questions which remained

imposing are, according to Cornu, epistemological obstacles that are prone to create many difficulties to modern students:

“... [Students] often view the symbol ε as representing a number which is not zero yet is smaller than any positive real number. In the same way individuals may believe that $0.999\dots$ is the ‘last number before 1’ yet is not equal to one. There is a corresponding belief in the existence of an integer bigger than all the others, yet which is not infinite.” (p. 161)

- The metaphysical aspect of the notion of limit

The notion of limit seems to rather belong to philosophy or metaphysics. It is an elusive notion that does not abide by the usual exactitude of mathematics. While explaining the different aspects of difficulty this metaphysical aspect of the notion of limit may cause to today’s and every time’s students, Cornu (1991) provides some quotes from interviews with students:

“... ‘It is not really mathematics’, because the initial stages of calculus no longer rely purely on simple arithmetic and algebra. The students may have difficulties handling the concept of infinity, ‘it isn’t rigorous, but it works’... ‘it doesn’t exist’, ‘it is very abstract’, ‘the method is all right, provided you are content with an approximate value’. This obstacle makes the comprehension of the limit concept extremely difficult, particularly because a limit cannot be calculated directly using familiar methods of algebra and arithmetic.” (p. 161)

- Is the Limit attained or not?

This is a debate which has lasted throughout the history of the concept. ... According to Cornu, “this debate is still alive in our students”. The debate is identified throughout the history of the notion of limit. Some mathematicians argued that the limit can never be attained. Cornu (1991) cites the examples of D’Alembert and of Robins; for the latter, ‘the limit never coincides, or never becomes equal to the quantity to which it is the limit’ (p. 162), and the latter gives the name of ‘ultimate magnitude to the limit which a variable approaches as near as we would like, but to which it cannot be absolutely equal’.

He contrasts this view with Jurin's idea that 'it is not a question whether the increment is zero, but that it is disappearing, or on the point of vanishing'. (p. 161)

This study will consider these obstacles while analyzing the errors of students and trying to detect the difficulties they face while learning the notion of limits. In addition to that, the researcher added other difficulties that may be due to previous knowledge of topics related to the concept of "limit of a function" which include: solving equations and inequalities, dealing with variables, factoring, dealing with radicals, powers, and absolute values.

Students' errors in the three tests will be evaluated and then linked to possible difficulties that will be categorized in relation with the above-mentioned obstacles.

The analysis in this study will also be guided by aspects of difficulties previously identified by other scholars in the literature more specifically Tall (1992b)

Inspired by other mathematics educators' works, Tall has set a list of difficulties that he compiled and paraphrased from those works (Tall, 1992b, p.2)

- “• difficulties embodied in the language; terms like ‘limit’, ‘tends to’, ‘approaches’, ‘as small as we please’ have powerful colloquial meanings that conflict with the formal concepts,
- the limit process can not be performed by simple arithmetic or algebra, infinite concepts arise and the whole thing becomes ‘surrounded in mystery’,
- the process of ‘ a variable getting arbitrarily small’ is often interpreted as an ‘arbitrarily small variable quantity’, implicitly suggesting infinitesimal concepts even when these are not explicitly taught,
- likewise, the idea of ‘ N getting arbitrarily large’, implicitly suggests conceptions of infinite numbers,
- students often have difficulties over whether the limit can actually be reached,
- there is confusion over the passage from finite to infinite, in understanding ‘what happens *at infinity*’” (p. 2).

Sierpinska (1987)

Sierpinska attributes epistemological obstacles concerning limits to four main sources: Scientific knowledge, infinity, function, and real number.

- Scientific knowledge

The differences between the evolutionary nature of development of scientific knowledge through its history, and the way concepts are taught at school as a finished product, cause, according to Sierpinska, main obstacles. "... the 'natural order' of the growth of scientific knowledge is from action, through formulation and validation, to institutionalization. But in school we are not inventing new knowledge; we are teaching institutionalized knowledge most of the time". She even relates this source of obstacles to the two different perceptions of mathematics: "Mathematics is an empirical science", as opposed to "Mathematics is a formal game on symbols; proving theorems is its main goal" (Table, Fig.2, p.373)

- Notion of Infinity

In harmony with other theoreticians' views, Sierpinska considers that nature and meaning of infinity may create an obstacle to the understanding of the notion of limit. She presents, in the same table, three possibilities: "Infinity does not exist, Infinity exists only potentially, Infinity is tamed and its metaphysical aspect is eliminated" (Table, Fig.2, p.373)

- Notion of Function

The various aspects of the concept of function are also presented by Sierpinska: "Time is the universal independent variable, the function is reduced to the set of its values, the function is reduced to its analytical expression which always exists" (Table, Fig.2, p.373)

- Real number

“The lack of a uniform concept of real number” is, according to Sierpinska, a source of epistemological obstacles to the understanding of limit.

So, the final framework will include Cornu’s four epistemological obstacles: (a) The notion of the infinitely large and infinitely small, (b) the failure to link geometry with numbers, (c) the metaphysical aspect of the notion of limit, and (d) Is the Limit attained or not?

The framework will also include difficulties identified by Tall and obstacles identified by Sierpinska: the fact that simple algebra and arithmetic cannot be used to perform the limit process, the confusion that arises when passing from finite to infinite, lack in previous knowledge including: procedural skills, conceptual understandings, as well as difficulties caused by language, the focus on the common notion of limits rather than their formal mathematical notion and the use of the “equal” sign that comprises the symbolism, which creates a structural problem related to the construction of a formula.

A list of difficulties is developed, compiled from these frameworks, and presented in the “Findings” chapter to guide the analysis of data obtained from the different instruments.

CHAPTER FOUR

FINDINGS

This chapter presents the findings, results of the analysis of the different types of data collected during the research study. It includes six sections, the first one setting the bases of analysis. Each of the four other sections is based on the results of analysis of a different set of data.

The first section of the chapter presents a framework for analysis, compiled from the different frameworks identified in the literature, as well as from the observations and a preliminary examination of data. This framework takes the form of an organized list of difficulties and/or common and most noticed perceptions of the notion of limit and related concepts.

The second section, the “Curriculum Analysis” provides an exploration of the general foundations of the Lebanese curriculum, as presented in the curriculum document (ECD, 1997), regarding its pedagogical orientation and approach. It also presents a description of the structure and content of the “Secondary Education – Calculus” part. A more detailed description and analysis of the grade-11 textbook chapter on Limits attempts to investigate the flow of instruction and its approach, the representations used, the information and definitions taught, and to connect instances from this analysis to potential difficulties that students may face while learning limits

The third section “Class Observation” presents the results of the class observations, through the analysis of the observation log. Teacher’s interventions and

teaching strategies and methods are analyzed for finding sources of potential difficulties, and students' interventions and questions are analyzed as indicators of possible difficulties.

The fourth section "Formative Tests" includes an analysis of the two tests administered during instruction, at different moments, Test1 and Test2 (Appendices A and B respectively). The first part of this section incorporates an a priori analysis of each test. The a priori analysis includes a brief explanation of each chosen question in each test. A more detailed a priori analysis of each test is included in an appendix (Appendix E and Appendix F for Test1 and Test2 respectively), including a table that presents: the questions of the test, their solutions, concepts and skills involved, and potential difficulties associated to each.

Since Test1 questions are all directly related to the concept of limits, i.e. finding limits, continuity and asymptotes, the whole test is examined in the a priori analysis and students' work on the whole test is analyzed; whereas, since Test2 includes both, questions directly related to limits and other questions where the concept is applied in other types of questions about derivatives, differentiability, tangents to graphs, finding coordinates, and finding areas, which are beyond the scope of this study, only the questions directly related to limits are examined in the a priori analysis and students' work on those questions is analyzed.

The fifth section "Post-Test" includes an analysis of the post test, administered one year from instruction (Appendix C). The first part of this section incorporates an a priori analysis of the test. The a priori analysis includes a brief explanation of each chosen question. A more detailed a priori analysis is included in an appendix (Appendix

G), including a table that presents: the questions of the test, their solutions, concepts and skills involved, and potential difficulties associated to each.

The sixth section presents the results of analysis of the questionnaire (Appendix D), administered a year from instruction, at about the same time the post-test was administered. The aim of the questionnaire was to investigate the students' perceptions of the concept of limit, the meanings that they attribute to it, and their perceptions of the difficulties they faced in learning it.

4.1 Framework for Analysis

This section presents a framework for analysis. This framework takes the form of an organized list of difficulties, and common / most noticed perceptions of the notion of limit and related concepts, compiled from the different frameworks identified in the literature, together with some of the different conceptions observed and sensed during the observation and a preliminary exploration of data, related to different notions related to limits.

(D1) Insufficiency of simple arithmetic or algebra and shift in symbolism

(d1) Algebra and arithmetic are not enough anymore.

(d2) Sometimes algebra and arithmetic cannot even be used, otherwise they would lead to errors. The concept of limit requires a type of calculation that may counter simple algebra and arithmetic

(d3) Concepts related to infinity arise and the whole context becomes 'surrounded in mystery'

(d4) The “equal” sign after the expression “limit” sign does not resemble its old meanings. It refers to something else, hence the difficulty. For instance, the “equal” sign in “ $f(x)=\text{expression}$ ” has a different significance than $f(3)=3^2$ or $f(a+)$. Same for $\frac{1}{0^+}=\text{infinity}$, which has a yet different meaning than either one of the above. The same confusion applies to the meaning of $=\text{in } \frac{1}{0}=\text{infinity}$

(d5) The use of the 4^+ symbol is unlike its use in the algebra context, hence is prone to confusion

(d6) Resolving an indeterminate form to obtain a finite object such as $\lim_{x \rightarrow \infty} \frac{\sin(\frac{1}{x})}{\frac{1}{x}} = 1$

(d7) Sometimes for convenience, infinity is considered as a number, and it seems legitimate to talk about operations on limits involving infinity (the sum, difference, product, etc. of limits). This duality in the nature of infinity is confusing to students and may be a source of misconceptions and difficulties.

(D2) The notion of the infinitely large and infinitely small

(d1) Students often view the symbol ϵ as representing a number which is not zero yet is smaller than any positive real number

(d2) The infinitely small is often alluded to, either as the inverse of infinitely large, or as the distance between x and 4 when x approaches 4. In that case, the distance between them approaches 0.

(d3) Belief in the existence of an integer bigger than all the others, yet which is not infinite

- (d4) The process of ‘a variable getting arbitrarily small’ is often interpreted as an ‘arbitrarily small variable quantity’, implicitly suggesting infinitesimal concepts, even when these are not explicitly taught,
- (d5) Likewise, the idea of ‘N getting arbitrarily large’, implicitly suggests conceptions of infinite numbers,
- (d6) There is confusion over the passage from finite to infinite, in understanding ‘what occurs at infinity’

(D3)The metaphysical aspect of the notion of limit

- (d1) The belief that it is not really mathematics
- (d2) Limit cannot be calculated directly using familiar methods
- (d3) Dealing with limit related problems is not a rigorous process
- (d4) The concept of limit is very abstract
- (d5) the method of calculating limits is all right, provided you are content with an approximate value
- (d6) Confusion over ideas such as 3.99999 is not 4, nor is it 3.99
- (d7) A long operation is conducted, the result of which may be: “sorry, the limit does not exist”
- (d8) The distinction between $\frac{1}{0^+}$ and $\lim_{x \rightarrow 0} \frac{1}{x}$ seems to remain at the metaphysical level.

We are not sure whether students may understand that in one case a value is attained and in the other it is not.

(D4) Is the Limit attained or not?

(d1) Tendency is seen as when a variable approaches a value as near as we would like, but to which it cannot be absolutely equal

(d2) It is not a question whether the difference is zero, but that it is disappearing, or on the point of vanishing

(d3) When we say $x=3.9999999$ then $y=f(x)=x^2=15.99999999$, here we have a “double” difficulty. Neither is x reaching 4, not is y reaching 16. So this difficulty is double-folded

(d4?) The distinction between $\frac{1}{0^+}$, $\frac{1}{0.000000001}$, $\frac{1}{-0.0000000001}$, and $\lim_{x \rightarrow 0} \frac{1}{x}$ seems to remain at the metaphysical level. We are not sure whether students may understand that in one case a value is attained and in the other it is not.

(D5) Difficulties embodied in the language

(d1) Terms like ‘limit’, ‘tends to’, ‘approaches’, ‘as small as we please’ have powerful colloquial meanings in everyday situations that conflict with the formal concepts,

(d2) The limit in daily use is always reachable, for example: when we say my limit is the door, I can reach the door and even touch it. The limit in mathematics is not always reachable

(d3) The use of the “equal” sign which implies different meanings (a formula, a rule, a quantity to calculate, an equality, an equation, etc.)

(d4) Approximations rather than exact equalities. For example: when we write

$\lim_{x \rightarrow a} f(x) = b$, and b is not part of the function’s graph or when we write

$\lim_{x \rightarrow a} f(x) = \infty$

(d5) When the x and y axes are said to have a “positive and negative sense”, which will later justify the use of the symbol 4^+ or 4^- . (This sort of terminology imbeds within the allusion that “increasing sense” or “east bound” is referred to as positive sense). This same terminology is adopted for the “table of variation” so growing is positive and shrinking is negative. We know that a more natural reference would be $>$ and $<$ or up arrow and down arrow, rather than $+$ and $-$, which refer to adding and subtracting, rather than to a direction. So when the symbol $\times$ (forward arrow $\rightarrow$) 4^- is adopted, it is bound to create a confusion, since the forward arrow contradicts the “minus” symbol. One is forward, the other is backward.

-“Indeterminate” is not explained as it should be: there is a lot of potential for this form that were overlooked.

(D6) Teaching approach and use of representations

(d1) Inability to choose appropriate representations

(d2) Most teachers adopt symbolic and numeric approaches rather than a visual approach due to the way curricula and textbooks were designed, and the concept has been taught over the years

(d3) Students are also reluctant to use the visual approach although the usage of visual representations can make solving certain problems much easier

(d4) Preference to use procedural methods over conceptual understanding

(d5) The concepts in calculus change with time. A limit might start as an innate process of “getting close”, the definition “epsilon-delta” comes into the picture,

but after the proving of several theorems the definition is concealed and the theorems are used instead. This causes students to deal with diverse meanings of the concept while trying to cope with the transition between the different stages

(d6) Students face difficulties while learning the rigorous definition of limits due to the dynamic images that they created prior to the introduction of the definition

(d7) In the case of a piece-wise function, the different equations representing f are always vertically aligned per sub-domain, whereas the graphs they represent are horizontally aligned.

(D7) The failure to link geometry with numbers

(d1) Often there is no transfer between geometrical-graphical figures and a purely numerical interpretation

(d2) The geometrical-graphical interpretation, and its success in resolving pertinent problems, is seen to cause an obstacle which prevents the passage to the notion of a numerical limit

(d3) Some students cannot be persuaded that arguments and proofs are of any importance, when they see the solution on a graph

(D8) Scientific knowledge

(d1) Scientific knowledge usually develops from action to formulation and validation, to institutionalization. This development is neglected in teaching in general, and especially in teaching limits

- (d2) The institutional pressures (official exams for example, or time allotted to each lesson) shape what we teach and how we teach
- (d3) The perception that mathematics is an empirical science
- (d4) The perception that mathematics is a formal game on symbols; proving theorems is its main goal

(D9) The notion of function

- (d1) Understanding the concept of limit depends to a great extent on the understanding of the concept of a function
- (d2) The function is reduced to the set of its values
- (d3) The function is reduced to its analytical expression which always exists
- (d4) Confusions created by the significance of the “equal” sign in the expression $f(x)=\text{expression}$.
- (d5) In the case of a piece-wise function, the different equations representing f are always vertically aligned per sub-domain, whereas the graphs they represent are horizontally aligned.

(D10) Prerequisite knowledge of topics related to the concept of “limit of a function”

- (d1) Lack of a uniform concept of real number
- (d2) Lack of understanding of the density property of the set of real numbers
- (d3) solving equations and inequalities
- (d4) Dealing with variables

- (d5) Factoring
- (d6) Dealing with radicals
- (d7) Powers
- (d8) Absolute values
- (d9) Fractions
- (d10) Equation of a straight line

4.2 Curriculum and Book Analysis

This section includes a descriptive analysis of the Lebanese national curriculum of calculus for Grade 11 Sciences track and its relation with previous and subsequent grades, grades 10 and 12 respectively. In addition this section includes a descriptive and analytical analysis of the “Limits” chapter in the mathematics textbook used by the school under research.

4.2.1 Curriculum Analysis

4.2.1.1. Summary of Introduction and General Objectives of the Curriculum:

The Lebanese curriculum document (ECRD 1997) starts with an introduction reflecting the philosophy of the curriculum and the recommended pedagogical approach. Mathematics is seen, in this introduction, as an essential building block of the society. The curriculum sets as its mission to form a citizen capable of critical thinking and intellectual autonomy, thus the alterations along the three following axes:

- New formulation of the objectives
- Remodeling of contents
- Suitable choice of methods

The general objectives of the curriculum are:

- Mathematical Reasoning: Training students to construct arguments and evaluate them, develop critical thinking and proofs.
- Problem Solving: Solving mathematical problems related to real life situations.
- Mathematical Connections, whether to other disciplines or to everyday life, through responding to the modern society's demand.
- Mathematical Communication: Training students to communicate mathematically.
- Valuing Mathematics: Giving students the chance to appreciate mathematics as more than just a utilitarian science.

4.2.1.2 Objectives of the Secondary Cycle:

The main objectives of the Secondary level of the scientific track are organized according to the following: mathematical reasoning, problem solving, communication, spatial, numerical and algebraic, calculus, and statistics and probability. It is noticed that, while the last four relate to mathematical contents, the first three relate to mathematical processes that permeate all contents and connect the secondary-level objectives to the general objectives of the curriculum.

This study is concerned with the “calculus” content and with the process objectives, as they reflect the mathematical abilities targeted by the curriculum for any content, including calculus.

Mathematical Reasoning

According to the curriculum document, it is based on students' ability to:

- Differentiate between an experimental or concrete proof and a mathematical reasoning
- Create conjectures and find ways to examine them
- Complete proofs using different ways of reasoning
- Examine and prove statements of necessary and sufficient conditions
- Recognize several types of statements: universal, existence, and uniqueness
- Evaluate a mathematical case and assess a proof
- Complete an inductive proof

Problem Solving

It is based on students' ability to

- Create a problem based on different situations studied in mathematics and in other sciences or came upon in real life
- Use different mathematical representations to represent the problem's given, find a suitable strategy to find a solution, and use different approaches for the chosen strategy to work based on mathematical knowledge
- Evaluate the validity of the acquired solutions

Communication

It is based on students' ability to

- Offer a description of a mathematical document
- Acquire remarks from a mathematical talk
- Criticize a mathematical presentation
- Write a correct proof

Calculus

More specifically, the calculus section of the curriculum adopts the following objectives:

- Acquire the concepts of: continuity, limits, and derivatives and use these concepts to graphically represent
- Examine the graphs of several functions: polynomial, trigonometric exponential, logarithmic, rational, and irrational
- Find the integration of a function and differentiate simple equations

4.2.1.3 Scope and Sequence of the Calculus Part of the Secondary Cycle:

This section includes an analysis of the scope and sequence of the calculus program for the secondary cycle, scientific track. The analysis concentrates on the second year calculus, Grade 11- 42 hours of instruction – and its relations with the calculus content of first year - 20 hours of instruction - and with the third year - 105 hours for the General Sciences (GS) and 65 hours life sciences.

Grade11 scope and sequence of the calculus program includes:

- Limit of a function
- Asymptotes
- Numerical, arithmetic, and geometric sequences
- Continuity
- Derivative of a function at a point
- Derivative function
- Study of polynomial and rational functions
- Primitives of a function
- Continuity over an interval

Grade-10 scope and sequence for calculus includes only the study of functions, their graphical representation and using graphs to solve equalities and inequalities.

Comparing the scope and sequence for grades 10 and 11 reveals a big gap between the two grades. Grade10 content is limited and does not develop enough concepts and skills that would create a basis for grade 11 concepts. Most of the concepts in grade11 are not even introduced in grade10, which means that students in grade11 have to learn many new concepts that are of a totally new nature as compared to those with which they are familiar, a fact that might create difficulties for them.

As for grade12, it is divided into two tracks, General sciences and Life science. Although the two tracks allocate different amounts of time for the calculus program, they still have some common contents including:

- Inverse functions
- Inverse trigonometric functions
- Natural logarithmic functions and logarithmic functions to the base a
- Exponential functions
- Image of a closed interval by a continuous function
- Derivation of composite functions
- Derivative of an inverse function
- Second and successive derivatives
- L'Hospital's rule
- Integral definition and properties
- Rules of integration
- Application of the integral calculation

- Definition of differential equations
- Equations in separable variables
- Linear first and second order equations with constant coefficients

The General Sciences section includes, in addition, the following:

- Simple irrational functions
- Numerical sequences: limits, bounded and convergent sequences
- Parametric curves
- Extension by continuity of a function
- Rolle's and Mean value theorems
- Mean value theorem for definite integrals. Max-Min inequality

The concepts included in grade-11 scope and sequence create a good basis for grade-12 content. However, it is noticed that there are some gaps between grade 11 calculus contents and those of grade 12, General Sciences track's scope and sequence.

4.2.2 Textbook Analysis

This section includes an analysis of Grade-11 math textbook used by the “Sciences track” section in the school under research. The analysis is divided into two parts: structural and analytical.

4.2.2.1 Structural Analysis of the Textbook

The structural part includes a description of the different sections of the chapter on Limits and the flow of development of the concept throughout the chapter.

Structural Description of the Chapter on Limits

Structure of the Chapter

First Page

The first page of the chapter includes:

- The title, that is “Functions: Limits – Continuity”
- A brief history about functions, their representation, and algebraic calculation
- Chapter Plan, which is divided into three sections:
 - ♦ Preliminary Activities
 - ♦ Course, which includes explanations and the sub-topics of the chapter
 - ♦ Exercises and Problems

The “Preliminary Activities” section

This section includes two activities of the same nature. In both activities a function is given and two questions are asked:

- Complete, using a calculator, the following table (table of values where some values of x are given, and students are required to fill-in the values of $f(x)$).
- What do you conclude about the values of the second line in the above table?

The difference between the two activities is that the first one deals with a polynomial function defined in $\mathbb{R}$ (Figure 2), while the second one deals with a rational function over an open interval whose upper border (excluded from the interval) is the value of the variable that makes function tend to infinity(Figure 3).

Consider the function f defined in $\mathbb{R}$ by $f(x) = x^2 - 2x$.

1° Complete, using a calculator, the following table :

x	4	10	10^2	10^3	10^4
$f(x)$					

2° What do you conclude about the values of the second line in the above table ?

Figure 2. Polynomial Function Activity

Consider the function f defined in $] -\infty ; 4[$ by $f(x) = \frac{x}{x-4}$.

Complete, using a calculator, the following table :

x	2	3	3.9	3.999
$f(x)$				

What do you conclude about the values of the second line in the above table ?

Figure 3. Rational Function Activity

It is noticed that, in the example of the polynomial function, the suggested values of the variable x start at 4 and increase quickly to reach the value 10^4 , in an attempt to show the way the function increases as the variable becomes bigger and bigger. In the example of the rational function, the suggested values of the

variable x are 2, 3, 3.9, 3.999, thus gradually approaching the value 4, which makes the denominator get closer and closer to zero.

Although this section is meant to prepare the students intuitively for the concept of limits and test their prerequisite knowledge to see if they are ready for the new concept, the type of activities used and the questions asked only concentrate on one aspect, and do not include any discussion or explanation of the results.

The “Course” section of the chapter

This section includes ten sub-sections, each of which deals with one sub-topic of the chapter. All sub-sections consist of examples that are used to explain the intended sub-topic.

The sub-sections consist of the following sub-topics:

- 1) Notions of the finite limits
- 2) Limits of a function at infinity
- 3) Limit at a point
- 4) Complements and remarks about the limits
- 5) Operations of the limits
- 6) Behaviour of a polynomial function at infinity
- 7) Limit at infinity of a rational function
- 8) Limits by comparison
- 9) Continuity of a numerical function
- 10) Operations on numerical functions

The sequence of the sub-sections is mostly appropriate. It starts with the easier concepts and progress towards the more difficult ones in a logical sequence that takes prerequisites in consideration. It might, however, have been better for sub-sections six and seven to come immediately after sub-section two, since the three of them deal with limits at infinity. Moreover, sub-section ten should have been at the beginning, since it is strictly about operations on numerical functions and students should know them before starting to deal with limits.

The “Exercises and Problems” section

This section includes several types of exercises and problems, under different titles: “reminder”, “test your knowledge”, “for seeking”, and “for training special students”.

The first type, “reminder”, includes exercises and problems that test students’ previous knowledge that is necessary to start working on limits. The second type, “test your knowledge”, includes simple, straight forward exercises that test students’ basic knowledge of simple limits, asymptotes, and continuity. The third type, “for seeking”, includes more complex exercises and problems that require more analysis on the students’ part and combine more than one notion in some of the problems. The fourth type, “for training”, includes two problems with their answers, each consisting of several parts which deal with more than one notion. These problems require students to synthesize and relate the different parts of the problems in order to be able to solve them.

Development of the concept throughout the “Course” section of the chapter

The first sub-section of the “Course” section of the chapter - notions of the finite limits - deals with finite limits, where both left-hand and right-hand limits of a given numerical function at a point are equal to the value of the function at that point. The pages are divided into two columns, the first column (left) includes the text and the second (right) includes the related graphical representations. All explanations in this sub-section are dependent on one example with specific values, with no generalization, which may be a potential source of difficulties, especially regarding the identified difficulties (D6) – teaching approach and use of representations - and (D7) – The failure to link geometry with numbers.

The second sub-section - limits of a function at infinity - deals with infinite and finite limits of a function at infinity, with examples. This sub-section also includes an explanation of the horizontal asymptote at both positive and negative infinity, with examples. The pages are also divided into two columns, the first column (left) includes the text and the second (right) includes the relevant graphical representations.

The section first starts with infinite limits with different cases of positive and negative infinity, using graphs as well as algebraic functions having the form $f(x) = x^n$ (where n is a positive real number) and generalizes the value of limits at infinity of both even and odd functions having such form.

Second, it deals with finite limits at infinity and uses different cases, both graphically and algebraically, having the form $f(x) = 1/x^n$ (where n is a

positive real number) and generalizes the value of limits at infinity of both even and odd functions having that form.

Third, it includes an explanation of the horizontal asymptote at both positive and negative infinity.

Generally, this sub-section explains thoroughly the different cases of the limit of a function at infinity. The inclusion of the notion of horizontal asymptote is suitable in this sub-section since it is directly related to the second part.

The third sub-section -limit at a point - deals with the limit of functions at a given point where the limit is positive or negative infinity. Similarly to the two previous sub-sections, the pages are divided into two columns, the first column (left) includes the text and the second (right) includes the relevant graphical representations. Several graphs and examples are used to explain the different cases and to show the necessity to study both, left-hand and right-hand limits of a given function in order to be able to study the behavior of that function at a given point. This sub-section also includes an explanation of the vertical asymptote with the different possible cases. An example is included.

Generally, this sub-section explains thoroughly the different cases of limit at a point. Moreover, the inclusion of the notion of vertical asymptote is suitable in this sub-section since it is directly related to the limit at a point.

The fourth sub-section- complements and remarks about the limits - deals with the uniqueness of the limit of a numerical function (if it exists).

The information included in this sub-section is not clear and might be confusing to the students. More explanation is required for better understanding.

The fifth sub-section- operations on the limits -includes the limits of the functions: $f + g$; $f \cdot g$; $\frac{f}{g}$ where $g \neq 0$ based on known values of the limits of f and g . The first three parts include tables which are used to represent the different operations with different cases including infinite values, finite values, and indeterminate forms. This sub-section also includes a fourth part explaining the indeterminate forms. Examples of some of the cases and examples that deal with indeterminate forms are included as well.

The first table deals with limit of a sum $f + g$, the second table deals with limit of a product $f \cdot g$, and the third and fourth tables deal with limit of a quotient $\frac{f}{g}$ where two cases are considered: $g \neq 0$ and $g = 0$.

The fourth part is a text that represents the indeterminate forms: $\infty - \infty$; $0 \times \infty$; $\frac{\infty}{\infty}$; $\frac{0}{0}$. It states that the function in all four cases could have a finite limit, infinite limit, or no limit.

Although many examples are included in this sub-section, it might have been better to include more examples in order to represent all the cases of operations, especially when dealing with indeterminate forms and how to deal with them.

The sixth sub-section- behavior of a polynomial function at infinity - represents a text that explains that the limit at infinity of a polynomial

function defined over $\mathbb{R}$ is equal to the limit at infinity of its highest degree term. Several examples are included as well.

The explanation in this sub-section is short and uses formal algebraic expressions which might create some ambiguity for the students if not explained further.

The seventh sub-section- limit at infinity of a rational function - represents a text that explains the behavior of a rational function at infinity with examples. It states that the limit of a rational function of the form $\frac{f(x)}{g(x)}$ (where f and g are two polynomial functions, with $g(x) \neq 0$) is equal to the ratio of the limits of f and g ; hence, limit at infinity of $\frac{f(x)}{g(x)}$ is equal to limit at infinity of $\frac{\text{term of highest degree of } f}{\text{term of highest degree of } g}$.

The explanation in this sub-section is short and only states facts and conclusions which might hinder students' understanding. Further explanation would have helped students understand this notion better.

The eighth sub-section- limits by comparison -includes five cases (including the sandwich theorem) where limit of a function is found by comparing it to another function or functions. The first three are divided into two columns, the left one includes the text and the right one includes the graphs. The last two are purely text.

The first case deals with the limit at infinity of a function greater than or equals to another function for any real number x greater than a certain real

number A. For any real number $x > A$, if $f(x) \geq g(x)$ and $\lim_{x \rightarrow +\infty} g(x) = +\infty$ then $\lim_{x \rightarrow +\infty} f(x) = +\infty$

The second case deals with the limit at infinity of a function less than or equals to another function for any real number x greater than a certain real number A. For any real number $x > A$, if $f(x) \leq g(x)$ and $\lim_{x \rightarrow +\infty} g(x) = +\infty$ then $\lim_{x \rightarrow +\infty} f(x) = +\infty$

The third case deals with the limit at infinity of a function which is between two other functions for any real number x greater than a certain real number A (sandwich theorem). For any real number $x > A$, if $g(x) \leq f(x) \leq h(x)$, $\lim_{x \rightarrow +\infty} g(x) = L$, and $\lim_{x \rightarrow +\infty} h(x) = L$ then $\lim_{x \rightarrow +\infty} f(x) = L$.

The fourth case is related to the previous case. If there exists a function g and a real number A such that $\lim_{x \rightarrow +\infty} g(x) = 0$ and for any real number $x > A$, $|f(x) - L| \leq g(x)$, then: $\lim_{x \rightarrow +\infty} f(x) = L$.

The fifth case includes two parts. The first part states that for any real number α if $f(x) \leq g(x)$, then $\lim_{x \rightarrow \alpha} f(x) \leq \lim_{x \rightarrow \alpha} g(x)$. The second part states that for any real number α if $g(x) \leq f(x) \leq h(x)$, and $\lim_{x \rightarrow \alpha} g(x) = \lim_{x \rightarrow \alpha} h(x) = l$, with l finite or not, then $\lim_{x \rightarrow \alpha} f(x) = l$.

This sub-section only states facts and draw conclusions out of the given facts. No explanation is used for each of the five cases or for any of the graphs representing the first three cases. Moreover, few examples are included in this sub-section and they do not cover all cases. Further explanation, comments,

and examples should have been used to help students understand this sub-section better.

The ninth sub-section- continuity of a numerical function - is divided into two parts. The first part deals with continuity at a point and uses a text stating that for a function to be continuous at a point a it should be both continuous to the right and left of the point a . $\lim_{x \rightarrow a-} f(x) = \lim_{x \rightarrow a+} f(x) = f(a)$. A graph is used to explain further continuity at a point with a remark that explains how continuity is detected from a graph. Several examples are included as well.

The second part deals with continuity over an interval and uses a text stating that a numerical function f is continuous over an interval I if it is continuous at all points of I . Hence, rational, irrational polynomials as well as their sums, products and quotients are continuous over the entire interval I that is their domain of definition. No examples are included for this part.

This sub-section only states facts and draw conclusions out of the given facts. No explanation is used for either the text or the graphs. Students might find it hard to understand this sub-section which might lead them to simply memorizing the facts given.

The tenth and last sub-section of the “Course” section of the chapter- operations on numerical functions - is a text that discusses six different operations on numerical functions. Several examples are included as well. For any two numerical functions f and g :

- The function $f + g$ is defined over $D_f \cap D_g$ by $(f + g)(x) = f(x) + g(x)$

- The function $f - g$ is defined over $D_f \cap D_g$ by $(f - g)(x) = f(x) - g(x)$
- The function $f \cdot g$ is defined over $D_f \cap D_g$ by $(f \cdot g)(x) = f(x) \cdot g(x)$
- The function λf , where λ is a real number, is defined over D_f by $(\lambda f)(x) = \lambda f(x)$
- The function $\frac{f}{g}$ is defined over $D_f \cap D_g$ with $g(x) \neq 0$ by $\left(\frac{f}{g}\right)(x) = \frac{f(x)}{g(x)}$
- The function $\frac{1}{f}$ is defined over D_f with $f(x) \neq 0$ by $\left(\frac{1}{f}\right)(x) = \frac{1}{f(x)}$

This sub-section includes simple facts with no explanation which might lead students to memorizing rather than understanding. Moreover, this sub-section should have been included at the beginning of the chapter, since it is a revision of the operations on numerical functions. Students need to know these facts before starting to find limits.

4.2.2.2 Analytical Analysis of the Textbook

Chapter on Limits

The analytical part aims to analyze the chapter based on the adopted framework. It discusses the mode of delivery by the chapter of the concepts and skills related to limits, especially whether and how the chapter prevents, deals with, explicitly addresses, or causes difficulties and obstacles identified in the framework. Each section of the chapter (“Course”, “Examples in course”, “Exercises and Problems”) is analyzed separately.

This part of book analysis is based on the adopted framework. The chapter is divided into a “Course” section and an “Exercises and Problems” section. With the list of difficulties and perceptions in mind, a preliminary study of the chapter was conducted, to single out the main difficulties that may be induced, and the main perceptions of the concept of limit that the chapter privileges. It was found that mostly difficulties related to four domains are salient: The Notion of the Infinitely Large and Infinitely Small (D2), The metaphysical aspect of the notion of limit (D3), the dilemma whether the limit is attained or not (D4), and the Failure to Link Geometry with Numbers (D7).

(D2): The Notion of the Infinitely Large and Infinitely Small

The “Course” section of the chapter includes nine sub-sections that include the notion of infinitely large numbers (represented as $+\infty$), and infinitely small numbers (represented as $-\infty$). Since the main focus about this notion in this section is on using it as part of finding limits and asymptotes, a general analysis is going to take place on how the notion is used in the “Course” section of the chapter.

The notion of infinitely large and infinitely small in the “Course” section is represented using the terms: “as great as we want”, “tends to infinity”, “tends to negative infinity”, and “tends to positive infinity” as well as the symbols: ∞ , $-\infty$, and $+\infty$. The term “tends to” represents infinity as a process and the symbols used represent infinity as an object. All “Course” sub-sections only state the facts, procedures and properties used in solving limits, including infinity, with no explanation of the notion of infinity. By just reading these sub-sections students may find it difficult to understand what infinity means and what limit represents.

Moreover, the fifth sub-section: operations on the limits, includes the limits of the functions: $f + g, f \cdot g, \frac{f}{g}$ where $g \neq 0$ based on known values of the limits of f and g . The first three parts include tables which are used to represent the different operations with different cases. l and l' are two real numbers and “?” represents the indeterminate form (Figure 4 and Figure 5).

• The questions marks (?) show the cases where we don't have an immediate conclusion; we say that the **form is indeterminate**. In the other cases, the results that we admit, are intuitive and need to be memorized.

1. Limit of a sum $f + g$

If f has for limit	l	l	l	$+\infty$	$-\infty$	$+\infty$
and if g has for limit	l'	$+\infty$	$-\infty$	$+\infty$	$-\infty$	$-\infty$
then $f + g$ has for limit	$l+l'$	$+\infty$	$-\infty$	$+\infty$	$-\infty$	?

Figure 4. Operation on Limits - Sum

The emphasis on memorization and on simply relying on conventions and acceptance of notations, outputs of operations, etc. are noticeable in the above figure: “In other cases, the results that **we admit**, are intuitive and **need to be memorized**”

3. Limit of a quotient $\frac{f}{g}$

- Case where the limit of g is not zero

If f has a limit	ℓ	ℓ	$+\infty$	$+\infty$	$-\infty$	$-\infty$	$+\infty$ or $-\infty$
and if g has a limit	$\ell' \neq 0$	$+\infty$ or $-\infty$	$\ell' > 0$	$\ell' < 0$	$\ell' > 0$	$\ell' < 0$	$+\infty$ or $-\infty$
then $\frac{f}{g}$ has a limit	$\frac{\ell}{\ell'}$	0	$+\infty$	$-\infty$	$-\infty$	$+\infty$	?

Figure 5. Operations on Limits - Quotient

In this figure (Figure 5) the complexity and extreme concentration and novelty of the symbolism are obvious. With no explanation or suggested approach, it is totally left to the teacher to introduce these complex concepts and “formulas” to students. It is expected that, due to many reasons, the teacher will favor the traditional approach of “memorizing” the cases without necessarily conceptually understanding the different processes or the meaning of the indeterminate forms. Those reasons include, among others, the pressures of the educational system, especially the national exams, the limitations on the time allocated to the topic, the lack in the teacher’s Pedagogical Content Knowledge (PCK), lack of teacher training on these delicate contents, etc.

(D3): The metaphysical aspect of the notion of limit

The metaphysical aspect of the notion of limit creates an obstacle for students since the calculation of limits cannot be directly carried out using common methods of arithmetic and algebra, with which students were familiar before the introduction of calculus. This, for students, is not considered mathematics. Since the concept of infinity is an essential part of the notion of limit, this obstacle is directly related to the

obstacles related to infinity, which “does not exist” and is a new concept to students who are used to deal with finite numbers. The “Course” section of the chapter mainly states the different cases of limits, mostly with no explanation on the way to do the calculations. The examples included are the only way for students to see those calculations. But with no comments or explanation of the examples, students may find some cases hard to understand, and may not be able to induce the main idea and the general procedure.

(D4): Is the Limit Attained or Not?

The chapter does not include any discussion about whether the limit is attained or not. The use of the phrase “ $f(x)$ tends to” as a substitute for the phrase “ $f(x)$ approaches more and more” as well as the use of the “ $\rightarrow$ ” symbol as a substitute for “tends to” creates an image in the students’ minds that the limit is not attained. On the other hand, the use of the “ $=$ ” sign means that the limit is attained and equals a finite value. The use of the “ $=$ ” sign and the phrase “limit of $f(x)$ equals” as a substitute for the above two phrases confuses students and creates the obstacle under discussion. Those different aspects are not discussed and no comments are added to clarify their usage. The figure (Figure 6) below shows an example of how the different aspects are presented in the text of the “Course” section of the chapter.

• If x tends to 3 (x approaches 3 more and more) , $f(x)$ tends to 5 ($f(x)$ approaches 5 more and more) . We say that 5 is the limit of $f(x)$ as x tends to 3 .

We write : If $x \longrightarrow 3$, $f(x) \longrightarrow 5$

(If x tends to 3 , $f(x)$ tends to 5),

or $\lim_{x \rightarrow 3} f(x) = 5$ (limit of $f(x)$,
when x tends to 3, equals 5).

Figure 6. “Course” – Text Example

As to the graphical representations in the “Course” section of the chapter, the use of arrows in some cases (Figure 7) implies that $f(x)$ approaches a certain value but does not actually reach it, which again creates the same confusion for the students. It is to be noted that the letter “ x ” is included twice, before and after the number 3 on the x -axis, with two arrows going in opposite directions, to signify eventual tendency to the left or to the right of 3. Similarly, $f(x)$ occurs twice as well, with two oblique arrows pointing at the point (3;5), to signify that the function tends to 5 when x tends to 3. These representations are very much prone to causing many misconceptions and difficulties, some of which are given below:

Figure 7. “Course” – Graphical Representation Example

- Even though the above figure relates to a specific example of a function ($y=x+2$), using it as the only example to introduce the concept of finite limits, and the concept of limit in general, makes the representations used an important building block in students’ construction of the concept. There is always a danger of over-generalization from one example, as the students will not be able to determine the relevant features of the example that may be generalized to build the concept, and thus the representations may be taken as representing a general case. This danger is reinforced by the absence of the straight line representing the function.
- The system of axes is represented, but not the graph of a function. One isolated point (3;5) is singled out, in a way that implies it is a point of the graph of f . This representation strengthens the idea that the limit is reached
- The arrows imply a common mis-interpretation that students usually have, which is an obstacle to a good understanding of functions and of the relationship between a function and its graph. This mis-interpretation lies in considering the

point of the graph as the value of the function, which masks the fact that this value is in fact its ordinate. The two oblique arrows pointing at the point (3;5) with “ $f(x)$ ” strengthen this mis-interpretation.

- The fact that the letter “ x ” appears twice on the x -axis reflects a perception of the variable as the “infinite set of points of the axis”. Each point can be named “ x ”, and each “ x ” has a different value related to its position on the axis, with respect to the origin. So the variable here is the set of those values. On the other hand, the arrows and the use of the terms “ x tends to” or “ x approaches” imply a dynamic conception of the variable. The variable in this case is seen as a variable value depending on the position, at each moment, of one point that moves along the x -axis and, depending on its movement and on its distance from the origin, gives different values to the variable. The co-existence of these two different perceptions of the concept of variable in the same representation is a potential source of difficulties, because of the lack of a “uniform concept of real number” (D10).
- The same analysis applies to the occurrence of the symbol $f(x)$ twice on the graph. But this one is even more prone to difficulties and misconceptions and raises many questions in the students’ minds that remain unanswered: which $f(x)$ corresponds to which x ? Is there a one-to-one correspondence in-between the values of each? Such questions and others remain obstacles to proper learning of limits and get even reinforced in many of the graphic representations used in the chapter.

(D7): Failure to Link Geometry with Numbers

The chapter is rich with graphic representations, which helps visualization and conceptualization. But, on the other hand, if the graphic representations include features that may lead to misconceptions or difficulties, their effect will be bigger. An example was provided in the previous part, related to the difficulty (D4). It is to be noted that the different difficulties in the framework are not strictly separate from each other, and that they are rather connected. The titles are only to highlight the one(s) that are mostly relevant in each context or example.

As (D7) is related to the connection geometric-numeric and is most relevant because of the proliferation of the graphic representations, the analysis is conducted on each section of the chapter.

“Course” Section

The “Course” section of the chapter includes ten sub-sections. Some sub-sections of the “Course” section of the chapter are in blocks, each block including a text and a graphical representation. Each sub-section of that type is analyzed separately and the analysis is based on checking the alignment of the graphical representation with the text and whether the way they are presented might create a difficulty in linking geometry with numbers. Other sub-sections of the “Course” section of the chapter include only text. These sub-sections are analyzed separately to check if graphical representations are required to help overcome the obstacle.

Sub-section one: Notions of the Finite Limits

This sub-section includes four blocks. The left-hand part of each block represents a text and the right-hand part includes a graph. The students are not

given any instructions regarding the graphs and no connection is made what-so-ever between the graphs and the text.

Notions of the Finite Limits - Block One

Figure 8. Notions of the Finite Limits - Block One

The text part of the block (Figure 8) includes a given numerical function, defined in $\mathbb{R}$, that represents a straight line: $f(x) = x + 2$. One point is given as an example: if $x = 3$, $f(x) = 5$. The graphical part of the block (Figure 8) uses a grid rather than a system of axis to represent the graph of the given function and instead of representing the graph of the function, only the point mentioned in the example is represented (3,5). The potential danger of such a representation has been discussed in the previous part of the analysis.

Notions of the Finite Limits - Block Two

- If x tends to 3 (x approaches 3 more and more) , $f(x)$ tends to 5 ($f(x)$ approaches 5 more and more) . We say that **5 is the limit of $f(x)$ as x tends to 3** .

We write : If $x \rightarrow 3$, $f(x) \rightarrow 5$

(If x tends to 3 , $f(x)$ tends to 5),

or $\lim_{x \rightarrow 3} f(x) = 5$ (limit of $f(x)$,
when x tends to 3, equals 5).

Figure 9. Notions of the Finite Limits - Block Two

Notions of the Finite Limits - Block Three

In the text part of this block (Figure 9) facts of what happens to $f(x)$ if x tends to 3 are stated. Words such as: we say and we write are used and no discussion is included. In the graph part (Figure 9) new symbols (arrows) are used with no explanation of what they represent.

- If x tends to 3 , remaining greater than 3 , $f(x)$ tends to 5 , remaining greater than 5 .

We write: If $x \rightarrow 3^+$, $f(x) \rightarrow 5^+$,

or $\lim_{x \rightarrow 3^+} f(x) = 5$ ($f(x)$ remains greater than 5) ,

or $\lim_{\substack{x \rightarrow 3 \\ x > 3}} f(x) = 5$.

Figure 10. Notions of the Finite Limits - Block Three

Notions of the Finite Limits - Block Four

In the text part of this block (Figure 10), facts of what happens to $f(x)$ if x tends to 3^+ are stated. Again Words such as we write are used and no discussion is included. In the graph part (Figure 10) the arrow used to represent $f(x)$ is placed wrongly on the point $(3,5)$ rather than on 5 on the y-axis and nothing is included to explain what the arrow means.

Figure 11. Notions of the Finite Limits - Block Four

In the text part of this block (Figure 11), facts of what happens to $f(x)$ if x tends to 3^- are stated. Again Words such as we write are used and no discussion is included. In the graph part (Figure 11) the arrow used to represent $f(x)$ is placed wrongly on the point $(3,5)$ rather than on 5 on the y-axis and nothing is included to explain what the arrow means.

Sub-section Two: Limits of a Function at Infinity

This sub-section includes three parts: infinite limits, finite limits, and horizontal asymptote. The first part, infinite limits, is divided into four blocks. It also includes examples and a generalization part made up of two graphs. The

second part, finite limits, is divided into two blocks. It also includes examples and a generalization text. The third part, horizontal asymptote, is divided into two blocks. It also includes an example.

Infinite Limits - Block One

Figure 12. Infinite Limits - Block One

The text part of the block (Figure 12) includes a numerical function f defined over the interval $[x_0; +\infty[$, with $x_0 \in \mathbb{R}$. It states that if, for any real number A “as great as we want”, all the values of $f(x)$ remain greater than A , then $f(x)$ tends to positive infinity as x tends to infinity (written in the equation: $+\infty, \lim_{x \rightarrow +\infty} f(x) = +\infty$). The text does not specify the meaning of “as great as we want”, and the graph (Figure 12) does not show A at infinity or anywhere as a large value. In addition, the graph part includes more information than the text. It uses a to represent a real number such that $x > a$ and the

comment at the bottom of the graph does not include anything regarding infinity.

Hence, the text and the graph have discrepancies and lack certain connections.

Infinite Limits - Block Two

Figure 13. Infinite Limits - Block Two

As for block two, the text part (Figure 13) only includes one statement:

“we define the same for: $\lim_{x \rightarrow +\infty} f(x) = -\infty$ ”, with no explanation. The same as in

block one goes for the graph part of block two, with an addition that no comment

is included at the bottom of the graph (Figure 13) explaining the letters used and

how they are related to the text involved. Even less information is provided in

blocks three and four (Figure 14).

Infinite Limits – Blocks Three and Four

Figure 14. Infinite Limits – Blocks Three and Four

Infinite Limits: Examples and Generalization

EXAMPLES		
• $\lim_{x \rightarrow -\infty} (x) = -\infty$.	• $\lim_{x \rightarrow -\infty} (x^4) = +\infty$.	• $\lim_{x \rightarrow +\infty} (x^2) = +\infty$.
• $\lim_{x \rightarrow -\infty} (x^2) = +\infty$.	• $\lim_{x \rightarrow +\infty} (\sqrt{x}) = +\infty$.	• $\lim_{x \rightarrow +\infty} (x^3) = +\infty$.
• $\lim_{x \rightarrow -\infty} (x^3) = -\infty$.	• $\lim_{x \rightarrow +\infty} (x) = +\infty$.	• $\lim_{x \rightarrow +\infty} (x^4) = +\infty$.

Figure 15. Infinite Limits: Examples

The examples in Figure 15 have no graphs associated with them. They provide many examples that indicate how students can procedurally find limits by thinking about infinity like they do about a value and plugging it in the expression of the function. All the examples lead to infinite limits. These examples help students detect patterns and induce the procedure(s). While the examples in Figure 15 have no accompanying graphs, the generalization part (Figure 16) is

exclusively set as graphs, with no explanation or discussion about each graph. It is kept up to the teacher / student to make the connection. This block is a typical example of many parts of the chapter, where either numeric representations or graphic representations are exclusively used. It is noticed that rare are the instances in which a graphic representation is connected with the numeric representations with clear connections and transfers between them..

Figure 16. Infinite Limits: Generalization

Finite Limits - Block One

2. Finite limits

Let f be a numerical function defined on an interval of the form $[x_0; +\infty[$, with $x_0 \in \mathbb{R}$, and L a real number.

If the distance between $f(x)$ and L is very small whenever x is great enough we say that $f(x)$ tends to L as x tends to $+\infty$.

We write :

$$\lim_{x \rightarrow +\infty} f(x) = L$$

$$\text{or } \lim_{x \rightarrow +\infty} (f(x) - L) = 0.$$

Figure 17. Finite Limits - Block One

The text part of the block (Figure 17) includes a numerical function f defined over the interval $[x_0; +\infty[$, with $x_0 \in \mathbb{R}$, and L a real number. It states that if the distance between $f(x)$ and L is very small whenever x is great enough then $f(x)$ tends to L as x tends to $+\infty$. (written: $\lim_{x \rightarrow +\infty} f(x) = L$ or $\lim_{x \rightarrow +\infty} (f(x) - L) = 0$). The text does not specify the meaning of “is very small” or “is great enough”. In addition it does not explain the equations used, specifically the second one: $\lim_{x \rightarrow +\infty} (f(x) - L) = 0$. Moreover, even though x_0 does not show on the graph (Figure 17), the graph part includes more info than the text. It uses points M and N without explaining their role or usage in the adjacent text, and there are no comments or explanation of the graph. The same comment applies to the horizontal straight line passing through $(0; L)$. The role of this straight line is

supposed to be very important for understanding the meaning of the tendency of the function to L, and there should be explicit connections between the text and graph in this respect. But the straight line is ignored in the text adjacent to this example. However, M, N and L are mentioned and explained in the next paragraph, in the text adjacent to the graph corresponding to $x \rightarrow -\infty$, yet using “ $+\infty$ ”, which may add confusion to the already existing confusion caused by the complexity and the novelty of the topic.

Hence, both the text and the graph are not clear, nor are they connected in a functional way for understanding, and this might cause ambiguity to the students and makes it harder for them to understand the notion.

Finite Limits – Examples and Generalization

EXAMPLES

$\bullet \lim_{x \rightarrow +\infty} \left(\frac{1}{x} \right) = 0 \quad \left(\frac{1}{x} > 0 \right)$	$\bullet \lim_{x \rightarrow -\infty} \left(\frac{1}{x} \right) = 0 \quad \left(\frac{1}{x} < 0 \right)$
$\bullet \lim_{x \rightarrow +\infty} \left(\frac{1}{x^2} \right) = 0 \quad \left(\frac{1}{x^2} > 0 \right)$	$\bullet \lim_{x \rightarrow -\infty} \left(\frac{1}{x^2} \right) = 0 \quad \left(\frac{1}{x^2} > 0 \right)$
$\bullet \lim_{x \rightarrow +\infty} \left(\frac{1}{\sqrt{x}} \right) = 0 \quad \left(\frac{1}{\sqrt{x}} > 0 \right)$	

Figure 18. Finite Limits - Examples

Just similarly to the previous subsection, this one is followed by examples of functions that have finite limits (Figure 18), examples given in symbolic algebraic form with no corresponding graphical representations. However, unlike the previous section, the generalization (Figure 19) is also made with examples in symbolic algebraic form with no corresponding graphical representations, which

reduces the benefit that might have been gained from visualization and accentuates the lack of connection between the graphic and numeric.

More generally :

- $\lim_{x \rightarrow \pm\infty} \left(\frac{1}{x^n} \right) = 0 \quad \left(\frac{1}{x^n} > 0 \text{ if } n \text{ is even} \right)$
- $\lim_{x \rightarrow -\infty} \left(\frac{1}{x^n} \right) = 0 \quad \left(\frac{1}{x^n} < 0 \text{ if } n \text{ is odd} \right)$
- $\lim_{x \rightarrow +\infty} \left(\frac{1}{x^n} \right) = 0 \quad \left(\frac{1}{x^n} > 0 \text{ if } n \text{ is odd} \right).$

Figure 19. Finite Limits – Generalization

Horizontal Asymptote

Horizontal asymptote

Let f be a numerical function and (C) its representative curve in a system $(O, \vec{i}, \vec{j})$.

- If $\lim_{x \rightarrow +\infty} f(x) = L$, that is to say that the more x increases, and the more the point M approaches (D) , we say that the line (D) of equation $y = L$ is a **horizontal asymptote** (C) at $+\infty$.

Figure 20. Horizontal Asymptote - Block One

The text part of the block (Figure 20) presents a numerical function f and its representative curve (C) in a system $(O, \vec{i}, \vec{j})$. It states that if $\lim_{x \rightarrow +\infty} f(x) = L$,

that is to say that the more x increases, and the more the point M approaches (D) , we say that line (D) of equation $y = L$ is a horizontal asymptote of (C) at $+\infty$.

The graph part of this block (Figure 20) represents what is written in the text, with the error that the ordinate of point M is presented as (x) rather than $f(x)$, which is even another source of confusion, considering that two occurrences of x appeared before, which was not a typo error, but a kind of on-purpose indication of x approaching a value on the left side and the right side. Although the text and the graph are consistent, there are no comments associated with the graph that link it to the text. There is no comparison, either, with the previous case where the function also tends to a finite value when x tends to infinity. No mention whatsoever is included to explain the difference between the two cases, and the reason for which the present case is a case of asymptote while the previous one is not. Similarly to the lack of connections between graphic and numeric representations, there is lack of connections between the different cases.

Block two of this subsection presents a similar example, for the case where the function admits a horizontal asymptote on the negative infinity side of the graph. The same analysis applies to this block.

Also, similarly to the previous blocks, a block of examples (mainly when the limit is 0 and thus the horizontal asymptote is the x -axis) is provided. The examples are represented in the symbolic algebraic form, with no corresponding graphic representation and no connections.

Sub-section Three: Limit at a Point

This sub-section includes two parts: limit at a point, and vertical asymptote. The first part is divided into five blocks and an “Examples” section. The second part, vertical asymptote, is divided into two blocks. The second block includes three graphs. This part also includes an example.

Limit at a Point - Blocks One and Two

Figure 21. First Part: Limit at a Point - Blocks One and Two

Both blocks one and two (Figure 21) deal with the limit of a function (equal to infinity) at a point, with the variable approaching that point from both sides, left and right, at the same time. The text part of block one (Figure 21) includes a numerical function f of the real variable x , defined over the

interval $[c, a[\cup]a, b]$. It states that if $f(x)$ increases when x is close enough to a , then $f(x)$ tends to positive infinity as x tends to a (written in the equation: $\lim_{x \rightarrow a} f(x) = +\infty$). Although the text does not specify the exact meaning of “is close enough”, the associated graph shows the curve very close to the line $x = a$ (approaching both sides of the line, which is not mentioned in the text). Hence, the graph (Figure 21) is essential in this case in order to show the students the meaning of “is close enough” that is mentioned in the text and help them understand the text better.

Block two (Figure 21) deals with the same notion as the previous one but with the case when the limit at a point is equal to negative infinity. The text part of block two (Figure 21) includes a single statement “we define the same for: $\lim_{x \rightarrow a} f(x) = -\infty$ ” and its associated graph with no comments or further explanation. Again, the graph (Figure 21) is essential in this case in order to help students understand the stated statement and get more familiar with the notion of infinity. Any failure on the students’ part to link the stated statement to its associated graph causes problems for their understanding of the notion.

Limit at a Point - Blocks Three and Four

Figure 22. First Part: Limit at a Point - Blocks Three and Four

Both blocks three and four (Figure 22) deal with the limit of functions (equals to infinity) at a point when functions approach the point either from the right or from the left separately. The text part of block three (Figure 22) includes a numerical function f of the real variable x , defined over the interval $]a, b]$. It states that if $f(x)$ increases when x is close enough to a , by remaining greater than a , then $f(x)$ tends to positive infinity as x tends to a^+ ($x > a$) (written in the equation: $\lim_{x \rightarrow a^+} f(x) = +\infty$ or $\lim_{\substack{x \rightarrow a \\ x > a}} f(x) = +\infty$). Although the text does not specify the exact meaning of “is close enough”, the associated graph shows the curve very close to the line $x = a$ (approaching from the right side of the line which is not mentioned in the text). Hence, the graph (Figure 22) is essential in this case in order to show the students the meaning of “is close enough” that is

mentioned in the text and help them understand the text better. However, this is the first time the notations a^+ and a^- appear, and despite the high chance of possible confusion with $+a$ and $-a$, and more so with the notations that the textbooks first use when the signed numbers are introduced, the text does not provide a clear explanation, nor does it make a comparison or contrast with the meanings of the other notations.

Block four (Figure 22) deals with the same notion as the previous one but with the case when the curve approaches the point from the left. The text part of block two (Figure 22) includes a single statement “we define the same, over $[c, a[$: $\lim_{x \rightarrow a^-} f(x) = +\infty$ or $\lim_{\substack{x \rightarrow a \\ x < a}} f(x) = +\infty$ ” and its associated graph with no comments or further explanation. Again, the graph (Figure 22) is essential in this case in order to help students understand the stated statement. Any failure on the students’ part to link the stated statement to its associated graph causes problems for their understanding of the notion.

First Part: Limit at a Point - Block Five

Figure 23. First Part: Limit at a Point - Block Five

This block (Figure 23) includes a remark that states the necessity in some cases to study the performance of a function both to the left and right of a point a , and to find both limits at a^+ and a^- . The graph (Figure 23) represents such a case. Although no explanation or comments are included with the graph to link it to the text, the graph is essential in this case in order to help students understand the stated statement. Any failure on the students' part to link the stated statement to its associated graph (Figure 23) causes problems for their understanding of the notion.

Also in this part, and similarly to previous ones, a set of examples of functions that tend to infinity when x tends to a finite number, with no graphic representations and no connections to the previous cases.

Vertical Asymptote - Blocks One and Two

Figure 24. Second Part: Vertical Asymptote - Blocks One and Two

The text part of block one (Figure 24) includes a numerical function f and its representative curve (C) in a system $(O, \vec{i}, \vec{j})$ and a given real number a . It states that if $\lim_{x \rightarrow a} f(x) = -\infty$ or $\lim_{x \rightarrow a} f(x) = +\infty$, and the more x approaches a and M approaches the line (D) , then the line (D) of equation $x = a$ is a vertical asymptote to (C) . The graph part of this block (Figure 24) represents part of one case presented in the text, $\lim_{x \rightarrow a} f(x) = +\infty$, where the function approaches line (D) from both sides right and left. The other three graphs in block two (Figure 24) represent the other case. Although the text and the graph are consistent, there are no comments associated with the graph that link it to the text.

Moreover, the use of M in the text is not clear unless the students associate it with its representation in the graphs. Hence, the graph (Figure 24) is essential in this case in order to show the students what M represents and help them understand the text better.

Vertical Asymptote - Examples

EXAMPLE

Let f be the function such that : $f(x) = \frac{1}{x}$.

$D_f =]-\infty, 0[\cup] 0, +\infty[$; $\lim_{x \rightarrow 0^+} f(x) = +\infty$ and $\lim_{x \rightarrow 0^-} f(x) = -\infty$.

Then we say that the line of equation $x = 0$ is a vertical asymptote of the representative curve (C) of f .

Figure 25. Second Part: Vertical Asymptote - Examples

The above example (Figure 25) has no graphs associated with it. If some graphs are used students are able to understand better how the given function perform at a point and its relation with the vertical asymptote.

Sub-section four: Complements and Remarks about the Limits

This sub-section deals with the uniqueness of the limit of a numerical function (if it exists). It includes three statements. The first one states that for any function $f(x)$ of the form: $ax+b$, ax^2 , $\sqrt{x}$, $\frac{a}{x}$, x^3 , with $a \neq 0$, if α belongs to the domain of the function D_f and α is not the limit of D_f , then $\lim_{x \rightarrow \alpha} f(x) = f(\alpha)$. The second one states that for any function f , we cannot find the limit of f at a unless a belongs to D_f , or unless a is a limit of D_f . Both, the first and second statements include an example for each. The third statement includes an acknowledgment stating that the limit of a numerical function, if it exists, is unique.

These statements are not clear on their own and might be confusing to the students. Although the included examples help in explaining them further, the usage of graphs is essential in order to eliminate any ambiguity caused by the text.

Sub-section five: Operations on the Limits

This sub-section includes properties that help in finding the limits of the functions: $f + g, f \cdot g, \frac{f}{g}$ where $g \neq 0$, knowing the limits of f and g . It includes several examples as well. No graphs are associated with neither the text nor the examples. Graphing some of the examples would have helped students visualize and compare the different cases and hence understand them better.

In this sub-section, the notion of “indeterminate form” is introduced, and the different cases of indeterminate forms are provided (Figure 26), with no explanation. What is more tricky at this moment and more prone to confusion, misconceptions and difficulties, are notations where infinity is used in fractions just like any finite number, and others where 0 is accepted to occur in the denominator, after years of studying mathematics where such a form was totally rejected. The “indeterminate” forms are just displayed, without any definition of what “indeterminate” means? Why is it indeterminate? It is just mentioned that these forms “need a particular study “for removing the indeterminacy” (?), and that in each form, “the function could have a finite limit, infinite limit or no limit”, which adds to the confusion.

Operations on the Limits – Indeterminate Forms

4. Indeterminate forms

The cases of indeterminate forms (? in the preceding tables) need a particular study «for removing the indeterminacy». Here they are four :

$$\infty - \infty \quad ; \quad 0 \times \infty \quad ; \quad \frac{\infty}{\infty} \quad ; \quad \frac{0}{0} .$$

In each of the four above cases, the function could have a finite limit, infinite limit or no limit.

Figure 26. Operations on the Limits – Indeterminate Forms

Several solved examples follow to show in a procedural way what is to be done in selected cases of functions “for removing the indeterminacy”. A sequence of symbolic formal calculations is displayed, with no conceptual approach to facilitate understanding. The main (and almost only) complete sentence that occurs is:

For removing the indeterminate form, we proceed as follows :

It is clear that the aim of this part is to provide step-by-step procedures that students can imitate for similar exercises.

Sub-section six: Behavior of a Polynomial Function at Infinity

This sub-section deals with the behavior of a polynomial function at infinity. It starts with the general form of a polynomial function of degree n , and states that a polynomial function behaves at infinity as its highest degree term. It includes several examples as well. It does not provide any justification or validation of the fact but just states it as something that should be admitted with no questioning. No graphs are associated with neither the text nor the examples.

Graphing some of the examples would have helped students compare the functions and hence understand their limits better.

Sub-section seven: Limit at infinity of a Rational Function

This sub-section deals with the limit of a rational function at infinity. It states that the limit of a rational function of the form $\frac{f(x)}{g(x)}$ (where f and g are two polynomial functions, with $g(x) \neq 0$) is equal to the ratio of the limits of f and g ; hence, based on the previous section, limit at infinity of $\frac{f(x)}{g(x)}$ is equal to limit at infinity of $\frac{\text{term of highest degree of } f}{\text{term of highest degree of } g}$. It includes several examples as well. It does not provide any justification or validation of the fact but just states it as something that should be admitted with no questioning. No graphs are associated with neither the text nor the examples. Graphing some of the examples would have helped students compare the functions and hence understand their limits better.

Sub-section Eight: Limits by Comparison

This sub-section includes five blocks and an “Examples” section.

Limits by Comparison - Blocks One and Two

Figure 27. Limits by Comparison - Blocks One and Two

Blocks one and two (Figure 27) deal with finding the limit at positive infinity of a function f by comparing it to another function for any real number x greater than a certain real number A . The text of the first block states that, for any real number $x > A$, if $f(x) \geq g(x)$ and $\lim_{x \rightarrow +\infty} g(x) = +\infty$ then $\lim_{x \rightarrow +\infty} f(x) = +\infty$. The text of the second block states that, for any real number $x > A$, if $f(x) \leq g(x)$ and $\lim_{x \rightarrow +\infty} g(x) = -\infty$ then $\lim_{x \rightarrow +\infty} f(x) = -\infty$.

The graphs associated with the two texts (Figure 27) are essential for visualizing the cases and showing the students how the two functions are compared and how the two limits are related. The graphical representation of the two cases helps in clarifying both cases to the students. However, the absence of point A from the graphs makes it difficult to interpret the formal symbolic form of the theorem and to connect the numeric and graphic.

Limits by Comparison - Block Three

Figure 28. Limits by Comparison - Block Three

Block three (Figure 28) deals with finding the limit at positive infinity of a function f , by comparing it to two other functions g and h for any real number x greater than a certain real number A (sandwich theorem). The text states that if $g(x) \leq f(x) \leq h(x)$, for any real number $x > A$, with $\lim_{x \rightarrow +\infty} g(x) = L$, and $\lim_{x \rightarrow +\infty} h(x) = L$ then $\lim_{x \rightarrow +\infty} f(x) = L$.

The same analysis as for the previous case applies. This same analysis applies as well to two other cases where the limit of a function can be obtained by comparison.

Sub-section Nine: Continuity of a Numerical Function

This sub-section is divided into two parts: continuity at a point and continuity over an interval. The first part: continuity at a point includes a text and a graphical example. The second part: continuity over an interval includes a text with no examples or graphic representation.

Continuity at a Point

This part deals with the continuity of a function at a given point. It includes a text (Figure 29) that starts with a definition of continuity at a point:

A numerical function f defined over an interval containing the real number a , is said to be continuous at a if and only if :

$$\lim_{x \rightarrow a} f(x) = f(a) .$$

Figure 29. Continuity at a Point - Definition

It then states that for a function to be continuous at a point a it should be both continuous to the right and left of the point a : $\lim_{x \rightarrow a-} f(x) = \lim_{x \rightarrow a+} f(x) = f(a)$. It also includes several examples, the first of which is a graphical example to clarify further the notion of continuity at a point with a remark (Figure 30) that explains how continuity is detected from a graph. The graph (Figure 30) shows both f continuous at a point a and not continuous at points b and c . A short text is included after the graph explaining the three instances. This graphical representation is essential for students to create a connection between what is stated in the text and how it is represented graphically. This connection helps in clarifying the notion and makes it easier for students to understand it. The other examples are simple applications of the notion with no graphs included.

Remark

Graphically, a function is continuous at a point if its representative curve does not have any gap at this point.

EXAMPLES

a) The graphical representation (C) below of the function f shows that :

• f is continuous at a ,

Figure 30. Continuity at a Point – Remark and Examples

However, the graphic representation (Figure 30) could have been more comprehensive and could have presented more significant cases, much needed because the other examples have no graphic representations associated to them, weirdly enough for the first example of piece-wise function that follows. In the graphic representation of Figure 30, the two points of abscissas b and c have almost the same status, with a difference related to right or left. The example could have been more comprehensive by starting the right-most branch of the graph at the point $(c;f(c))$ to create a case of continuity at the point, yet with two branches and a singular point.

Continuity over an Interval

This part deals with the continuity of a function over an interval. It includes a text stating that a numerical function f is continuous over an interval I

if it is continuous at all points of I . If $I = [a; b]$ then in order for f to be continuous over I it has to be continuous to the right at a and to the left at b , and for every point of abscissa x_0 such that $a < x_0 < b$. Hence, rational, irrational polynomials as well as their sums, products and quotients are continuous over the entire interval I that is their domain of definition. This last fact is stated, for all those types of functions, with no explanation, justification or validation. It is stated as a fact that should be admitted with no questioning or thinking. On the other hand, the sub-section “continuity over an interval” does not include any graphs or examples which could have helped students better understand the notion.

Sub-section Ten: Operations on Numerical Functions

This sub-section is a text that discusses six different operations on numerical functions, that is: sum, difference, product and quotient of two functions, product of a function by a real number, and reciprocal of a function. Several examples are included. No graphic representations are associated with any of the cases or the examples.

Including this sub-section at the end of the chapter is strange and goes against the logical sequence of topics and their prerequisite. The concept of limits is not addressed in this sub-section. The content relates exclusively to functions and operations on functions, which is a prerequisite to the current chapter on limits. This sub-section should have been included at the beginning of the chapter, or at least before the fifth sub-section in which the concepts of sum, product and quotient of functions (why not difference as well?) are actually used without being properly introduced (Figures 4 and 5). It is essential for students to be

introduced to these operations and understand them before starting to deal with limits.

“Exercises and Problems” Section

This section includes several types of exercises and problems distributed over four parts: “reminder”, “test your knowledge”, “for seeking”, and “for training” (“special students- with indications”). Each type is analyzed separately. The analysis is based on checking either the alignment of the graphical representations associated with some given items and whether the way they are presented might create a difficulty in linking geometry with numbers or checking the need for graphical representations for other items, to make it easier for students to solve. An item is any single question to be answered by the student or any order to be executed by the student. If, for example, we have an order such as: calculate $f(3)$, $f(5)$, and $f(-1)$, each one is considered an item, hence we have three items. The items are categorized into three types. Items considering symbolic representation only, items considering graphic representation only, and items considering both. Considering the two aspects, graphical and symbolic representations, helps in checking the obstacle under examination. These two aspects and the way they are related in the exercises and problems clarify the link between geometry and numbers and the need for both to overcome obstacles related to them. A percentage of each type is included with each of the four parts mentioned at the beginning. These percentages help in comparing the occurrences of each type.

Part One: Reminder

The first part, “reminder”, includes exercises and problems that test the students’ previous knowledge. This part includes 77 items distributed as follows (Table 2):

Table 2: *Distribution of the “Reminder” Items*

	Symbolic Representation	Graphic Representation	Both
Number of Items	31	14	32
Percentages	40.26%	18.18%	41.56%

The above percentages show that there is more emphasis on items with symbolic representation only and items with both types of representations, compared to items with graphical representation only. The number of occurrences of each type in this part is kind of appropriate specially that the number of items using both types of representations is the greatest among the three. Using both representations for the same item helps students in linking geometry with numbers and hence makes it easier for them to answer questions.

Some items deal with similar types of questions. The types of questions that are involved in this part are related to the following: Domain of definition of numerical functions, images and antecedents, parity of a function, odd and even functions, axis of symmetry, solving equations and inequalities, sense of variation and table of variation of a function, representing a function graphically, and determining a function in a new orthonormal system given its representative curve in another orthonormal system.

Since the three types of representation are used to answer the same type of questions related to the notions of “domain of definition of numerical functions”, “images and antecedents”, and “solving equations and inequalities” students are

able to solve questions related to the notions in different contexts using different methods hence build connections between geometry and numbers in different ways. Since only graphical type of representation is used to answer the same type of question related to the notion of “odd and even functions” students might find it difficult to solve questions related to the notion using symbolic representation hence creating an obstacle in linking between geometry and numbers.

Since only symbolic type of representation is used to answer the same type of question related to the notion: “axis of symmetry”, students might find it difficult to solve questions related to the notion using graphical representation hence creating an obstacle in linking between geometry and numbers.

Since both types of representations are used to answer the same type of question related to the notion: “representing a function graphically”, students are able to solve questions related to the notion by relating symbols to graphs, hence link between geometry and numbers.

Only one question deals with the notion of “parity of a function” (including six symbolic representation items), one question deals with the notions of “sense of variation” and “table of variation of a function” (including one graphic representation item and one item using both representations respectively), and one question deals with “determining a function in a new orthonormal system given its representative curve in another orthonormal system” (including one symbolic representation item). The lack of questions about these notions using different representations might create a difficulty for students to link geometry with numbers related to these notions.

Part Two: Test your Knowledge

The second part, “test your knowledge”, includes exercises and problems that test the students’ understanding of the notions mentioned in the course section as well as other notions based on previous knowledge. This part includes 88 items distributed as follows (Table 3):

Table 3: *Distribution of the “Test your Knowledge” Items*

	Symbolic Representation	Graphic Representation	Both
Number of Items	74	2	12
Percentages	84.09%	2.27%	13.64%

The above percentages show that there is much more emphasis on items with symbolic representation only compared to items with graphical representation only and items with both representations. The high percentage of problems using symbolic representation only, versus the low percentages of the other two representations hinders students’ ability to connect geometry with numbers, hence creating difficulties for them to relate graphs to symbols. Using both representations for the same items helps students in linking geometry with numbers and hence makes it easier for them to answer questions.

Some items deal with similar types of questions. The types of questions that are dealt with in this part are related to the following: finding limits, associating graphs with functions, asymptotes, continuity of a function, domain of definition, and defining a function related to other functions

Since the majority of representations used to answer the same type of question related to the notions of “finding limits” and “continuity of a function” are symbolic, students might face a problem in solving questions related to these

notions in different contexts including graphs hence creating an obstacle in linking geometry and numbers in different ways.

Since the type of questions related to the notion of “associating graphs with functions” requires the use of both representations and since that is what is used, it is adequate. This type of questions help students link between symbols and graphs hence eliminates any obstacles that students might face in linking geometry and numbers.

Since the only type of representation used to answer the same type of questions related to the notions of “asymptotes”, “domain of definition”, and “defining a function related to other functions” is symbolic, students might face a problem in solving questions related to these notions in different contexts including graphs hence creating an obstacle in linking geometry and numbers in different ways.

Part Three: For Seeking

The third part, “for seeking”, includes exercises and problems that test the students’ ability to apply their knowledge of some of the notions mentioned in the course section as well as other notions based on previous knowledge. This part includes 26 items distributed as follows (Table 4):

Table 4: *Distribution of the “For Seeking” Items*

	Symbolic Representation	Graphic Representation	Both
Number of Items	24	0	2
Percentages	92.31%	0%	7.69%

The above percentages show that there is more emphasis on items with symbolic representation only compared to items with graphical representation

only and items with both representations. The high percentage of problems using symbolic representation only versus the low percentages of the other two representations hinders students' ability to connect geometry with numbers hence creating difficulties for them to relate graphs to symbols. Using both representations for the same items helps students in linking geometry with numbers and hence makes it easier for them to answer questions.

Some items deal with similar types of questions. The types of questions that are dealt with in this part are related to the following: finding limits, continuity of a function, representing functions graphically, determining a function related to other functions, and solving inequalities.

Since the only type of representation used to answer the same type of questions related to the notions of “finding limits”, “continuity of a function”, “determining a function related to other functions”, and “solving inequalities” is symbolic, students might face a problem in solving questions related to these notions in different contexts including graphs hence creating an obstacle in linking geometry and numbers in different ways.

Since the type of questions related to the notion of “representing functions graphically” requires the use of both representations and since that is what is used, it is adequate. This type of questions help students link between symbols and graphs hence eliminates any obstacles that students might face in linking geometry and numbers.

Part Four: For Training

The fourth part, “for training”, includes exercises and problems that test the special students’ ability to analyze their knowledge of the notions mentioned in the course section as well as other notions based on previous knowledge. This part includes 11 items with their indications distributed as follows (Table 5):

Table 5: *Distribution of the “For Training” Items*

	Symbolic Representation	Graphic Representation	Both
Number of Items	10		1
Percentages	90.91%	0%	9.09%

The above percentages show that there is more emphasis on items with symbolic representation only compared to items with graphical representation only and items with both representations. The high percentage of problems using symbolic representation only versus the low percentages of the other two representations hinders students’ ability to connect geometry with numbers hence creating difficulties for them to relate graphs to symbols. Using both representations for the same items helps students in linking geometry with numbers and hence makes it easier for them to answer questions.

Some items deal with similar types of questions. The types of questions that are dealt with in this part are related to the following: domain of definition, sign of a function, finding limits, interpreting functions, their sign, and limits graphically, asymptotes, and solving equations.

Since the only type of representation used to answer the same type of questions related to the notions of “domain of definition”, “sign of a function”, “finding limits”, “asymptotes”, and “solving equation” is symbolic students might face a problem in solving questions related to these notions in different contexts

including graphs hence creating an obstacle in linking geometry and numbers in different ways.

Since the type of questions related to the notion of “interpreting functions, their signs, and limits graphically” requires the use of both representations and since that is what is used, it is adequate. This type of questions help students link between symbols and graphs hence eliminates any obstacles that students might face in linking geometry and numbers.

In conclusion, the analysis of the curriculum and the textbook revealed some significant results related to the concept of limits under study.

The analysis of the curriculum shows that Grade-10 scope and sequence for calculus includes only the study of functions, their graphical representation and using graphs to solve equalities and inequalities. Comparing the scope and sequence for grades 10 and 11 reveals a big gap between the two grades. Grade10 content is limited and does not develop enough concepts and skills that would create a basis for grade 11 concepts. Most of the concepts in grade11 are not even introduced in grade10, which means that students in grade11 have to learn many new concepts that are of a totally new nature as compared to those with which they are familiar, a fact that might create difficulties for them. On the other hand, the concepts included in grade-11 scope and sequence create a good basis for grade-12 content. However, it is noticed that there are some gaps between grade 11 calculus contents and those of grade 12, General Sciences track’s scope and sequence which might cause some problems.

The analysis of the structural description of the textbook chapter on limits reveals that the sequence of the sub-sections is mostly appropriate. However, It might have been

better for sub-sections six (behavior of a polynomial function at infinity) and seven (limit at infinity of a rational function) to come immediately after sub-section two (limits of a function at infinity), since the three of them are concerned with limits at infinity.

Moreover, sub-section ten (operations on numerical functions) should have been at the beginning, since it is strictly about operations on numerical functions and students should know them before starting to deal with limits.

As to the development of the concept throughout the “Course” section of the chapter and its relation to potential difficulties the following are noticed:

In the first sub-section-notions of the finite limits- only one example with specific values is used to explain this notion, with no generalization, which may be a potential source of difficulties, especially regarding the identified difficulties (D6) – teaching approach and use of representations - and (D7) – The failure to link geometry with numbers. In the fourth sub-section -complements and remarks about the limits- the information included is not clear and might be confusing to the students (D6). More explanation is required for better understanding. In the fifth sub-section -operations on the limits-many examples are included, but it might have been better to include more examples in order to represent all the cases of operations, especially when dealing with indeterminate forms (D1, D2, and D6). In the sixth sub-section -behavior of a polynomial function at infinity-the explanation is short and uses formal algebraic expressions which might create some ambiguity for the students if not explained further (D6). In the seventh sub-section -limit at infinity of a rational function- the explanation is short and only states facts and conclusions which might hinder students’ understanding. Further explanation would have helped students understand this notion better (D2, D6). The eighth sub-

section-limits by comparison- only states facts and draw conclusions out of the given facts. No explanation is used for each of the cases or for any of the graphs representing these cases. Moreover, few examples are included in this sub-section and they do not cover all cases (D6). Further explanation, comments, and examples should have been used to help students understand this sub-section better. The ninth sub-section-continuity of a numerical function- only states facts and draw conclusions out of the given facts. No explanation is used for either the text or the graphs. Students might find it hard to understand this sub-section which might lead them to simply memorizing the facts given (D6). The tenth and last sub-section of the “Course” section of the chapter-operations on numerical functions- includes simple facts with no explanation which might lead students to memorizing rather than understanding (D6).

The analytical analysis of the textbook reveals that the possible difficulties that the textbook creates are related to four of the difficulties in the framework: the notion of the infinitely large and infinitely small (D2), the metaphysical aspect of the notion of limit (D3), the dilemma whether the limit is attained or not (D4), and the failure to link geometry with numbers (D7).

It is to be noted that the different difficulties are not strictly separate from each other, and that they are rather connected. As (D7) is related to the connection geometric-numeric and is most relevant because of the proliferation of the graphic representations, it might be the most important of the difficulties.

All “Course” sub-sections only state the facts, procedures and properties used in solving limits, including infinity, with no explanation of the notion of infinity (D2). By just reading these sub-sections students may find it difficult to understand what infinity

means and what limit represents (D2). Moreover, the “Course” section mainly states the different cases of limits, mostly with no explanation on the way to do the calculations. The examples included are the only way for students to see those calculations. But with no comments or explanation of the examples, students may find some cases hard to understand, and may not be able to induce the main idea and the general procedure (D3, D6). In addition, the chapter does not include any discussion about whether the limit is attained or not (D4). The use of the phrase “ $f(x)$ tends to” as a substitute for the phrase “ $f(x)$ approaches more and more” as well as the use of the “ $\rightarrow$ ” symbol as a substitute for “tends to” creates an image in the students’ minds that the limit is not attained. On the other hand, the use of the “ $=$ ” sign means that the limit is attained and equals a finite value. This creates confusion in the students’ minds (D4). Those different aspects are not discussed and no comments are added to clarify their usage. As to the graphical representations in the “Course” section of the chapter, the use of arrows in some cases (Figure 7) implies that $f(x)$ approaches a certain value but does not actually reach it, which again creates the same confusion for the students. Using Figure 7 as the only example to introduce the concept of finite limits, and the concept of limit in general, makes the representations used an important building block in students’ construction of the concept. There is always a danger of over-generalization from one example, and thus the representations may be taken as representing a general case (D4, D7).

Moreover, not having the graph of a function (Figure 7) and only having one isolated point in a way that implies it is a point of the graph of f , strengthens the idea that the limit is reached (D4, D7).

In most of the blocks in the “Course” section that are made of a text part and a graph one, students are not given any instructions, comments, or explanation regarding the graphs and no connection is made between the graphs and the text which might cause ambiguity to the students and makes it harder for them to understand the notion (D7). Similarly to the lack of connections between graphic and numeric representations, there is lack of connections between the different cases in the different parts of the section. Comparing different cases graphically as well as symbolically from different sub-sections help students understand limits better (D7). As to the majority of the parts in the “Course” section, either numeric representations or graphic representations are exclusively used. It is noticed that rare are the instances in which a graphic representation is connected with the numeric representations with clear connections and transfers between them (D7).

Moreover, the text does not specify the meaning of statements such as: “as great as we want”, “is very small”, “is great enough”, or “is close enough” and most of the time the associated graphs do not help in clarifying such statements. The graphs (Figure 21, 22, 23, and 24) are essential in such cases in order to show the students the meaning of such statements that are mentioned in the text and help them understand the text better. Any failure on the students’ part to link the stated statements to their associated graphs causes problems for their understanding of the notion (D7).

Furthermore, most examples mentioned in the “Course” section have no graphs associated with them. The “Course” section provides many examples that indicate how students can procedurally find limits which might lead students to memorize or over generalize such procedures instead of creating a conceptual understanding of the concept

in students' minds (D7). Graphs in this case would have helped in overcoming such a difficulty (D7). There are also other cases where the use of graphs is required and only text was used. For example, when dealing with asymptotes, operations on the limits, uniqueness of the limit, and behavior of a polynomial function at infinity the use of graphs is essential for students to visualize the notions. The text used to explain these notions is not clear on its own and might be confusing to the students. The text used in most cases does not provide any justification or validation of the fact but just states it as something that should be admitted with no questioning. Although the included examples help in explaining them further, the usage of graphs is essential in order to eliminate any ambiguity caused by the text (D7).

Last point worth mentioning about the "Course" section is the way it deals with the notion of "indeterminate form" (D1, D2) which is a hard notion to understand since in this notion infinity is used in fractions just like any finite number and 0 is accepted to occur in the denominator, after years of studying mathematics where such a form was totally rejected. The "indeterminate" forms are just displayed, without any definition of what "indeterminate" means? Why is it indeterminate? It is just mentioned that these forms "need a particular study "for removing the indeterminacy", and that in each form, "the function could have a finite limit, infinite limit or no limit" (D2).

As for the "Exercises and Problems" section, the analysis shows that symbolic representation, graphical representation, as well as a mixture of both are used to ask questions about different notions. The use of all three representations help students solve and relate problems related to different notions in different contexts. This helps students understand the concept of limits better. Although that is true, the use of pure symbolic

representation dominated the use of graphic one or the mixture of both, which might create some difficulties for students in solving future problems involving graphs (D7).

4.3 Observation Log Analysis

This section presents the results of the class observation and the findings from the analysis of the observation log. The observation log is used as an instrument to identify and classify the types of difficulties that the students face while learning the concept of “limits of a function”. It was used as an instrument to record a thorough observation of students’ interactions during the teaching / learning sessions. Detailed notes of the exercises and problems tackled and student-student and student-teacher discussions were taken session by session. These notes include all the instances where students faced difficulties while dealing with the concept inside the classroom. Types of obstacles and difficulties were derived from the observation log and categorized based on the framework.

The analysis is based on the compiled list of difficulties adopted as a background for detecting, from the students’ interventions and questions, their perceptions of the concept of limit, as well as the difficulties that they may be facing learning it. Also the teacher’s approach and explanations are examined for the potential conceptions they induce and difficulties they may cause.

4.3.1 (D1) Insufficiency of simple arithmetic or algebra and shift in symbolism

We can witness throughout the observation log that many times the mathematical and symbolic tools that had been used so far in arithmetic and algebra have acquired new meanings and shifted to different areas. For instance the symbol “=” does not mean anymore what it used to mean: more specifically, when the teacher wants to use the

“equal” sign after the expression “limit”, $\lim_{x \rightarrow 4} A(x) = 16$ this “equal” sign carries a new meaning, because the two quantities on either side of it have difference qualities, hence the difficulty. Even the equal sign in $f(x) = 2x - 3$ has a different significance than the “equal” sign in $f(3) = 2 \times 3 - 3$.

The same applies to $\frac{1}{0^+} = \text{infinity}$ or $\lim_{x \rightarrow 0^+} \frac{1}{x} = \infty$. So in general the concept of limit requires a type of calculation that cannot be performed using simple algebra and arithmetic.

Another instance occurs with the “+” and “-” signs: when the teacher adopts the symbol 4^+ or 4^- , the use of this symbol is unlike its use in the algebra context, whereby the same symbolic representation is sometimes used to introduce the signed numbers, which makes it prone to confusion. In that context, 4^- for example, used to signify negative 4 or -4.

Aware of such potential confusions, the teacher emphasized the following distinctions (Figure 31):

$2^+ 2^- 3^+ 3^-$ are all positive
 0^+ is +ve 0^- is -ve

Figure 31. Use of the “+” and “-” Signs

4.3.2 (D2) The notion of the infinitely large and infinitely small.

It was noticed from the observations that students often assume that the symbol ϵ represents a number which is not zero yet is smaller than any positive real number. In

practice, the infinitely small is alluded to as the distance between x and a number a , when x approaches a . For example, when a is 4, and x gradually approaches 4 “as much as we want”, following is a list of gradually closer and closer values to 4 (Figure 32), that the teacher assigns to x .

Figure 32. List of Gradually Closer and Closer Values to 4

The teacher alluded to this when she says x approaches 4. On the other hand, the

infinitely small is also seen as the inverse of the infinitely large. $\lim_{x \rightarrow 0} \frac{1}{x} = \infty$

On the other hand, there is confusion over the passage from finite to infinite, in understanding ‘what occurs *at infinity*’, which might explain why the “indeterminate form” is so obscure. It is to be noted that the said specific form is not explained as it should be: there is a lot of potential for this form, and it is overlooked in the teaching / learning process, as in the difference between the infinity reached by x^2 and x^{100} as x approaches infinity. The teacher was satisfied with operations that involve infinity (Figure 33), given to the learners in an algorithmic format that should be admitted with no questioning or thinking:

Handwritten mathematical rules for operations involving infinity:

$$\begin{aligned}
 +\infty + (-\infty) &= \pm\infty \\
 +\infty (+\infty) &= +\infty \\
 +\infty (-\infty) &= -\infty \\
 (+\infty + (-\infty)) &= \text{indeterminate form} \\
 \text{leads to } \left\{ \frac{\infty}{\infty} \right. &= \quad // \quad \quad \quad /
 \end{aligned}$$

Figure 33. Operations that Involve Infinity

It should be noted that this is how the indeterminate form is also presented in the textbook.

4.3.3 (D3) The metaphysical aspect of the notion of limit

It might occur to the students that working with limits is not Mathematics, because we seem to be operating with infinity or dividing by zero, which is completely rejected by “exact” mathematics. The distinction between $\frac{1}{0^+}$ and $\lim_{x \rightarrow 0^+} \frac{1}{x}$ seems to remain at the metaphysical level. We are not sure if the teacher suggested that, in one case, it is attained and in the other it is not (Figure 34).

Handwritten distinction between $\frac{1}{0^+}$ and $\lim_{x \rightarrow 0^+} \frac{1}{x}$:

$$\begin{aligned}
 \lim_{x \rightarrow 0^+} \frac{1}{x} &= +\infty \\
 \frac{1}{0^+} &\rightarrow \text{not an exact } 0
 \end{aligned}$$

Figure 34. Distinction Between $\frac{1}{0^+}$ and $\lim_{x \rightarrow 0^+} \frac{1}{x}$

Again, the indeterminate form is an obvious instance of the compromises that are made, which make the concept seem to be at the border of mathematics. When it is convenient, infinity is treated as a number, (such as: operations with infinity), hence the

lack of the traditional rigor, according to the students. This duality in the nature of infinity is definitely confusing (Figure 33).

Along the same lines, students watch a long process being conducted, the result of which may be: “limit does not exist”, which is a bit abstract for them (Figure 35).

Figure 35. Process: “Limit does not Exist”

4.3.4 (D4) Is the Limit attained or not?

To the students it is intriguing that when a variable is approaching a number; the difference between them is disappearing, on the point of vanishing. Which causes the distinction between $\frac{1}{0^+}$, $\frac{1}{0.00000001}$, $\frac{1}{-0.0000000001}$, and $\lim_{x \rightarrow 0} \frac{1}{x}$ remain at the metaphysical level. We are not sure if the teacher suggested that in one case it is attained and in the other it is not. So, for instance, when we say $x = 1.001$ then $y = f(x) = 2 - x$, we have $f(1.001) = 0.999$ here we have a double difficulty. Neither is x reaching 1, nor is y reaching 1. So this difficulty is double-folded (Figure 36).

x	$y = 2 \cdot x$	
1.01	0.99	
1.001	0.999	and discussed
1.0001	0.9999	how the
1	1	values are
1	1	changing (y w.r.t x)

Figure 36. Double-folded Difficulty

4.3.5 (D5) Difficulties embodied in the language and symbolism;

The x and y axes are said to have a “positive and negative sense”, which will later justify the use of the symbol 4^+ or 4^- (Figure 37). (This sort of terminology imbeds within the allusion that “increasing sense” or “east bound” is referred to as positive sense).

Figure 37. Axis of the Orthonormal System

This same terminology is adopted for the “table of variation.” So growing is positive and shrinking is negative. We know that a more natural reference would be $>$ and $<$ or up arrow and down arrow, rather than $+$ and $-$, which refer to adding and subtracting, rather than to a direction. So when the symbol x (forward arrow $\rightarrow$) 4^+ is adopted, it is bound to create a confusion, since the **forward** arrow contradicts the “**minus**” symbol. One is forward, the other is backward.

4.3.6 (D6) Teaching approach and use of representations

Students don't partake in the decision that leads to the conventional symbolism.

The symbol $x \rightarrow a^-$, which geometrically suggests a growth, as in an increasing growth, is perplexing because in this case it refers to a decrease because of the “-” sign in “a”.

Also, while 0^+ and 0^- barely “differ”, all the difference lies between their inverses (Figure 38).

$$\lim_{x \rightarrow 0^+} \frac{1}{x} = \frac{1}{0^+} = +\infty$$
$$\lim_{x \rightarrow 0^-} \frac{1}{x} = \frac{1}{0^-} = -\infty$$

Figure 38. Difference Between 0^+ and 0^-

Students are also reluctant to use the visual approach, although the usage of visual representations can make solving certain problems much easier. The teacher eventually promotes the use of procedural methods over conceptual understanding, because it allows them to summarize the lesson with a flow chart (Figure 39).

Figure 39. Summary of Lesson Using Flowchart

We notice that the limits involving the artificial fractions that can be magically simplified are “overrated” (probably because they are easier to test). So after a deep explanation of limit with examples and figures, applications unfortunately boil down to a mere execution of an algorithm.

4.3.7 (D7) The failure to link geometry with numbers

There is no smooth transfer from geometrical-graphical figures to a purely numerical interpretation. We can see this fact clearly in the way a piece-wise-defined function, the different equations representing f are always vertically aligned per sub-domain, whereas the graphs they represent are horizontally aligned (Figure 40) which could be counter-intuitive.

$$f(x) = \begin{cases} 2x+3 & \text{if } x \leq 0 \\ -x+a & \text{if } 0 < x \leq 3 \\ bx-3 & \text{if } x > 3 \end{cases}$$

Figure 40. Piece-wise-Defined Function

In conclusion, the analysis of the observation log reveals several results regarding two axes: students’ perception of limit and infinity, and their difficulties in learning the concept of limit, as guided by the compiled list of difficulties adopted.

Concerning students’ perceptions, the analysis of the observation log reveals that it might appear to students that working with limits is not Mathematics, since operating with infinity or dividing by zero, is completely rejected by “exact” mathematics in their opinion (D3). Also, students look at a long process being conducted, the result of which may be: “limit does not exist”, which is a bit abstract for them (D3). Moreover, the

observation log shows that students often assume that the symbol ϵ represents a number which is not zero yet is smaller than any positive real number.

In addition to the difficulties that the above perceptions may create, the analysis reveals the following difficulties:

We can witness throughout the observation log that many times the mathematical and symbolic tools that had been used so far in arithmetic and algebra have acquired new meanings and shifted to different areas (D1). Use of “=” sign as well as “+” and “-” signs are examples of such instances.

It also reveals that there is confusion over the passage from finite to infinite, in understanding ‘what occurs *at infinity*’, which might explain why the “indeterminate form” is so obscure (D2).

Furthermore, there is no definite answer to whether the limit is attained or not. To the students it is intriguing that when a variable is approaching a number; the difference between them is disappearing, on the point of vanishing (D4). The extent to which this difference is disappearing is not clear (D4).

Moreover, the use of certain terminology without explicitly explaining its meaning creates some confusion on the students’ part. One example is the use of “positive sense” in exchange for “increasing sense” or “east bound” to explain what the arrows in the orthonormal system means (D5).

In addition, since students do not participate in the decision that leads to the conventional symbolism and are reluctant to use the visual approach, the teacher eventually promotes the use of procedural methods over conceptual understanding (D6).

Last, there is no smooth transfer from geometrical-graphical figures to a purely numerical interpretation. One example is the discrepancy in the way a piece-wise function is defined symbolically (vertically aligned per sub-domain) versus graphically (horizontally aligned), which could be counter-intuitive.

4.4 Formative Tests Analysis (Test1 and Test2)

The following section includes an analysis of the two tests prepared by the teacher, Test1 and Test2 (Appendices A and B).

4.4.1 Test1 Analysis

The first test, Test1 (Appendix A), is a paper-pencil test prepared by the class teacher. It addresses the concepts of limits, asymptotes, and continuity of functions. The test was conducted in the classroom with duration of 20 minutes. It was conducted during the first month of the first academic year immediately after the end of the lesson about the limit concept (Functions: Limits - Continuity). Test items are based on students' knowledge of the concept of limits as well as their ability to apply their understanding in solving problems related to the concept (asymptotes and continuity of functions).

All questions require students to justify their answers when needed. The test includes three items some of which are divided into several parts. The main characteristic of the test is the fact that it focuses on the symbolic algebraic representation of a function. The students are required to find the limit of the function at certain points or at infinity, to detect asymptotes, or to study the continuity of the function.

The first part of this section incorporates a priori analysis of Test1. The priori analysis includes a brief explanation of each chosen question in the test based on a table (Appendix E) that includes: the questions of the test, their solutions, concepts and skills

involved, and potential difficulties. The second part incorporates the analysis of students' work based on the priori analysis as well as the framework adopted.

Since Test1 questions are all directly related to the concept of limits: finding limits, continuity and asymptotes, the whole test is examined in the priori analysis and students' work analysis.

4.4.1.1 A Priori Analysis Test1

The following section includes an a priori analysis of the test, based on a table (Appendix E) that includes a step-by-step solution of each question of the test, regarding possible errors and their meaning in relation to possible difficulties.

In Question I (Figure 41) a piece-wise function is given by its algebraic representation. The question is divided into three parts that address the concept of asymptotes. The first part (A) specifies an equation of a vertical straight line $x = 1$. Students should investigate whether the function admits that line as a vertical asymptote. The second part (B) specifies the equation of the asymptote to be tested ($x = 5$) but not its type. Students should figure out what its type is on their own then investigate whether the given function admits that line as an asymptote. The third part (C) asks the students about the number of horizontal asymptotes that the curve admits. In all three parts the students are asked to justify their answers.

Question I

Consider the function f defined by

$$f(x) = \begin{cases} \frac{2x-2}{(5x-2)(x-1)} & \text{if } x < 2 \text{ and } x \neq 1 \\ \frac{x^2-3x+5}{x-5} & \text{if } x > 2 \text{ and } x \neq 5 \end{cases}$$

and designate by (C) its representative curve.

- A) Does (C) admit the straight line (D) of equation $x = 1$ as a vertical asymptote ? Justify.
- B) Show that the straight line of equation $x = 5$ is an asymptote to (C) .
- C) How many horizontal asymptotes does (C) have ? Justify.

Figure 41. Test1 Question I

Question II (Figure 42) in the test includes different functions for which students are asked to find the limits. It is divided into four parts. In the first part (A) a rational function is given and students are asked to find its limit at a point at which it is not defined (x tends to 1). The limit is finite. In the second part (B) a function with a square root is given and students are asked to find its limit at infinity. In the third part (C) a piece-wise function is given and students are asked to find its limit at its point of change (x tends to -5). In the fourth part (D) a rational function is given and students are asked to find its limit at a point not belonging to its domain (x tends to 4).

Question II

Calculate the following limits :

A) $\lim_{x \rightarrow 1} \frac{\frac{1}{1+x} - \frac{1}{x-1}}{\frac{1}{x-1}}$.

B) $\lim_{x \rightarrow +\infty} \frac{\sqrt{x^2-5x}}{2x+3}$.

C) $\lim_{x \rightarrow -5} f(x)$ where $f(x) = \begin{cases} 2x^2 - 49 & \text{if } x \in]-\infty, -5] \\ 2^{x+4} & \text{if } x \in]-5, +\infty[\end{cases}$

D) $\lim_{x \rightarrow 4} \frac{(x+1)^2-25}{x-4}$.

Figure 42. Test1 Question II

In Question III a rational function is given and students are asked to find the value of the function at a certain point ($x = 9$) that makes the function continuous at that point.

Question III

Determine $f(9)$ so that the function f defined by $f(x) = \frac{x-9}{\sqrt{x}-3}$ would be continuous at $x = 9$.

Figure 43. Test1 Question III

4.4.1.2 Students' Work Analysis Test1

This section includes the analysis of students' work on the Test1 prepared by the teacher. This test is analyzed based on the difficulties set earlier. Each major difficulty is discussed and examples from student' work are given.

(D1) The limit process cannot be performed by simple arithmetic or algebra

Some students did not find the value of a function at a given point first in order to check for I.F. first before continuing to find limits (d1, d6). In question IIA, for example, six students started finding the limits without substituting the value first to check for I.F., and in question IIB seven students did the same.

Other students did not continue after recognizing I.F. (d1, d6). In question IIA and IID, for example, three students did not continue after recognizing I.F. and in question IIB five students had the same problem.

Moreover some students could not recognize I.F. (d1, d2, d3). Figures below show some cases of such a difficulty from different questions.

Figure 44 shows one student who considered $\frac{0^+}{0^+}$ to be equal to 1 in question IA.

The image shows a student's handwritten work on a grid background. The expression $\frac{0^+}{(5^+-2)(0^+)} = \frac{0^+}{0^+} = 1$ is written in black ink. The student has crossed out the denominator $(5^+-2)(0^+)$ and replaced it with 0^+ in the final fraction, leading to the conclusion that the limit is 1.

Figure 44. Test1 Indeterminate Form - IA

Figure 45 shows one student who considered $\frac{0}{2}$ to be I.F. in question IIA.

$$\lim_{x \rightarrow 1} \frac{2 - \frac{1}{x}}{2 + 2x} = \lim_{x \rightarrow 1} \frac{\frac{x-1}{x}}{\frac{2(x+1)}{x}} = \lim_{x \rightarrow 1} \frac{x-1}{2(x+1)} = \frac{1-1}{2(1+1)} = \frac{0}{4} = \frac{0}{2} \text{ I.F. NO}$$

Figure 45. Test1 Indeterminate Form - IIA

Figure 46 shows four cases of question IID where students correctly recognized I.F. when substituting the value of 0 first ($\frac{0}{0}$ I.F.), but then gave different wrong answers when they tried to continue by substituting for 0^+ and 0^- . First and second students got an answer of 0. This shows that they applied the rule of zero divided by any number is equal to zero which does not apply here (d1, d2). Third student got an answer of 1. This shows that he/she applied the rule of any number divided by itself is equal to one which does not apply here (d1, d2). Fourth student got an answer of infinity. This shows that he/she applied the rule of any number divided by zero is equal to infinity which does not apply here (d1, d2).

$$\begin{aligned} \lim_{x \rightarrow 4} \frac{(x+1)^2 - 25}{x-4} &= \frac{0}{0} \text{ I.F.} \\ \lim_{x \rightarrow 4^-} \frac{(5^-)^2 - 25}{0^-} &= \frac{0^-}{0^-} = 0^- \\ \lim_{x \rightarrow 4^+} \frac{(5^+)^2 - 25}{0^+} &= \frac{0^+}{0^+} = 0^+ \end{aligned}$$

$$D) \frac{0}{0} = \text{I.F.}$$

$$\lim_{x \rightarrow 4^+} = \frac{0^+}{0^+} = 0^+$$

$$\lim_{x \rightarrow 4^-} = \frac{0^-}{0^-} = 0^+$$

$$= \frac{(4+1)^2 - 25}{4-4} = \frac{0}{0} \text{ I.F.}$$

$$\lim_{x \rightarrow 4^+} \frac{(x+1)^2 - 25}{x-4} = \lim_{x \rightarrow 4^+} \frac{(5^+)^2 - 25}{4^+ - 4} = \frac{0^+}{0^+} = 1$$

$$\lim_{x \rightarrow 4^+} f(x) = \lim_{x \rightarrow 4} f(x) = \lim_{x \rightarrow 4^-} f(x) = 1$$

$$D) \lim_{x \rightarrow 4} \frac{(x+1)^2 - 25}{x-4} = \frac{0}{0} \text{ I.F.}$$

$$\lim_{x \rightarrow 4} \frac{(x-2)(x+2)}{(x-4)}$$

$$\lim_{x \rightarrow 4^+} \frac{(x+1)^2 - 25}{x-4} = \frac{0^+}{0^+} = +\infty$$

$$\lim_{x \rightarrow 4^-} \frac{(x+1)^2 - 25}{x-4} = \frac{0^-}{0^-} = -\infty$$

Figure 46. Test1 Indeterminate Form - IID

(D2) The notion of the infinitely large and infinitely small

Some students had problems with the existence of an asymptote (d2, d3, d4, d5, d6). Some students gave the wrong justification for the existence of the asymptote and others did not even solve at all.

Question IA requires students to check if the straight line of equation $x = 1$ is a vertical asymptote to the given function. Figure 47 shows three cases where students gave wrong justifications for the existence of the vertical asymptote (point does not belong to the domain of the function instead of it being different from infinity). This can directly be related to the student's understanding of what happens at infinity (d6) as well as infinitely small (d2, d4) and large numbers (d3, d5).

Figure 47. Test1 Existence of Asymptote - IA

In question IC students are required to find how many horizontal asymptotes the given function has. Four students did not solve this question.

(D3) *The metaphysical aspect of the notion of limit*

Some students over-generalized the rules of finding limits at infinity for polynomial and rational functions using leading terms into finding them for irrational functions at infinity or at a finite point using the same procedure (d1, d2, d3). Figure 48

shows some cases of such a difficulty. The first two students over-generalized the rule to solve question IIB which requires students to find the limit at infinity of an irrational function with a square root in its numerator. Both students used leading terms to solve the problem. The third student did the same in question III, but he/she over-generalized the rule to find the limit of the given irrational function at a finite point.

$$\begin{aligned}
 8) \quad \lim_{x \rightarrow +\infty} \frac{\sqrt{x^2 - 5x}}{2x + 3} &= \lim_{x \rightarrow +\infty} \frac{(\sqrt{x^2 - 5x})}{(\sqrt{x^2 - 5x})} = \lim_{x \rightarrow +\infty} \frac{x^2 - 5x}{2x(\sqrt{x^2 - 5x}) + 3\sqrt{x^2 - 5x}} \\
 &= \lim_{x \rightarrow +\infty} \frac{x^2}{2x\sqrt{x^2} + 3\sqrt{x^2}} \\
 &= \lim_{x \rightarrow +\infty} \frac{x^2}{\sqrt{x^2}(2x + 3)} \\
 &= \lim_{x \rightarrow +\infty} \frac{x}{(2x + 3)} = \lim_{x \rightarrow +\infty} \frac{1}{2 + \frac{3}{x}} \\
 &= \lim_{x \rightarrow +\infty} \frac{1}{2 + 0} = \frac{1}{2}
 \end{aligned}$$

$$\begin{aligned}
 B) \quad \lim_{x \rightarrow +\infty} \frac{\sqrt{x^2 - 5x} \times (\sqrt{x^2 - 5x})}{2x + 3(\sqrt{x^2 - 5x})} &= \lim_{x \rightarrow +\infty} \frac{x^2 - 5x}{2x\sqrt{x^2 - 5x} + 3\sqrt{x^2 - 5x}} \\
 &= \lim_{x \rightarrow +\infty} \frac{x^2 - 5x}{2x^2} = \lim_{x \rightarrow +\infty} \frac{x}{2} = +\infty
 \end{aligned}$$

the limit does not exist since $+\infty$.

Question 14

$$f(x) = \frac{x-9}{\sqrt{x}-3}$$

$$\sqrt{x}-3 \neq 0$$

$$\sqrt{x} \neq 3 ; x \neq 9$$

$f(x)$ continuous at $x=9 \Rightarrow \lim_{x \rightarrow 9} f(x) = f(9)$

$$\lim_{x \rightarrow 9^+} f(x) = \lim_{x \rightarrow 9^+} \frac{x-9}{\sqrt{x}-3} = \frac{0}{0} = 3$$

$$\lim_{x \rightarrow 9^-} f(x) = \lim_{x \rightarrow 9^-} \frac{x-9}{\sqrt{x}-3} = \frac{0}{0} = 3$$

$$\Rightarrow \lim_{x \rightarrow 9} f(x) = 3$$

so $f(9) = \lim_{x \rightarrow 9} f(x) = 3$

Figure 48. Test1 Overgeneralization of Rules - Finding Limits

(D9) Function

The notion of functions is an essential concept that students must master before learning the concept of limit. Without a thorough understanding of the concept of functions, students will face many difficulties while learning the concept of limit (d1, d2, d3). One of the main aspects that students should know is the understanding of a piece-wise function and its properties. Choosing the correct side of this type of function is essential to solve limit problems correctly.

One student in question IA and one student in question IC chose the wrong side of a piece-wise function (d1, d2, d3) in order to solve the problem hence got a wrong answer. Figure 49 shows these two cases.

$$\lim_{x \rightarrow 1^-} \frac{x^2 - 3x + 5}{x - 5} = \frac{3}{4}$$

H.A $\lim_{x \rightarrow \infty} f(x)$ where $x = 2$ H.A

$$\lim_{x \rightarrow \infty} f(x) = \frac{x^2 - 3x + 5}{x - 5} = \frac{+\infty + \infty + 5}{-\infty - 5} = \frac{+\infty}{-\infty} \text{ I.F.}$$

$$\lim_{x \rightarrow -\infty} \frac{x^1}{x} = 1 \rightarrow \infty \text{ doesn't exist}$$

Figure 49. Test1 Choosing Wrong Side of Piece-wise Function

Figure 50 shows two cases where students used both sides of the function to find the limit at positive infinity for question IC (d1, d2, d3).

$$\lim_{x \rightarrow -\infty} \frac{2x - 2}{5x^2 - 7x + 3} = \lim_{x \rightarrow -\infty} \frac{2x}{5x^2} = \lim_{x \rightarrow -\infty} \frac{2}{5x} = \frac{2}{-\infty} = 0^-$$

The st. line of eq. $y = 0$ is a horizontal asymptote.

$$\lim_{x \rightarrow +\infty} \frac{x^2 - 3x + 5}{x - 5} = \frac{+\infty}{\infty} \text{ I.F.}$$

$$\lim_{x \rightarrow +\infty} \frac{2x - 2}{5x^2 - 7x + 3} = \lim_{x \rightarrow +\infty} \frac{2x}{5x^2} = \frac{2}{5x} = \frac{2}{+\infty} = 0^+$$

C. $\lim_{x \rightarrow \infty} f(x) = a$

$$\lim_{x \rightarrow +\infty} \frac{2x-2}{5x^2-7x+2} = \lim_{x \rightarrow +\infty} \frac{2x}{5x^2} = \lim_{x \rightarrow +\infty} \frac{2}{5x} = \frac{2}{+\infty} = 0^+ \quad \text{✗}$$

$$\lim_{x \rightarrow -\infty} \frac{2x-2}{5x^2-7x+2} = \lim_{x \rightarrow -\infty} \frac{2}{5x} = \frac{2}{-\infty} = 0^- \quad \text{✓}$$

so st. line of eqt $y = 0^+$ horizontal asymptote to (C) near $+\infty$
 so st. line of eqt $y = 0^-$ is horizontal asymptote to (C) near $-\infty$

$$\lim_{x \rightarrow +\infty} \frac{x^2-3x+5}{x-5} = \lim_{x \rightarrow +\infty} x = +\infty$$

Figure 50. Test1 Choosing Both Sides of Piece-wise Function

Figure 51 shows one case where students used the same side of the function to find the limit at positive and negative infinity for question IC (d1, d2, d3).

$$\lim_{x \rightarrow +\infty} \frac{2x-2}{5x^2-7x+2} = \lim_{x \rightarrow +\infty} \frac{2x}{5x^2} = \lim_{x \rightarrow +\infty} \frac{2}{5x} = \frac{2}{+\infty} = 0^+ \quad \text{✗}$$

$$\lim_{x \rightarrow -\infty} \frac{2x-2}{5x^2-7x+2} = \lim_{x \rightarrow -\infty} \frac{2}{5x} = \frac{2}{-\infty} = 0^- \quad \text{✓}$$

Figure 51. Test1 Choosing Same Side of Piece-wise Function

(D10) Previous knowledge of topics related to the concept of “limit of a function”

Concepts in mathematics are related to each other and what students learned in previous years is essential in order for students to be able to understand the concept of limit and solve problems related to it. Some of the topics that are needed can be related to the following: solving equations and inequalities (d3), dealing with variables (d4), factoring (5), radicals (6), powers (7), absolute values (d8), fractions (d9), and equation of a straight line (d10).

Some students had problems with solving equations and dealing with variables (d3, d4). Figure 52 shows some cases where students had problems with substituting values for variables and calculations while solving equations (d3, d4). First two students had this type of problem while solving question IA. Third student had this problem while solving question IIA and fifth and sixth students while solving question IIC.

Handwritten student work for question IA: $\lim_{x \rightarrow 1} f(x) = \lim_{x \rightarrow 1} \frac{2(x-1)}{(x-2)(x-1)} = \frac{2}{-2} = -1$. The student has crossed out the $(x-1)$ terms in the denominator.

Handwritten student work for question IIA: $x=1 \lim_{x \rightarrow 1} f(x) = \frac{2x-2}{(x-2)(x-1)} = \frac{2}{0} = \infty$. Below this, the student writes: $\rightarrow$ (C) admite o vertical asymptote at $x=1$.

Handwritten student work for question IIC: $\lim_{x \rightarrow 1} \frac{1}{x-1} = \frac{1}{0} = \infty$. The student has written $\frac{1}{0} = \infty$ and circled it.

Handwritten student work for question IIC: $\lim_{x \rightarrow -5} 2x^2 - 49 = -10 - 49 = -59$. The student has circled -10 .

Handwritten student work for question IIC: $\lim_{x \rightarrow -5} \frac{(12x-7)(\sqrt{x+7})}{(-2+\sqrt{10})(7+60)}$. The student has written $49+10=59$ and $59 \pm \sqrt{2}$.

Figure 52. Test1 Substituting Values and Calculating - Solving Equations

Some students had problems with factorization and eliminating like terms (d5, d9) in order to solve equations (d6). Figure 53 shows some cases of such a difficulty. First student could not factorize correctly the numerator resulting in a wrong answer for question IB (d5). Second student did not eliminate like terms in order to continue solving the problem (d9). Third and fourth students had mistakes rationalizing and factorizing a function containing square roots hence got a wrong answer for question III (d5, d6).

$$B) \quad x=5 \quad \lim_{x \rightarrow 5} f(x) = \frac{x^2 - 3x + 5}{x-5} = \frac{(x-5)(x+3)}{(x-5)} = (x+3) = 5+3 = 8$$

$$\lim_{x \rightarrow 9^+} f(x) = \lim_{x \rightarrow 9^+} \frac{x-9}{\sqrt{x}-3} = \frac{(x-9)(\sqrt{x}+3)}{(\sqrt{x}-3)(\sqrt{x}+3)} = \frac{(x-9)(\sqrt{x}+3)}{x-9} = 0$$

$$\lim_{x \rightarrow 9} \frac{x-9(\sqrt{x}+3)}{\sqrt{x}-3(\sqrt{x}+3)} = \lim_{x \rightarrow 9} \frac{x\sqrt{x}+3x-9\sqrt{x}-27}{\sqrt{x}-3\sqrt{x}-3\sqrt{x}-9} = \frac{9\sqrt{9}+3\cdot 9-9\sqrt{9}-27}{3-9} = \frac{0}{-6} = 0$$

$$\lim_{x \rightarrow 9^+} f(x) = \lim_{x \rightarrow 9^+} \frac{x-9(\sqrt{x}+3)}{\sqrt{x}-3(\sqrt{x}+3)} = \lim_{x \rightarrow 9^+} \frac{x-9(\sqrt{x}+3)}{\sqrt{x}-3\sqrt{x}-9\sqrt{x}-27} = \frac{27+27}{18} = 3$$

Figure 53. Test1 Factorization and Eliminating like terms

Some students had problems when dealing with fractions (d9). Figure 54 shows three cases of such a difficulty that students faced while solving question IIA. In the three cases students could not continue solving the problem and got stuck trying to deal with division of fractions (d9).

$$A) \lim_{n \rightarrow 1} \frac{\frac{1}{1+n} - \frac{1}{2}}{n-1} = \frac{\frac{1-(n+1)}{2n+2}}{n-1}$$

$$A) \lim_{n \rightarrow 1} \frac{\frac{1}{1+n} - \frac{1}{2}}{n-1} = \lim_{n \rightarrow 1} \frac{\frac{2-1-n}{2(1+n)}}{n-1} = \frac{\frac{1-n}{2+2n}}{n-1}$$

Q11

$$A) \lim_{x \rightarrow 1} \frac{\frac{1}{1+x} - \frac{1}{2}}{x-1} = \frac{\frac{2-(1+x)}{2(1+x)}}{x-1}$$

Figure 54. Test1 Dealing with Fractions

Only one student had problems with the equation of an asymptote (d10). He/she used “x =” instead of “y =” for the equation of a horizontal asymptote in question IC (figure 55).

$$c) \lim_{x \rightarrow \infty} f(x) = \lim_{x \rightarrow \infty} \frac{x^2}{x} = x = +\infty$$

$$d) \lim_{x \rightarrow \infty} f(x) = \lim_{x \rightarrow \infty} \frac{2x}{5x^2} = \frac{2}{5x} = \frac{2}{-\infty} = 0^-$$

~~1 H.A at x =~~ Rest line of eq $y=0$ is a H.A (near $-\infty$)

Figure 55. Test1 Equation of an Asymptote

Two students wrote horizontal asymptote (HA) instead of vertical asymptote (VA) although the equation used was “ $x =$ ” (d10). Figure 56 shows these two cases where students made such a mistake (in question IA and IB respectively).

Figure 56. Test1 Horizontal Asymptote Instead of Vertical Asymptote

In conclusion, the analysis of Test1 shows that the difficulties that students face while learning the concept of limit are mainly related to the following:

- (D1) The limit process cannot be performed by simple arithmetic or algebra
- (D2) The notion of the infinitely large and infinitely small
- (D3) The metaphysical aspect of the notion of limit
- D9) Function
- (D10) Previous knowledge of topics related to the concept of “limit of a function”

4.4.2 Test2 Analysis

The second test, Test2 (Appendix B), is a paper-pencil test prepared by the class teacher. It addresses the concepts of limits, asymptotes, continuity of functions, differentiability of functions related to continuity, derivatives of functions, and tangents to graphs of functions. The test was administrated in the classroom during 100 minutes. It was conducted during the second month of the first academic year after the end of the lessons about functions' derivative. For the purpose of this study, only the questions related to the concept of limit will be considered for analysis.

All questions require students to show their work and some questions require students to justify their answers when needed. The test includes four items, each divided into several parts. The main characteristic of the test is the fact that it focuses on the connections between the symbolic and graphic representations of a function. In most of the questions considered for analysis, the graph of a function is provided, and students are required to find the limit of the function at certain points or at infinity, or to study the continuity of the function. In the other questions, a function is given through its algebraic representation, and questions are asked regarding the graph of the function.

The first part of this section incorporates a priori analysis of Test2. The priori analysis includes a brief explanation of each chosen question in the test based on a table (Appendix F) that includes: the questions of the test, their solutions, concepts and skills involved, and potential difficulties. The second part incorporates the analysis of students' work based on the priori analysis as well as the framework adopted.

4.4.2.1 A priori Analysis Test 2

Appendix F includes a table presenting step-by-step solutions to the questions of the test with an analysis of each step regarding possible errors and their meaning, related to possible difficulties. A short description and reflection follows:

Question I	<i>Applying Mathematical Knowledge and Skills</i>
A) Consider the function f defined by $f(x) = \frac{1-\sqrt{3x+1}}{2x}$. Does the curve of f admit the y-axis as a vertical asymptote? Justify your answer.	

Figure 57. Test2 Question I

In Question I (Figure 57) a rational function f is given by its algebraic representation. It addresses the concept of vertical asymptote. Students should investigate whether the function admits the y-axis as a vertical asymptote and justify their answers.

Question II *Applying Mathematical Knowledge and Skills*
Applying Mathematical Communication
Applying Mathematical Reasoning

Use the above representative curve of a function f to answer the following questions.

- A) Determine $\lim_{x \rightarrow -4^-} \frac{f(x) - f(-4)}{x + 4}$ and $\lim_{x \rightarrow -4^+} \frac{f(x) - f(-4)}{x + 4}$.

Figure 58. Test2 Question II

Question II (Figure 58) in the test provides the curve of a piece-wise function f (original function) whose algebraic equation is not given. Students should use the graph to find the two-sided limit, at the point -4 , of a new function defined in terms of the original function f and the value of f at the point -4 . The solution requires using the curve to find the limits. The limit is related to the tangent at that point.

Question III

Applying Mathematical Knowledge and Skills
Applying Mathematical Communication
Applying Mathematical Reasoning

Consider the function f defined over $] -\infty, +\infty[$ whose representative curve (C) is shown above. (D) is an asymptote to (C) and (T) is the tangent to (C) at the point of abscissa 3.

Part I

A) Determine $\lim_{x \rightarrow -\infty} f(x)$ and $\lim_{x \rightarrow +\infty} f(x)$.

Part II

B) Let g be the function defined over $] -\infty, +\infty[$ by

$$g(x) = \begin{cases} \frac{x^2+4x+4}{x^2+1} & \text{if } x \leq 3 \\ x^2 - 2x + \alpha & \text{if } x > 3 \end{cases} \quad \text{where } \alpha \text{ is a real number.}$$

Determine α so that g is continuous at $x = 3$.

Figure 59. Test2 Question III

Question III (Figure 59) in the test consists of two parts. The first part provides a curve C of a function f whose algebraic equation is not given, and requires finding the

limit of f at positive and negative infinity. To answer this question, students should read the graph and interpret the graphical clues.

The second part of question III includes a new piece-wise function g with the first function f (a rational function) being one piece of it. The second piece is a polynomial function whose algebraic expression includes a parameter. Students are required to find the value of the parameter that makes g continuous at the critical point where the piece-wise function shifts from one piece to the other. This question involves the notion of continuity of a function at a singular point, requiring the equality of two limits (to the right and left of the point) and a value, which is the value of the function at the specific singular point.

<p>Question IV</p> <p><i>Applying Mathematical Knowledge and Skills</i> <i>Applying Mathematical Communication</i> <i>Applying Mathematical Reasoning</i></p> <p>Consider the function f defined over $] \infty, +\infty[$ by $f(x) = \frac{24}{x^2+4}$.</p> <p>A) Calculate $\lim_{x \rightarrow -\infty} f(x)$ and $\lim_{x \rightarrow +\infty} f(x)$. Give a graphical interpretation.</p>
--

Figure 60. Test2 Question IV

The fourth item (Figure 60) in the test (Question IV) provides the algebraic expression of a rational function f . It requires finding the limits of that function at positive and negative infinity. While the previous question (question III) provides a graph and requires a shift from graphical to numerical, this question is the opposite: It starts with the numerical and shifts to the graphical by asking for an interpretation of the results.

4.4.2.2 Students' Work Analysis Test2

This section includes the analysis of students' work on the test 2 prepared by the teacher. This test is analyzed based on the difficulties set earlier. Each major difficulty is discussed and examples from student' work are given.

(D1) The limit process cannot be performed by simple arithmetic or algebra

Simple arithmetic and algebra are not enough anymore to find limits (d1, d2). Some new procedures are involved in the limit process. These procedures are mainly related to:

- Checking limits for indeterminate form and how to get rid of them (d6) before even starting to find the limit.
- Requiring students to calculate limits to the left and right of the point in order to insure their existence (d5).
- Dealing with the concept of infinity (d3) which creates confusion on the students' part.

In Question IA, eight students did not find the value of function at a given point first in order to get Indeterminate Form (I.F.) before continuing to find limits (d1, d6). Four students did not continue after recognizing Indeterminate Form (d1, d6). Moreover, some students could not recognize I.F. (d1, d2, d3). Figure 61 shows all cases of students who could not recognize I.F. (d1, d2, d3). First two students considered that a result of $\frac{0}{0}$ is equal to ∞ instead of I.F. The third student wrote I.F. then scratched it out. The fourth student considered that a result of $\frac{0}{0}$ is equal to 0 instead of I.F.

A) $\lim_{x \rightarrow 0^+} f(x) = \frac{1 - \sqrt{3x+1}}{2(x)} = \frac{1-1}{0^+} = +\infty$

$\lim_{x \rightarrow 0^-} f(x) = \frac{1 - \sqrt{3x+1}}{2(x)} = \frac{1-1}{0^-} = -\infty$

so f admits line $x=0$ as vertical asymptote
 $x=0$ is y -axis

A) $f(x) = \frac{1 - \sqrt{3x+1}}{2x}$ $x=0$ asymptote

then $\lim_{x \rightarrow 0} f(x) = \infty$

$\lim_{x \rightarrow 0} \frac{1 - \sqrt{3x+1}}{2x} = \lim_{x \rightarrow 0} \frac{1 - \sqrt{3x+1}}{2x(1+\sqrt{3x+1})} = \lim_{x \rightarrow 0} \frac{1 - 3x}{2x(1+\sqrt{3x+1})} = \frac{1-0}{2 \cdot 2} = \frac{1}{4}$

$= \lim_{x \rightarrow 0} \frac{3}{2(1+\sqrt{3x+1})} = \frac{3}{4}$ Then $x=0$ is not an asymptote.

2. Is the $y=0$ axis a vertical asymptote?

Let $\lim_{x \rightarrow 0^+} f(x) = \lim_{x \rightarrow 0^+} \frac{1 - \sqrt{3x+1}}{2x}$

$= \frac{1-1}{0^+} = \frac{0}{0^+} = 0$

Then it is not a vertical asymptote

$$\Rightarrow \frac{1+6}{7-30} = \frac{7}{-23} = -\frac{7}{23}$$

$$\frac{-36}{0} = \frac{10}{0}$$

not continuous
is not a function

Figure 61. Test2 Indeterminate Form – IA

Question III Part IIB requires students to determine a missing variable in the equation of one side of a piece-wise function in order to make it continuous over a given domain. This demands the ability of students to apply the condition of continuity which requires more than mere algebra and arithmetic (d1, d2, d5). Only two students had difficulties with continuity related to limits (d1, d2, d5). Figure shows the two cases of such a difficulty. The first student did not know the condition for a function to be continuous and tried calculating the value of the function at both sides instead of the limit (d1, d2). The second student knew that the limits at both sides of the given point should be equal but forgot that they should also be equal to the value of the function at that point hence did not continue solving the problem (d1, d2, d5).

g is continuous at $x=3$
then $y=4$

$$\frac{x^2 + 4x + 4}{x^2 + 1} = a$$

$$\frac{x^2 + 4x + 4}{x^2 + 1} - a = 0$$

$$\frac{x^2 + 4x + 4 - a(x^2 + 1)}{x^2 + 1}$$

$a = 4$
 $a = 1$

b) g is continuous at 3
 $\Rightarrow \lim_{x \rightarrow 3^-} \frac{x^2 + 4x + 4}{x^2 + 1} = \lim_{x \rightarrow 3^+} x^2 - 2x + 4$
 $\lim_{x \rightarrow 3^-} = \frac{9 + 12 + 4}{9 + 1}$
 $= \frac{25}{10} = 2.5$
 $\lim_{x \rightarrow 3^+} x^2 - 2x + 4 = 2.5$

Figure 62. Test2 Continuity – III Part IIB

(D2) The notion of the infinitely large and infinitely small

The nature of the notion of infinity is hard for students to understand.

Understanding the notion of the infinitely large (d3, d5) and infinitely small (d2, d4) is essential in understanding the limit concept specially when related to asymptotes. The existence and understanding of asymptotes depend on students' understanding of what happens at infinity (d6). Some students had problems with the existence of an asymptote.

Question IA requires students to check if the given function admits the y-axis as a vertical asymptote. Two students wrongly justified the existence of the asymptote (point does not belong to the domain of the function instead of it being different from infinity) and this can be directly related to the student's understanding of what happens at infinity (d6) as well as infinitely small (d2, d4) and large numbers (d3, d5). Figure 63 shows these two cases.

$\lim_{x \rightarrow 0} f(x) = \frac{1 - \sqrt{3x+1}}{2x} \cdot \frac{(1 + \sqrt{3x+1})}{(1 + \sqrt{3x+1})}$
 $\lim_{x \rightarrow 0} f(x) = \frac{1 - 3x}{(3x)(1 + \sqrt{3x+1})}$
 $f(x) = \frac{1 - \sqrt{3x+1}}{2x} \quad x \neq 0$
 then y -axis ($x=0$) is a V.A to $f(x)$ since $x \notin D_f$.

7) $\lim_{x \rightarrow 0} \frac{1 - \sqrt{3x+1}}{2x}$ domain: $x \neq 0$
 yes the curve admits the y -axis ($x=0$) as a V.A.
 since $x \notin D_f$

Figure 63. Test2 Equation of an Asymptote

Question IVA requires students to give a graphical interpretation of the limits of the given function at positive and negative infinity. This interpretation is related to the vertical asymptote of the function. It is directly related to the student's understanding of what happens at infinity (d6) as well as infinitely small (d2, d4) and large numbers (d3, d5). Some students had problems with differentiating between vertical asymptote (VA) and horizontal asymptote (HA). These students wrote horizontal asymptote (HA) instead of vertical asymptote (VA) although they solved the limits correctly. This type of mistake shows the inability of these students to understand that in order to have a vertical asymptote a function should tend to infinity when x tends to a finite number (d3, d5, d6).

Figure 64 shows all cases of such a difficulty.

$$A) \lim_{x \rightarrow -\infty} f(x) = \lim_{x \rightarrow -\infty} \frac{1}{x^2} = \frac{1}{+\infty} = 0^+$$

$$\lim_{x \rightarrow +\infty} f(x) = \lim_{x \rightarrow +\infty} \frac{1}{x^2} = \frac{1}{+\infty} = 0^+$$

$x=0^+$ is a vertical asymptote to (A)

$$A) \lim_{u \rightarrow 0} f(u) = \lim_{u \rightarrow 0} \frac{24}{u^2+4} = \frac{24}{+2^2} = 0^+$$

$$\lim_{u \rightarrow +\infty} f(u) = \lim_{u \rightarrow +\infty} \frac{24}{u^2+4} = \frac{24}{+\infty} = 0^+$$

we have a V.A at $u=0$

$$IV) \lim_{x \rightarrow -\infty} \frac{24}{x^2+4} = \lim_{x \rightarrow -\infty} \frac{24}{(+\infty)^2+4} = 0^+$$

$$\lim_{x \rightarrow +\infty} \frac{24}{x^2+4} = \frac{24}{(+\infty)^2+4} = 0^+$$

There is a V.A at $x=0$

Figure 64. Test2 Horizontal Asymptote Instead of Vertical Asymptote

(D3) The metaphysical aspect of the notion of limit

Before the introduction of the concept of limits, students understood mathematics as rigorous, clear, and accurate (d1, d2, d3). When the limit concept is introduced students start to feel that limit is not really mathematics (d1). Such reasons create a difficulty for students when learning the concept of limit. Overgeneralization of rules becomes one of the main results of such a difficulty.

One student over-generalized the rules of finding limits at infinity for polynomial and rational functions using leading terms into finding them for irrational functions using the same procedure. Figure 65 shows such a difficulty in question IA.

$$f(x) = \frac{1 - \sqrt{3x+1}}{2x}$$

$$\lim_{x \rightarrow \infty} f(x) = ?$$

$$\lim_{x \rightarrow \infty} \frac{1 - \sqrt{3x+1}}{2x} = \lim_{x \rightarrow \infty} \frac{1 - \sqrt{3x+1}}{2x} \cdot \frac{1 + \sqrt{3x+1}}{1 + \sqrt{3x+1}} = \frac{1 - (3x+1)}{2x + 2(3x+1)x}$$

$$= \frac{1 - 3x - 1}{2x + 2(3x+1)x} = \frac{-3x}{2x + 2(3x+1)x} = \frac{-3x}{2x + 6x^2 + 2x} = \frac{-3x}{6x^2 + 4x} = \frac{-3}{6x + 4} = 0$$

$$\lim_{x \rightarrow \infty} \frac{1 - \sqrt{3x+1}}{2x} = \lim_{x \rightarrow \infty} \frac{1 - 3x - 1}{2x + 2(3x+1)} = \frac{-3x}{2x + 6x + 2} = \frac{-3x}{8x + 2} = \frac{-3}{8} = -\frac{3}{8}$$

Figure 65. Test2 Overgeneralization of Rules - Finding Limits

(D7) The failure to link geometry with numbers

Since most questions in this test are based on interpreting graphs in order to answer questions related to limits, a solid understanding of the relation between functions and their graphs becomes essential. The ability to link geometry with numbers and symbols help students better visualize and understand the concept of limit, failure to do so creates difficulties for students in understanding the concept (d1, d2).

Question III Part IA requires students to find the limit of a given function at positive and negative infinity by reading its curve. Some students had difficulties with finding limits from the graph. Figure 66 shows all cases of such a difficulty. All students got the wrong limits (0 instead of 1), due to their inability to read the curve of the function correctly.

III. A) $\lim_{x \rightarrow -\infty} f(x) = 0^-$ ~~OK~~

$\lim_{x \rightarrow +\infty} f(x) = 0^+$ ~~OK~~

A) $\lim_{x \rightarrow -\infty} f(x) = \lim_{x \rightarrow -\infty} \frac{24}{x+4} = \frac{24}{-\infty} = 0^-$

$\lim_{x \rightarrow +\infty} f(x) = \lim_{x \rightarrow +\infty} \frac{24}{x+4} = \frac{24}{+\infty} = 0^+$

As x tends to $-\infty$, the value of f is tending to zero ^{along the x -axis} but greater than zero $\rightarrow 0^+$

As x tends to $+\infty$, the value of f is tending to zero ^{along the x -axis} but greater than zero $\rightarrow 0^+$

A) $\lim_{x \rightarrow -\infty} f(x) = 0^-$

$\lim_{x \rightarrow +\infty} f(x) = 0^+$ ~~OK~~

A) $\lim_{x \rightarrow -\infty} f(x) = 0^-$

$\lim_{x \rightarrow +\infty} f(x) = 0^+$ ~~OK~~

Figure 66. Test2 Finding Limits from the Graph – III Part IA

Question IIA requires students to read the curve of the given piece-wise function in order to find its limit at the two sides of a given point (4^+ and 4^-). Some students had difficulties with recognizing semi tangent from graph in order to find limits (d1, d2).

Figure 67 shows some cases of such a difficulty.

A) $\lim_{x \rightarrow 4^-} \frac{f(x) - f(-4)}{x + 4} = \frac{f(4) - f(-4)}{4 + 4} = \frac{2 - 2}{8} = 0$

$\lim_{x \rightarrow 4^+} \frac{f(x) - f(-4)}{x + 4} = \frac{2 - 2}{4 + 4} = 0$

A) $\lim_{x \rightarrow -4} \frac{f(x) - f(-4)}{x + 4} = \frac{f(-4) - f(-4)}{-4 + 4} = \frac{0}{0}$

$\lim_{x \rightarrow -4^+} \frac{f(x) - f(-4)}{x + 4} = \frac{f(-4) - f(-4)}{-4 + 4} = \frac{0}{0}$

$\lim_{x \rightarrow 4^-} \frac{f(x) - f(-4)}{x + 4} = \lim_{x \rightarrow 4^-} \frac{f(x) + 2}{-4 + 4} = -\infty$

$\lim_{x \rightarrow 4^+} \frac{f(x) - f(-4)}{x + 4} = \lim_{x \rightarrow 4^+} \frac{f(x) + 2}{-4 + 4} = +\infty$

Figure 67. Test2 Finding Limits from the Graph – IIA

(D10) Previous knowledge of topics related to the concept of “limit of a function”

In order for students to be able to understand the concept of limit and solve problems related to it, some previous knowledge of other topics must be mastered. Some of these topics are: solving equations and inequalities (d3), dealing with variables (d4), factoring (5), radicals (6), powers (7), absolute values (d8), fractions (d9), and equation of a straight line (d10). Any gap in mastering these concepts can create a major problem in understanding the limit concept.

In Question IA students should be able to deal with variables (d4) and solve equations (d3) having square roots (d6) in order to solve the problem. Some students had

problems with calculations while solving the equation. Figure 68 shows all cases of such a difficulty.

$$f(x) = \frac{1 - \sqrt{3x+1}}{2x}$$

y-axis is a vertical asymptote $\Rightarrow x=0$

$$\lim_{x \rightarrow 0} \frac{1 - \sqrt{3(0)+1}}{2(0)} = \frac{1}{0} = +\infty$$

Since the $\lim_{x \rightarrow 0} f(x) = +\infty$

then it admits the y-axis as a vertical asymptote.

I.A. $f(x) = \frac{1 - \sqrt{3x+1}}{2x}$ VA $x=a$

$$\lim_{x \rightarrow 0^+} f(x) = \lim_{x \rightarrow 0^+} \frac{1 - \sqrt{3x+1}}{2x} = \frac{1}{0^+} = +\infty$$

$$\lim_{x \rightarrow 0^-} f(x) = \lim_{x \rightarrow 0^-} \frac{1 - \sqrt{3x+1}}{2x} = \frac{1}{0^-} = -\infty$$

since $\lim_{x \rightarrow 0} f(x) = \infty$ so y-axis is a VA

$$\begin{aligned}
 A) f(x) &= \frac{1 - \sqrt{3x+1}}{2x} \\
 \lim_{x \rightarrow 0} \frac{1 - \sqrt{3x+1}}{2x} &= \frac{\lim_{x \rightarrow 0} (1 - \sqrt{3x+1})}{2(0)} = \frac{0}{0} = \text{I.F.} \\
 \lim_{x \rightarrow 0} \frac{(1 - \sqrt{3x+1})(1 + \sqrt{3x+1})}{2x(1 + \sqrt{3x+1})} &= \lim_{x \rightarrow 0} \frac{1 - (3x+1)}{2x(1 + \sqrt{3x+1})} = \lim_{x \rightarrow 0} \frac{-3x}{2x(1 + \sqrt{3x+1})} \\
 &= \lim_{x \rightarrow 0} \frac{-3}{2(1 + \sqrt{3x+1})} = \frac{-3}{2(1 + 1)} = -\frac{3}{4}
 \end{aligned}$$

So, y-axis is not a vertical asymptote for f(x)

$$\begin{aligned}
 f(x) &= \frac{1 - \sqrt{3x+1}}{2x} \quad x \neq 0 \\
 \lim_{x \rightarrow 0} f(x) &= \lim_{x \rightarrow 0} \frac{1 - \sqrt{3x+1}}{2x} = \frac{0}{0} = \text{I.F.} \\
 \lim_{x \rightarrow 0} f(x) &= \lim_{x \rightarrow 0} \frac{1 - \sqrt{3x+1}}{2x} \cdot \frac{1 + \sqrt{3x+1}}{1 + \sqrt{3x+1}} \\
 &= \lim_{x \rightarrow 0} \frac{1 - (3x+1)}{2x(1 + \sqrt{3x+1})} = \lim_{x \rightarrow 0} \frac{-3x}{2x(1 + \sqrt{3x+1})} \\
 &= \lim_{x \rightarrow 0} \frac{-3}{2(1 + \sqrt{3x+1})} = \frac{-3}{2(1 + 1)} = -\frac{3}{4}
 \end{aligned}$$

Yes, doesn't admit y-axis as a V.A.

Figure 68. Test2 Solve Equations: Square Roots

Some students had problems with factorization and eliminating like terms (d5, d9) in order to solve equations that have square roots (d6). Figure 69 shows all cases of such a difficulty. First student did not eliminate the common factor x in the final steps of the problem hence resulted in a wrong answer of $\frac{0}{0}$. Second student did not know how to take common factor in order to continue solving.

- (D3)The metaphysical aspect of the notion of limit

4.5 Post-test and Questionnaire Analysis

4.5.1 Post-test Analysis

The Post-test (Appendix C) is a paper-pencil test prepared by the researcher. It addresses the concepts of functions, limits, asymptotes, and continuity of functions. The test was administrated a year after the second test (Test 2) with a duration of 50 minutes.

Test items are based on students' knowledge of the concepts of functions and limits as well as their ability to apply their understanding in solving problems related to the concepts (dealing with functions, testing functions for continuity, finding limits, finding domain and range of functions, dealing with asymptotes, constructing tables of variation, as well as dealing with minimum and maximum values).

All questions require students to justify their answers. The test includes four questions, each divided into several parts. The first question consists of six "True or False" items. The second question consists of 11 multiple-choice items. The third question consists of four items on finding limits algebraically. The fourth question consists of four items on finding limits using a graph.

The first part of this section incorporates a priori analysis of the post-test. The priori analysis includes a brief explanation of each chosen question in the test based on a table (Appendix G) that includes: the questions of the test, their solutions, concepts and skills involved, and potential difficulties. The second part incorporates the analysis of students' work based on the priori analysis as well as the framework adopted.

4.5.1.1 A Priori Analysis Post-test

The following section includes a short description of each question. A detailed step-by-step solution of the first part of the test with an analysis of each step regarding possible errors and their meaning as related to possible difficulties.

Question I

Answer by True or False and justify your answer.

1. For any polynomial function defined by $p(x)$, and for any real number a , $\lim_{x \rightarrow a} p(x)$ is always equal to $p(a)$. $\lim_{x \rightarrow a} p(x) = p(a)$
2. The curve of a rational function may cross its vertical asymptote.
3. The curve of a function may cross its horizontal asymptote.
4. If a function f is not defined at $x = a$ then the $\lim_{x \rightarrow a} f(x)$ never exists.
5. If the $\lim_{x \rightarrow a} f(x)$ and the $\lim_{x \rightarrow a} g(x)$ exist, then $\lim_{x \rightarrow a} \frac{f(x)}{g(x)} = \frac{\lim_{x \rightarrow a} f(x)}{\lim_{x \rightarrow a} g(x)}$
6. If $\lim_{x \rightarrow a^+} f(x) = L1$, $\lim_{x \rightarrow a^-} f(x) = L2$, then $\lim_{x \rightarrow a} f(x)$ exists only if $L1 = L2$.

Figure 70. Post-test Question I

Question I (Figure 70) in the test includes six “True or False” questions that address two main concepts: asymptotes and limits. In number one, students are required to apply their knowledge of polynomial function, its continuity and its limit in order to check the relation between the limit of that function at a point with its value at that point. In number two, students are required to apply their knowledge of rational function, its limit and asymptotes to check if that function may cross its vertical asymptote. In number three, students are required to apply their knowledge of function, its limit and asymptotes

to check if that function may cross its horizontal asymptote. In number four students are required to apply their knowledge of undefined function at a point and its limit to check if the limit of that function at that point exists or not. In number five students are required to apply their knowledge of functions and their limits to check if the quotient of their limits is equal to the limit of their quotient. Number six checks the students' knowledge of an important property of limits.

Question II

Each of the following questions has one correct answer. Choose the correct answer and justify your choice.

7.

If $f(x) = x^3 + 3x^2 + 4x + 5$ and $g(x) = 5$, then $g(f(x)) =$

- (A) $5x^2 + 15x + 25$ (B) $5x^3 + 15x^2 + 20x + 25$ (C) 1125
 (D) 225 (E) 5

8. **If $f(x_1) + f(x_2) = f(x_1 + x_2)$ for any real numbers x_1 and x_2 , which of the following could define f ?**

- (A) $f(x) = x + 1$ (B) $f(x) = 2x$ (C) $f(x) = \frac{1}{x}$ (D) $f(x) = e^x$ (E) $f(x) = x^2$

9. **If the domain of the function f given by $f(x) = \frac{1}{1-x^2}$ is $\{x : |x| > 1\}$, what is the range of f ?**

- (A) $-\infty < f(x) < -1$ (B) $-\infty < f(x) < 0$ (C) $-\infty < f(x) < 1$
 (D) $-1 < f(x) < \infty$ (E) $0 < f(x) < \infty$

10. What is the domain of the function f given by $f(x) = \frac{\sqrt{x^2 - 4}}{x - 3}$?

- (A) $\{x: x \neq 3\}$ (B) $\{x: |x| \leq 2\}$ (C) $\{x: |x| \geq 2\}$
 (D) $\{x: |x| \geq 2 \text{ and } x \neq 3\}$ (E) $\{x: x \geq 2 \text{ and } x \neq 3\}$

11.

$\lim_{n \rightarrow \infty} \frac{4n^2}{n^2 + 10,000n}$ is

- (A) 0 (B) $\frac{1}{2,500}$ (C) 1 (D) 4 (E) nonexistent

12.

Let g be a continuous function on the closed interval $[0, 1]$. Let $g(0) = 1$ and $g(1) = 0$. Which of the following is NOT necessarily true?

- (A) There exists a number h in $[0, 1]$ such that $g(h) \geq g(x)$ for all x in $[0, 1]$.
 (B) For all a and b in $[0, 1]$, if $a = b$, then $g(a) = g(b)$.
 (C) There exists a number h in $[0, 1]$ such that $g(h) = \frac{1}{2}$.
 (D) There exists a number h in $[0, 1]$ such that $g(h) = \frac{3}{2}$.
 (E) For all h in the open interval $(0, 1)$, $\lim_{x \rightarrow h} g(x) = g(h)$.

13.

If f is a continuous function defined for all real numbers x and if the maximum value of $f(x)$ is 5 and the minimum value of $f(x)$ is -7 , then which of the following must be true?

- I. The maximum value of $f(|x|)$ is 5.
 II. The maximum value of $|f(x)|$ is 7.
 III. The minimum value of $f(|x|)$ is 0.
 (A) I only (B) II only (C) I and II only (D) II and III only (E) I, II, and III

14. If $\lim_{x \rightarrow 3} f(x) = 7$, which of the following must be necessarily true?

I. f is continuous at $x = 3$.
 II. f is differentiable at $x = 3$.
 III. $f(3) = 7$

(A) None (B) II only (C) III only
 (D) I and III only (E) I, II, and III

15.

The graph of $y^2 = x^2 + 9$ is symmetric to which of the following?

I. The x -axis
 II. The y -axis
 III. The origin

(A) I only (B) II only (C) III only (D) I and II only (E) I, II, and III

16. The straight line of equation $y = 1$ is an asymptote to the curve of the function f defined by:

(A) $y = \ln x$ (B) $y = \sin x$ (C) $y = \frac{x}{x-1}$ (D) $y = \frac{x^2}{x-1}$ (E) $y = e^{-x}$

17. For $x \neq 4$, $h(x) = \frac{x^2 + x - 20}{x - 4}$. What value should be assigned to $h(4)$ to make $h(x)$ continuous at $x = 4$?

(A) -1 (B) 0 (C) 5 (D) 9 (E) 20

Figure 71. Post-test Question II

Question II (Figure 71) includes 11 multiple-choice items that address several main concepts: functions (domain and range, function of a function, and symmetry), continuity, asymptotes and limits. In the first part, number seven, students to find the value of a function of a function. The second part, number eight, students are required to

apply their knowledge of the characteristics of a line passing through the origin in order to define a function. The third part, number nine, students are required to apply their knowledge of irrational functions and absolute values in order to find the range of the function range over a specified domain. The fourth part, number ten, students are required to apply their knowledge of irrational functions and radicals in order to find the domain of the function. The fifth part, number 11, students are required to find the limit of function at infinity. The sixth part, number 12, students are required to apply their knowledge of continuity of a function over a closed interval in order to test several given statements. The seventh part, number 13, students are required to apply their knowledge of continuity, maximum and minimum values of a function in order to find the maximum and minimum values of other functions based on the original function. The eighth part, number 14, students are required to apply their knowledge of limits, continuity, and differentiability in order to test several statements based on a given value of a limit. The ninth part, number 15, students are required to apply their knowledge of symmetry w.r.t. x-axis, y-axis, and the origin in order to test the symmetry of a given graph. The tenth part, number 16, students are required to find the function that admits a given line as an asymptote. The eleventh part, number 17, students are required apply their knowledge of limits and continuity in order to find the value of an irrational function at a given point not in the domain that makes the function continuous at that point.

Question III**Find the following limits.**

18. $\lim_{x \rightarrow 2} 3x + 8$

19. $\lim_{x \rightarrow \infty} \sin(x)$

20. $\lim_{t \rightarrow 3} \frac{t^2 - 9}{t - 3}$

21. $\lim_{x \rightarrow 5} \frac{(x-5)^2}{|x-5|}$

Figure 72. Post-test Question III

Question III (Figure 72) in the test includes different functions for which students are asked to find the limits. It is divided into four parts and addresses the concept of limits. The first part, number 18, includes a polynomial function and students are asked to find its limit at a point. The solution requires students to substitute the value of x in order to find the limit. The second part, number 19, includes an oscillating function and students are asked to find its limit at infinity. The solution requires students to apply their knowledge of oscillating functions in order to find the limit. The limit does not exist. The third part, number 20, includes a rational function and students are asked to find its limit at a point at which it is not defined. The solution requires processing the composite numerator, factor it and simplify to get rid of the denominator. The limit is finite. The fourth part, number 21, includes an irrational piece-wise function with an absolute value and students are asked to find its limit at infinity. The solution requires processing the composite numerator, factor it and simplify to get rid of the denominator.

Question IV

Refer to the curve of function f given below to answer each of the following exercises.

22. $\lim_{x \rightarrow 2} f(x)$

23. $\lim_{x \rightarrow -\infty} f(x)$

24. $\lim_{x \rightarrow 1} f(x)$

25. $\lim_{x \rightarrow 5} f(x)$

Figure 73. Post-test Question IV

Question IV (Figure 73) in the test includes a curve of a function f for which students are asked to find its limit at several values. It is divided into four parts and addresses the concept of limits. To answer this question, students should read the graph and interpret the graphical clues.

The first part, number 22, requires students to read the graph to find the limit of the function at a point not in the domain. The limit is infinite. The second part, number 23, requires students to read the graph to find the limit of the function at minus infinity. The limit is a real number. The third part, number 24, requires students to read the graph to find the limit of the function at a point in the domain. The limit is a real number. The fourth part, number 25, requires students to read the graph to find the limit of the function at a point not in the domain. The limit is a real number.

4.5.2.2 Students' Work Analysis Post-test

This section includes the analysis of students' work on the post-test prepared by the researcher. This test is analyzed based on the difficulties set earlier. Each major difficulty is discussed and examples from both GS and LS student' work are given.

(D1) The limit process cannot be performed by simple arithmetic or algebra

Students are not easily persuaded that simple arithmetic and algebra (d1) are not enough in order to find limits. Although they are part of the process, finding limits requires more. The first idea that comes to mind is the use of the “=” sign which has different meanings related to its usage in arithmetic/algebra compared to its usage in limits (d4). Another aspect is related to checking limits for indeterminate form and how to get rid of them (d6) before even starting to find the limit. Moreover, some cases require students to calculate limits to the left and right of the point in order to insure their existence (d5). Others require dealing with the concept of infinity (d3) which creates confusion on the students’ part.

Question III number 20 requires students to find the limit of a function at a point not belonging to the domain of the function. Figure 74 shows the only case of wrong answer in the GS track. Student was confused between finding the limit at a point versus the limit at infinity (d1, d3, d6), hence got a wrong answer. The student’s error shows that he/she did not fully understand the concept of limit and its relation with the concept of infinity (d3) and indeterminate form (d6), hence wrongly applied highest power method and what he/she learned before in algebra (d1) to solve the problem.

20. $\lim_{t \rightarrow 3} \frac{t^2 - 9}{t - 3} = \frac{0}{0} \rightarrow 3 = 3$

Figure 74. Limit of Function at Point not belonging to Domain - GS

Figure 75 shows three cases where students (LS) were confused between finding the limit at a point versus the limit at infinity (d1, d3, d6), hence got a wrong answer. The first two students’ errors show that they did not fully understand the concept of limit and

its relation with the concept of infinity (d3) and indeterminate form (d6), hence wrongly applied highest power method and what he learned before in algebra (d1) to solve the problem. As for the third student's error, it shows that he/she had the same problem related to d3 where he/she substituted t with infinity instead of the given value. He/she did not check for indeterminate form (d6) before using factorization and substituting (d1) to solve the problem.

$$20. \lim_{t \rightarrow 3} \frac{t^2 - 9}{t - 3} = \frac{9 - 9}{3 - 3} = \frac{0}{0} \text{ I.D. Form } \frac{t^2}{t} = t \text{ (3)}$$

$$20. \lim_{t \rightarrow 3} \frac{t^2 - 9}{t - 3} = \frac{3^2 - 9}{3 - 3} = \frac{0}{0} \text{ I.F.}$$

$$\lim_{t \rightarrow 3} \frac{t^2}{t} = \lim_{t \rightarrow 3} t = 3$$

$$20. \lim_{t \rightarrow 3} \frac{t^2 - 9}{t - 3} = \lim_{t \rightarrow 3} \frac{t^2 (1 - \frac{9}{t^2})}{t^2 (\frac{1}{t} - \frac{3}{t^2})} = \frac{1}{0} = +\infty$$

Figure 75. Limit of Function at Point not belonging to Domain - LS

Question III number 21 requires students to find the limit of a function at a point not belonging to the domain of the function. Figure 76 shows some students (GS) who found the correct limit but without checking for indeterminate form first (d6) and also without checking both sides of the function at that point to ensure the existence of the limit (d5).

21. $\lim_{x \rightarrow 5} \frac{(x-5)^2}{|x-5|} = \lim_{n \rightarrow 5} \frac{(n-5)^2}{n-5} = n-5 = 0$

~~21.~~ $|n-5| = n-5$
for $n=5$

21. $\lim_{x \rightarrow 5} \frac{(x-5)^2}{|x-5|} = |x-5| = 0$

21. $\lim_{x \rightarrow 5} \frac{(x-5)^2}{|x-5|} = 0$

21. $\lim_{x \rightarrow 5} \frac{(x-5)^2}{|x-5|} = 0 \quad (5-5) = 0$

Figure 76. Indeterminate Form, Existence of Limits - GS

21. $\lim_{x \rightarrow 5} \frac{(x-5)^2}{|x-5|} = \frac{0}{0}$

doesn't exist

Figure 77. Indeterminate Form, Existence of Limits - LS

Figure 77 shows a case where a student (LS) did not check for indeterminate form first (d6) and also without checking both sides of the function at that point (d5). Such an error resulted in a wrong answer that the limit does not exist.

Question II number 11 requires students to find the limit of a rational function at infinity. Only one student answered wrong for this question in the GS track. Figure 78 shows that this student could not recognize an indeterminate in order to eliminate it (d6), hence considered that the limit does not exist.

11. $\lim_{n \rightarrow \infty} \frac{4n^2}{n^2 + 10,000n}$ is

(A) 0 (B) $\frac{1}{2,500}$ (C) 1 (D) 4 (E) nonexistent

Since $\frac{4n^2}{n^2 + 10,000n} = \frac{4n}{n + 10,000} \rightarrow$

Figure 78. Limit of a Rational Function at Infinity - GS

Figure 79 shows the only case where a student got the wrong answer in the LS track. He/she could recognize an indeterminate form but did not know how to eliminate it (d6), hence considered that the limit does not exist.

11. $\lim_{n \rightarrow \infty} \frac{4n^2}{n^2 + 10,000n}$ is

(A) 0 (B) $\frac{1}{2,500}$ (C) 1 (D) 4 (E) nonexistent

$\frac{\infty}{\infty}$ IF.

Figure 79. Limit of a Rational Function at Infinity - LS

Question III number 19 requires students to find the limit of an oscillating function at infinity. Figure 80 shows some cases (GS) of such a wrong answer. Students did not fully understand the concept of limit and its relation with the concept of infinity (d3). Students found the value of the function at infinity instead of finding its limit (d1) and got a finite answer for that instead of a non-existent one.

Figure 80 shows four handwritten student answers for the limit of $\sin(x)$ as $x \rightarrow \infty$. The answers are:

- 19. $\lim_{x \rightarrow \infty} \sin(x) = \pm 1$
- 19. $\lim_{x \rightarrow \infty} \sin(x) = 1 \text{ or } -1$
- 19. $\lim_{x \rightarrow \infty} \sin(x) = -1$
- 19. $\lim_{x \rightarrow \infty} \sin(x) = 1$

Figure 80. Limit of an Oscillating Function at Infinity - GS

Figure 81 shows some cases of students (LS) who got a finite answer for the limit of an oscillating function instead of a non-existent one. Students did not fully understand the concept of limit and its relation with the concept of infinity (d3). First student calculated the value of the function at infinity instead of finding its limit (d1) whereas the second student recognized that the function is an oscillating function and used its range as a way to find the answer resulting in a wrong one (d1). The third and fourth students only got a finite answer (d1, d3).

19. $\lim_{x \rightarrow \infty} \sin(x) = 1$ I think
(used calculator and got 0.999 so ≈ 1)

19. $\lim_{x \rightarrow \infty} \sin(x) = -1$
~~since~~ since its oscillating function

19. $\lim_{x \rightarrow \infty} \sin(x) = -1$

19. $\lim_{x \rightarrow \infty} \sin(x) = -1$ +

Figure 81. Limit of an Oscillating Function at Infinity - LS

(D2) *The notion of the infinitely large and infinitely small*

Students face many problems when dealing with the notion of infinity due to its nature. Understanding the notion of the infinitely large (d3, d5) and in finitely small (d2, d4) is an essential building block in understanding the limit concept specially the asymptote part. The existence and understanding of asymptote depends to a great extent on students' understanding of what happens at infinity (d6).

Question I number two requires students to find out if the curve of a rational function may cross its vertical asymptote. Figure 82 shows a student (GS) who sketched a graph of a function and a wrong vertical asymptote without recognizing that in order to have a vertical asymptote a function should tend to infinity when x tends to a finite number (d3, d5, d6).

Figure 82. Rational Function, Vertical Asymptote - GS

Figure 83 shows the only case where a student got the wrong answer in LS track. He/she gave an example of a rational function and found its vertical asymptote, but did not discuss the possibility of it crossing the curve. While finding the vertical asymptote the student chose the wrong value of x to check for that asymptote. This relates directly to the student's understanding of what happens at infinity (d6) as well as infinitely small (d2, d4) and large numbers (d3, d5).

Figure 83. Rational Function, Vertical Asymptote - LS

Question I number three requires students to find out if the curve of a function may cross its horizontal asymptote. Some students (GS) considered that a function cannot cross its horizontal asymptote which is wrong since a function may have a horizontal asymptote and an x intercept at the same time. Figure 84 shows two cases where students (GS) had this misconception. This relates directly to the student's understanding of what happens at infinity (d6) as well as infinitely small (d2, d4) and large numbers (d3, d5).

Figure 84. Function, Horizontal Asymptote - GS

As for the LS track, only one student considered that a function cannot cross its horizontal. Figure 85 shows that case where a student considered that the limit as x tends to infinity is the horizontal asymptote, and a curve cannot cross that asymptote. This relates directly to the student's understanding of what happens at infinity (d6) as well as infinitely small (d2, d4) and large numbers (d3, d5).

Figure 85. Function, Horizontal Asymptote - LS

Moreover, question II number 16 requires students to relate a given asymptote to the correct function. Figure 86 shows a student (GS) who found the limit of the functions at a finite number $x = 1$ instead of infinity (d6) not recognizing that the equation of the given line $y = 1$ is that of a horizontal one hence resulting in a wrong answer (d3, d5).

Figure 86. Relating Wrong Asymptote to Function - GS

Figure 87 shows three cases where students (LS) chose an answer based on finding the limit of the functions at a finite number $x = 1$ instead of infinity (d6) not recognizing that the equation of the given line $y = 1$ is that of a horizontal one hence resulting in a wrong answer (d3, d5).

Figure 87. Relating Wrong Asymptote to Function - LS

Figure 88 shows two cases where students (GS) tried to sketch the graphs of the function $\sin x$ in order to find the correct answer graphically. They could not recognize that $\sin x$ is an oscillating function and its limit does not exist when x tends to infinity, hence it does not have horizontal asymptote. This type of error shows that students had problems while figuring out what happens at infinity (d3, d5, d6) when related to this type of function.

Figure 88. Recognizing what Happens at Infinity - GS

Figure 89 shows two cases where students (LS) considered that $\sin x$ has a horizontal asymptote but did not know that the limit of oscillating functions do not exist. Both students did not fully understand the concept of limit and what happens at infinity (d6). They both considered that $\sin x$ has two asymptotes based on its range.

16. The straight line of equation $y = 1$ is an asymptote to the curve of the function f defined by:

(A) $y = \ln x$ (B) $y = \sin x$ (C) $y = \frac{x}{x+1}$ (D) $y = \frac{x^2}{x-1}$ (E) $y = e^{-x}$

Handwritten notes:
 $y = \sin x$ has two asymptotes H.A: $y = 1$
 $y = -1$
 $y = \frac{x^2}{x-1}$ $x \neq 1$, but it's not a V.A.

16. The straight line of equation $y = 1$ is an asymptote to the curve of the function f defined by:

(A) $y = \ln x$ (B) $y = \sin x$ (C) $y = \frac{x}{x+1}$ (D) $y = \frac{x^2}{x-1}$ (E) $y = e^{-x}$

Handwritten notes:
 horizontal
 since $-1 \leq \sin x \leq 1$
 so there is another H.A $y = -1$

Figure 89. Recognizing what Happens at Infinity - LS

(D3) The metaphysical aspect of the notion of limit

Students understand mathematics as rigorous, clear, and accurate. When the limit concept is introduced students start to feel that limit is not really mathematics (d1). It is not rigorous (d2) and very abstract (d3). Limit sometimes does not exist and other times is not an exact value but rather some value very close to a certain number but never reaching it (d4). Such reasons create a difficulty for students when learning the concept of limit.

Question I number four requires students to check the existence of the limit of a function at a point where the function is undefined. Only two students (GS) answered this question wrong, one with justification and the other without. Figure 90 shows the case with justification. It reveals students' inability to relate the existence of a limit of a function, which is a very abstract idea (d3), to its domain (d4). Dealing with such an issue

creates confusion in the students' minds due to the non accurate nature of the existence of limit (d1, d2, d3).

x4. If a function f is not defined at $x = a$ then the $\lim_{x \rightarrow a} f(x)$ never exists. True.

$f(x) = \frac{x-4}{x-2}$ $\lim_{x \rightarrow 2} f(x) = -\infty$

Figure 90. Existence of a Limit - GS

Figure 91 shows three cases (LS) of students' inability to relate the existence of a limit of a function, which is a very abstract idea (d3), to its domain (d4). Dealing with such an issue creates confusion in the students' minds due to the non accurate nature of the existence of limit (d1, d2, d3).

4. If a function f is not defined at $x = a$ then the $\lim_{x \rightarrow a} f(x)$ never exists. True since $\lim_{x \rightarrow a} f(x) = +\infty$ then $x = a$ is vertical asymptote and $\lim_{x \rightarrow a} f(x) = +\infty$ doesn't exist.

4. If a function f is not defined at $x = a$ then the $\lim_{x \rightarrow a} f(x)$ never exists. 4. $\lim_{x \rightarrow a} f(x)$ doesn't exist if $\lim_{x \rightarrow a^-} f(x) \neq \lim_{x \rightarrow a^+} f(x)$ then true.

4. If a function f is not defined at $x = a$ then the $\lim_{x \rightarrow a} f(x)$ never exists. True, since for a lim to exist $\lim_{x \rightarrow a^-} f(x)$ and $\lim_{x \rightarrow a^+} f(x)$ should be equal.

Figure 91. Existence of a Limit - LS

Question I number six requires students to apply their knowledge of an important property of limits in order to find the correct answer. Figure 92 shows the only student who answered wrong in the GS track. He/she justified that the value of the function at the

given point has to be also equal to the limit, hence could not differentiate between the limit of a function at a point and its value at that point (d1, d2, d3, d4).

6. If $\lim_{x \rightarrow a^+} f(x) = L_1$, $\lim_{x \rightarrow a^-} f(x) = L_2$, then $\lim_{x \rightarrow a} f(x)$ exists only if $L_1 = L_2$.

false - $\begin{cases} L_1 = L_2 \\ f(a) = L_1 = L_2 \end{cases}$

Figure 92. Property of a Limit - GS

Figure 93 show three cases (LS) where students answered wrongly to this question. The first two students did not understand the statement and how it is represented (d1, d3). The third student could not relate a piece-wise function to the existence of its limit (d3, d4).

6. If $\lim_{x \rightarrow a^+} f(x) = L_1$, $\lim_{x \rightarrow a^-} f(x) = L_2$, then $\lim_{x \rightarrow a} f(x)$ exists only if $L_1 = L_2$.

False, $\lim_{x \rightarrow a^+} f(x) = \lim_{x \rightarrow a^-} f(x)$ in order to exist.

False. No. The fca exists only if $L_1 = L_2$.

6. If $\lim_{x \rightarrow a^+} f(x) = L_1$, $\lim_{x \rightarrow a^-} f(x) = L_2$, then $\lim_{x \rightarrow a} f(x)$ exists only if $L_1 = L_2$.

False (piece wise - function)

$\lim_{x \rightarrow a} f(x)$

Figure 93. Property of a Limit - LS

(D7) The failure to link geometry with numbers

Graphs of functions can play a major role in students' understanding of the limit concept. The ability to link geometry with numbers and symbols help students better

visualize and understand the concept. Failure to do so creates difficulties that might hinder students' ability to understand the concept (d1, d2).

Question IV presents students with a graph of a piece-wise function and requires them to find the limit of that function at several points or infinity. No solving is required. Some students had problems with reading the graph and finding limits from it. In number 22 of this question, students are asked to find the limit of the given function at a finite point not belonging to its domain. Figure 94 shows students (GS) who considered that the limit does not exist since the limits at both sides of the point are not equal, although both limits are equal to infinity. This shows the inability of these students to correctly read the graph and interpret the results correctly (d1, d2).

22. $\lim_{x \rightarrow 2} f(x)$
 doesn't exist
 $\lim_{x \rightarrow 2^-} f(x) \neq \lim_{x \rightarrow 2^+} f(x)$

22. $\lim_{x \rightarrow 2} f(x) = \text{does not exist}$
 $\frac{0}{0} \text{ as } x \rightarrow 2^+ + \frac{0}{0} \text{ as } x \rightarrow 2^-$

22. $\lim_{x \rightarrow 2} f(x)$ doesn't exist
 $\lim_{x \rightarrow 2^+} = -\infty$
 $\lim_{x \rightarrow 2^-} = +\infty$

22. $\lim_{x \rightarrow 2} f(x)$ doesn't exist
 $\lim_{x \rightarrow 2^-} f(x) = +\infty$
 $\lim_{x \rightarrow 2^+} f(x) = -\infty$

Figure 94. Reading Graphs to Find Limits - GS

In number 25 of this question, students are requested to read the graph to find the limit of the given function at a point not in its domain. Figure 95 shows four cases (LS) where students considered that the limit does not exist instead of a finite number ($= 3$). First student considered that the limits at the sides of the given point are not equal, hence the limit doesn't exist (d1, d2). The other three students considered that the limit does not exist since the function is not defined at $x = 5$ (d1, d2).

Figure 95. Reading Graphs to Find Limits - LS

(D9) Function

Understanding functions and their properties is a crucial step in understanding their limits. Any misconception in the concept of a function creates a major difficulty for students in dealing with their limits. Different types of misconceptions are related to

functions. Differentiating the different types of functions is one of them. Some students had problems recognizing different types of functions and their properties (d1, d2, d3) .

Question I number one requires students to deal with a polynomial function.

Figure 96 shows several cases of such a misconception in GS track. The first three cases show three students who could not recognize that a polynomial function is always continuous over its domain (d1). The other two students gave an example of a rational function instead (d1). These mistakes caused student to have a wrong answer related to the limit of a polynomial function.

Figure 96. Polynomial Functions - GS

Figure 97 shows three cases of such a misconception in LS track. The first two cases show two students who could not recognize that a polynomial function is always continuous over its domain (d1). The third student gave an example of a rational function instead (d1). These mistakes caused student to have a wrong answer related to the limit of a polynomial function.

Figure 97. Polynomial Functions - LS

Another type of misconception of function is related to the domain, range and the continuity of the function over a given domain.

Question II number nine requires students to find the range of a given rational function based on its given domain that includes an absolute value. Figure 98 shows two cases (GS) of such a misconception. The first student used a wrong table of variation to find the range (d1). Although his/her domain was correct, he/she could not relate the correct domain to the sign of the function (d1, d2, d3). The second student found the correct domain but got a wrong range (d1, d2, d3).

Figure 98. Domain and Range of a Function with Absolute Value - GS

Figure 99 shows four cases of students who got the wrong range in the LS track. First student used a wrong table of variation to find the range (d1). His/her choice of the answer shows that this student did not notice that this function is always negative over its domain (d1, d2, d3). The second and third students could not find the correct domain in order to find the correct range (d1, d2, d3). The third student found the correct domain but could not find the correct range (d1, d2, d3).

9. If the domain of the function f given by $f(x) = \frac{1}{1-x^2}$ is $\{x : |x| > 1\}$, what is the range of f ?

(A) $-\infty < f(x) < -1$ (B) $-\infty < f(x) < 0$ (C) $-\infty < f(x) < 1$
 (D) $-1 < f(x) < \infty$ (E) $0 < f(x) < \infty$

Handwritten work for the first question includes a graph of the function $f(x) = \frac{1}{1-x^2}$ with vertical asymptotes at $x = 1$ and $x = -1$. The graph shows two branches, one in the upper half-plane and one in the lower half-plane, both approaching the horizontal asymptote $y = 0$ as $|x| \rightarrow \infty$. The range is indicated as $(-\infty, -1) \cup (1, \infty)$. Other handwritten notes include $f(x) = \frac{1}{1-x^2}$, $-\frac{1}{(1-x^2)^2}$, and $-\frac{2x}{(1-x^2)^3}$.

9. If the domain of the function f given by $f(x) = \frac{1}{1-x^2}$ is $\{x : |x| > 1\}$, what is the range of f ?

(A) $-\infty < f(x) < -1$ (B) $-\infty < f(x) < 0$ (C) $-\infty < f(x) < 1$
 (D) $-1 < f(x) < \infty$ (E) $0 < f(x) < \infty$

Handwritten work for the second question includes the expression $\frac{1}{(1-x)(1+x)}$ and the condition $1-x^2 \neq 0$, which is simplified to $1 \neq x^2$ and $x \neq 1$ or $x \neq -1$. The domain is written as $D_f: |x| > 1$ and $x \in]-\infty, -1[\cup]1, +\infty[$.

Figure 99. Domain and Range of a Function with Absolute Value - LS

Question II number 10 requires students to find the domain of a function that has a square root in its numerator. Figure 100 shows a case of a student (LS) who did not consider that the square root plays a role in finding the domain of the function and should always be greater or equal to 0. This student only considered the denominator to be

different from 0, hence got the wrong answer (d1, d2, d3). His/her choice of the answer shows that this student did not notice that this function is always negative over its domain (d1, d2, d3).

Figure 100. Domain of a Function with Square Root - LS

Question II number 12 requires students to deal with a function which is continuous over a closed interval. Figure 101 shows three cases where students got the wrong answer in the GS track. First two students tried to sketch a graph to solve the question. Their answers reveal that he/she has problems with the domain, range and continuity of a function (d1, d2, d3). The third considered only one choice to be true. This reveals that he/she has problems in understanding the domain, range and continuity of a function (d1, d2, d3).

12. Let g be a continuous function on the closed interval $[0,1]$. Let $g(0)=1$ and $g(1)=0$. Which of the following is NOT necessarily true?

(A) There exists a number h in $[0,1]$ such that $g(h) \geq g(x)$ for all x in $[0,1]$.

(B) For all a and b in $[0,1]$, if $a=b$, then $g(a)=g(b)$.

(C) There exists a number h in $[0,1]$ such that $g(h) = \frac{1}{2}$.

(D) There exists a number h in $[0,1]$ such that $g(h) = \frac{3}{2}$.

(E) For all h in the open interval $(0,1)$, $\lim_{x \rightarrow h} g(x) = g(h)$.

There is infinite numbers from 0 to 1.

Figure 101. Continuity of a Function, Closed Interval - GS

Figure 102 shows three cases where students got the wrong answer in the LS track. The first student's answer reveals that he/she has problems with the domain, range and continuity of a function (d1, d2, d3). The second student's answer (choice related to limits) is directly related to his/her understanding of the relation between the continuity of a function and its limit (d1, d2, d3). As for the third student, he had the opposite problem that student two faced. He could detect that the final answer, is necessarily true, but considered all the rest as not necessarily true. This shows that the student has problems in dealing with the concept of function (d1, d2, d3).

12. Let g be a continuous function on the closed interval $[0,1]$. Let $g(0)=1$ and $g(1)=0$. Which of the following is NOT necessarily true?

(A) There exists a number h in $[0,1]$ such that $g(h) \geq g(x)$ for all x in $[0,1]$.

(B) For all a and b in $[0,1]$, if $a=b$, then $g(a)=g(b)$.

(C) There exists a number h in $[0,1]$ such that $g(h) = \frac{1}{2}$.

(D) There exists a number h in $[0,1]$ such that $g(h) = \frac{3}{2}$.

(E) For all h in the open interval $(0,1)$, $\lim_{x \rightarrow h} g(x) = g(h)$.

12. Let g be a continuous function on the closed interval $[0,1]$. Let $g(0)=1$ and $g(1)=0$. Which of the following is NOT necessarily true?

(A) There exists a number h in $[0,1]$ such that $g(h) \geq g(x)$ for all x in $[0,1]$. ✓

(B) For all a and b in $[0,1]$, if $a=b$, then $g(a)=g(b)$. ✓

(C) There exists a number h in $[0,1]$ such that $g(h)=\frac{1}{2}$. ✓

(D) There exists a number h in $[0,1]$ such that $g(h)=\frac{3}{2}$. ✓

(E) For all h in the open interval $(0,1)$, $\lim_{x \rightarrow h} g(x) = g(h)$. ✓

12. Let g be a continuous function on the closed interval $[0,1]$. Let $g(0)=1$ and $g(1)=0$. Which of the following is NOT necessarily true?

(A) There exists a number h in $[0,1]$ such that $g(h) \geq g(x)$ for all x in $[0,1]$. ✓

(B) For all a and b in $[0,1]$, if $a=b$, then $g(a)=g(b)$. not necessarily a bijection

(C) There exists a number h in $[0,1]$ such that $g(h)=\frac{1}{2}$. ✓

(D) There exists a number h in $[0,1]$ such that $g(h)=\frac{3}{2}$. ✓

(E) For all h in the open interval $(0,1)$, $\lim_{x \rightarrow h} g(x) = g(h)$. ✓

↓ this only is necessary since its a continuous function

Figure 102. Continuity of a Function, Closed Interval - LS

Question II number 13 presents a continuous function which is defined for all real numbers. Its minimum and maximum are given and students are required to find the minimum and maximum of a related function. Figure 103 represents two cases (GS) where students could not relate the original function to the other ones and hence got a wrong answer (d1, d2, d3). In all three cases the students' answers (I & II) show that they do not know that a function may have different values at $-x$ and $+x$, so $f(-x)$ may not be equal to $f(x)$, hence $f(|x|)$ may not be equal $f(x)$ when x is negative (1,2,3).

13. If f is a continuous function defined for all real numbers x and if the maximum value of $f(x)$ is 5 and the minimum value of $f(x)$ is -7 , then which of the following must be true?

I. The maximum value of $f(x)$ is 5. *$y=5$ is maxima for all x whether x is +ve or -ve*
 II. The maximum value of $|f(x)|$ is 7. *curve will be flipped upwards below x-axis*
 III. The minimum value of $f(x)$ is 0. *$f(x) = -7$ could be where $x > 0$*

(A) I only (B) II only (C) I and II only (D) II and III only (E) I, II, and III

13. If f is a continuous function defined for all real numbers x and if the maximum value of $f(x)$ is 5 and the minimum value of $f(x)$ is -7 , then which of the following must be true?

I. The maximum value of $f(x)$ is 5.
 II. The maximum value of $|f(x)|$ is 7.
 III. The minimum value of $f(x)$ is 0.

(A) I only (B) II only (C) I and II only (D) II and III only (E) I, II, and III

$-7 \leq f(x) \leq 5$ for all $x \in \mathbb{R}$.
 $\Rightarrow f$ is $\uparrow$ from $-7 \rightarrow 5$ (range)
 $\star f(x) = -7 \Rightarrow |f(x)| = 7$
 $\star$ for any $x \in \mathbb{R}$, $\max f(x) = 5 \Rightarrow \max |f(x)| = 5$
 $\star f(x)$ could be negative depending on x .

Figure 103. Continuity of a Function, Minimum and Maximum - GS

Figure 104 shows three cases where students (LS) could not relate the original function to the other ones and hence got a wrong answer (d1, d2, d3). In all three cases the students' answers (I & II) show that they do not know that a function may have different values at $-x$ and $+x$, so $f(-x)$ may not be equal to $f(x)$, hence $f(|x|)$ may not be equal to $f(x)$ when x is negative (1,2,3).

If f is a continuous function defined for all real numbers x and if the maximum value of $f(x)$ is 5 and the minimum value of $f(x)$ is -7 , then which of the following must be true?

I. The maximum value of $f(x)$ is 5.
 II. The maximum value of $|f(x)|$ is 7.
 III. The minimum value of $f(x)$ is 0.

(A) I only (B) II only (C) I and II only (D) II and III only (E) I, II, and III

$f(-1) = f(1)$
 $f(x)$

If f is a continuous function defined for all real numbers x and if the maximum value of $f(x)$ is 5 and the minimum value of $f(x)$ is -7 , then which of the following must be true?

- I. The maximum value of $f(|x|)$ is 5.
- II. The maximum value of $|f(x)|$ is 7.
- III. The minimum value of $f(|x|)$ is 0.

(A) I only (B) II only (C) I and II only (D) II and III only (E) I, II, and III

$|f(x)| = |-7| = 7$
 $f(5) = 5$

If f is a continuous function defined for all real numbers x and if the maximum value of $f(x)$ is 5 and the minimum value of $f(x)$ is -7 , then which of the following must be true?

- I. The maximum value of $f(|x|)$ is 5. ✓
- II. The maximum value of $|f(x)|$ is 7. ✓
- III. The minimum value of $f(|x|)$ is 0. ✗

(A) I only (B) II only (C) I and II only (D) II and III only (E) I, II, and III

$f(|x|)$ is the $[0, +\infty[$ part of the function.
 $f(5) = 5$
 $f(-5) = -7$
 $|f(x)| = 7$
 x is positive not $f(x)$

Figure 104. Continuity of a Function, Minimum and Maximum - LS

A third type of misconception of function is related to its symmetry.

Question II part 15 requires students to test the symmetry of a function with respect to: y-axis, x-axis, origin. Understanding of the concept of functions and its position with respect to the: y-axis, x-axis, and origin is essential in solving such a question (d1). Students should test all three symmetries in order to get the correct answer. Figure 105 shows three cases (GS) of students who only tested for the symmetry with respect to the y-axis instead of testing all three types hence resulting in a wrong answer (d1).

Figure 105. Symmetry of a Function - GS

Figure 106 shows two cases (LS) of students who had a problem with the symmetry of functions. The first student only tested for the symmetry with respect to the y-axis instead of testing all three types hence resulting in a wrong answer (d1), while the second tested wrong for the origin and did not test for the symmetry with respect to the x-axis (d1).

Figure 106. Symmetry of a Function - LS

A fourth type of misconception of function is finding its value at a given point or points.

Question II number seven requires students to find the value of a function of a function. One student (Figure 107) did not answer this question correctly in the LS track. He/she did not recognize that if a function is equal to the same finite number at all values of its domain ($g(x) = 5$) then the value of $g(f(x))$ will be 5 as well (d1, d2, d3)

Figure 107. Value of a Function - LS

Question II number eight requires students to evaluate a function at different points and compare the results in order to define the function. Figure 108 shows the only case where a student in the GS track got a wrong answer without explaining his/her choice (d1).

Figure 108. Defining a Function - GS

Two students got the answer wrong in the LS track. Figure 109 shows two cases (LS) where students knew exactly what to do but wrongly evaluated the functions hence got a wrong answer (d1).

8. If $f(x_1) + f(x_2) = f(x_1 + x_2)$ for any real numbers x_1 and x_2 , which of the following could define f ?

(A) $f(x) = x+1$ (B) $f(x) = 2x$ (C) $f(x) = \frac{1}{x}$ (D) $f(x) = e^x$ (E) $f(x) = x^2$

$f(x_1) + f(x_2)$
 EX: $f(1) = 2$ $f(2) = 3$
 $f(1) + f(2) = 5$
 $f(5) = f(5+1)$

(A) $f(x) = x+1$ (B) $f(x) = 2x$ (C) $f(x) = \frac{1}{x}$ (D) $f(x) = e^x$ (E) $f(x) = x^2$

Let $x_1 = 2$ $x_2 = 1$
 $f(2) + f(1) = f(3)$
 Try each one & above functions.

Figure 109. Defining a Function - LS

(D10) Previous knowledge of topics related to the concept of “limit of a function”

Mathematics is a field of study where all concepts are connected and the concept of limit is not an exception. In order for students to be able to understand this concept and solve problems related to it, some previous knowledge of topics must be mastered. Some of these topics are: solving equations and inequalities (d3), dealing with variables (d4), absolute values (d8), and equation of a straight line (d10). Any gap in mastering these concepts can create a major problem in understanding the limit concept.

Question II number nine requires students to find the range of a given rational function based on its given domain that includes an absolute value. Some students had problems with solving the inequality (d3, d8). Figure 110 shows two cases (GS) where students changed the sign of a function when getting its reciprocal (the original function) hence resulting in a wrong range (d3, d8).

(A) $-\infty < f(x) < -1$ (B) $-\infty < f(x) < 0$ (C) $-\infty < f(x) < 1$
 (D) $-1 < f(x) < \infty$ (E) $0 < f(x) < \infty$

$x > 1$
 $x^2 > 1$
 $-x^2 < -1$
 $1 - x^2 < 0$
 $\frac{1}{1-x^2} > 0$

$(1-x)(1+x)$
 $\frac{1}{(1-x)(1+x)}$

(A) $-\infty < f(x) < -1$ (B) $-\infty < f(x) < 0$ (C) $-\infty < f(x) < 1$
 (D) $-1 < f(x) < \infty$ (E) $0 < f(x) < \infty$

$x > 1$
 $(1-x^2) < 0$
 $\frac{1}{1-x^2} > 0$

Figure 110. Solving Inequalities, Square Roots Number 9 - GS

Figure 111 shows two cases (LS) where students could not solve the inequality given in order to find the domain and then find the range based on it (d3, d8).

9. If the domain of the function f given by $f(x) = \frac{1}{1-x^2}$ is $\{x : |x| > 1\}$, what is the range of f ?

(A) $-\infty < f(x) < -1$ (B) $-\infty < f(x) < 0$ (C) $-\infty < f(x) < 1$
 (D) $-1 < f(x) < \infty$ (E) $0 < f(x) < \infty$

$\frac{1}{(1-x)(1+x)}$
 $1-x^2 \neq 0$
 $1 \neq x^2$
 $x \neq 1$ or $x \neq -1$

9. If the domain of the function f given by $f(x) = \frac{1}{1-x^2}$ is $\{x : |x| > 1\}$, what is the range of f ?

(A) $-\infty < f(x) < -1$ (B) $-\infty < f(x) < 0$ (C) $-\infty < f(x) < 1$
 (D) $-1 < f(x) < \infty$ (E) $0 < f(x) < \infty$

$x \neq 1$
 $x \neq -1$ } $f(x) = \infty$

Figure 111. Solving Inequalities, Square Roots Number 9 - LS

Question II number 10 requires students to find the domain of a function that include a square root in its numerator. Figure 112 shows three cases (LS) where the students knew that they need the square root to be greater than or equal to zero but solved the inequality wrongly hence resulting in a wrong domain (d3, d6).

10. What is the domain of the function f given by $f(x) = \frac{\sqrt{x^2 - 4}}{x - 3}$?

(A) $\{x: x \neq 3\}$ (B) $\{x: |x| \leq 2\}$ (C) $\{x: |x| \geq 2\}$
 (D) $\{x: |x| \geq 2 \text{ and } x \neq 3\}$ (E) $\{x: x \geq 2 \text{ and } x \neq 3\}$

$D_f: \sqrt{x^2 - 4}$ $x^2 - 4 \geq 0$
 $x^2 \geq 4$ $x \geq -2$ and $x \geq 2$
 $x - 3 \neq 0$ $x \neq 3$
 $D_f: [-2, 2] \cup]2, 3[\cup]3, +\infty[$

10. What is the domain of the function f given by $f(x) = \frac{\sqrt{x^2 - 4}}{x - 3}$?

(A) $\{x: x \neq 3\}$ (B) $\{x: |x| \leq 2\}$ (C) $\{x: |x| \geq 2\}$
 (D) $\{x: |x| \geq 2 \text{ and } x \neq 3\}$ (E) $\{x: x \geq 2 \text{ and } x \neq 3\}$

$x - 3 \neq 0$ $x \neq 3$ $x^2 - 4 \geq 0$
 $(x + 2)(x - 2) \geq 0$
 $x \geq -2$
 $x \geq 2$

(A) $\{x: x \neq 3\}$ (B) $\{x: |x| \leq 2\}$ (C) $\{x: |x| \geq 2\}$
 (D) $\{x: |x| \geq 2 \text{ and } x \neq 3\}$ (E) $\{x: x \geq 2 \text{ and } x \neq 3\}$

$f(u) = \frac{\sqrt{u^2 - 4}}{u - 3}$ $u \neq 3$
 $\sqrt{u^2 - 4}$ $u^2 - 4 \geq 0$
 $(u - 2)(u + 2) \geq 0$
 $u - 2 \geq 0$ or $u + 2 \geq 0$
 $u \geq 2$ or $u \geq -2$

Figure 112. Solving Inequalities, Square Roots Number 10 - LS

Question II number 16 requires students to relate a given asymptote to the correct function. Figure 113 shows three cases (GS) where students found the limit of the function at a finite number $x = 1$ instead of infinity not recognizing that the equation of the given line $y = 1$ is that of a horizontal one, hence resulting in a wrong answer (d10).

Figure 113. Equation of an Asymptote - GS

Figure 114 shows two cases (LS) where students found the limit of the function at a finite number $x = 1$ instead of infinity not recognizing that the equation of the given line $y = 1$ is that of a horizontal one (although first student sketched it correctly) hence resulting in a wrong answer (d10).

Figure 114. Equation of an Asymptote - LS

In conclusion, the analysis of the post test shows that the difficulties that students in both tracks, GS and LS, face while learning the concept of limit are mainly related to the following in the order that the most important comes first:

- (D1) The limit process cannot be performed by simple arithmetic or algebra
- (D2) The notion of the infinitely large and infinitely small
- (D9) Function
- (D10) Previous knowledge of topics related to the concept of “limit of a function”
- (D3) The metaphysical aspect of the notion of limit
- (D7) The failure to link geometry with numbers

4.5.2 Questionnaire Analysis

The questionnaire consists of three questions designed to get from the students the most of their perceptions about limits, the way they understand them, the way they express their ideas about them, as well as their perceptions of the difficulties associated to the concept of limit. The first question requires the students to choose, among six

statements, the three statements that best describe their understanding of limits, in the order of priority and preference. The second and third questions are subjective questions where students are asked to, respectively, describe in few sentences their understanding of a limit and the difficulties they faced while learning the concept.

The questionnaire was administered one year from instruction, in order to leave maturation time and a period during which the concept has been used as a tool to develop other concepts (such as derivative), and as a tool for solving different related problems. At the time of administrating the questionnaire, the participating students were in grade 12, together with other students who joined from a different section.

According to the Lebanese educational ladder, there are four tracks at grade 12, two of which are of scientific orientation, General Sciences and Life Science. Usually students of grade 11 Sciences track go into one of those two tracks when they are promoted to grade 12. The questionnaire was administered in both sections, the General Sciences section (16 students) and the Life Science section (20 students). The analysis will be global, over the answers of the 36 students, but will also attempt to sense any differences.

4.5.2.1 Question 1: Conception of limit

1. Which of the following statements best describes a limit as you understand it?

Choose the three statements that best describe it and rate them from 1 to 3 in the order of preference.

1. ☐ A limit describes how a function moves as x moves toward a certain point.
2. ☐ A limit is a number or point past which a function cannot go.
3. ☐ A limit is a number that the y -values of a function can be made arbitrarily close to by assigning specific numbers to the x -values.
4. ☐ A limit is a number or point the function gets close to but never reaches.
5. ☐ A limit is an approximation that can be made as accurate as you wish.
6. ☐ A limit is determined by plugging in numbers closer and closer to a given number until the limit is reached

Students' answers to this question are in the form of three numbers (1, 2 and 3) assigned to three statements selected by each student among the six given statements. 1 being the highest preference, and 3 the lowest.

To analyze these data, two tables (Table 6 and Table 7) are used to map students' answers. The statements are coded from 1 to 6 (horizontal headings), and students are coded as ST1 to ST16 for the General Sciences section and as ST1 to ST20 for the Life Science section (vertical headings). Table cells are filled with the level of preference assigned by the corresponding student to the corresponding statement.

The “COUNT” row presents the number of students who selected each corresponding statement, irrespective of preference level. For example, Table 7 for the Life Science section shows that 15 students selected Statement 1 and 10 selected Statement 4, at different levels of preference.

The “Not selected by” row presents the number of students who did not select the corresponding statement at all, at any preference level. For example, Table 7 for the Life Science section shows that Statement 2 was not a choice at all for 16 out of the 20 students.

The next three rows present, respectively, the numbers of students who selected the corresponding statement at the corresponding level of preference. For example, Table 7 for the Life Sciences section shows that, among the 15 students who selected Statement 1, 11 assigned to it the first preference level, four assigned to it the second preference level, and none assigned to it the third preference level.

Table 6: *General Sciences Students' choices of statements 1 to 6, weighted by the three levels of preference (3 for first choice, 2 for second choice and 1 for third choice)*

General Sciences

	1	2	3	4	5	6
ST1	1				3	2
ST2	1		2			
ST3	2		1			3
ST4	1			3		2
ST5	1		2		3	
ST6	2			1		3
ST7				1	2	3
ST8	1			2		3
ST9			1		2	3
ST10	1		2	3		
ST11	3		1			2
ST12	1	2		3		
ST13		3	1	2		
ST14	1		2			3
ST15	1					2
ST16	2			3		1
COUNT	13	2	8	8	4	11
Not selected by	3	14	8	8	12	5
1st Preference	9	0	4	2	0	1
2nd Preference	3	1	4	2	2	4
3rd Preference	1	1	0	4	2	6
Index of preference	2.13 (1)	0.19 (6)	1.25 (2)	0.87 (4)	0.37 (5)	1.06 (3)

ST = Student;

$$34 = 9 \times 3 + 3 \times 2 + 1 \times 1$$

$$2.125 = 34 / 16$$

Table 7: *Life Science Students' choices of statements 1 to 6, weighted by the three levels of preference (3 for first choice, 2 for second choice and 1 for third choice)*

Life Science

	1	2	3	4	5	6
ST1	2		1			3
ST2		3	2	1		
ST3	1	2				3
ST4	1		2		3	
ST5				1	2	
ST6	2			3		1
ST7	1				3	2
ST8				1	2	3
ST9	2	3		1		
ST10	1		3	2		
ST11		1		2		3
ST12	1				3	2
ST13	1		3			2
ST14	2			1	3	
ST15	1				2	3
ST16			3	1		2
ST17	1		3			2
ST18	1				2	3
ST19	1		3	2		
ST20	1		3			2
COUNT	15	4	9	10	8	13
Not selected by	5	16	11	10	8	7
1st Preference	11	1	1	6	0	1
2nd Preference	4	1	2	3	4	6
3rd Preference	0	2	6	1	4	6
Index of preference	2.05 (1)	0.35 (6)	0.65 (4)	1.25 (2)	0.6 (5)	1.05 (3)

To make sense of those numbers, the levels of preference are weighted: 3 for the first preference, 2 for the second and 1 for the third. A value that is named “Index of preference” is calculated for each statement to express the extent to which it is adopted as a conception by the groups of students, on a scale from 0 to 3. The index of preference is calculated, in each cell corresponding to a statement, as follows:

Index of preference = the sum of three terms averaged by the number of students

The three terms are:

Number at 1st Preference x 3

Number at 2nd Preference x 2

Number at 3rd Preference x 1

For example, Table 7 for the Life Sciences section shows that the index of preference of Statement 1 is 2.05, calculated as follows:

$$((11 \times 3) + (4 \times 2) + (0 \times 3)) / 20$$

The index of preference allows ranking the six different statements in the order of adoption by the students. In Table 6 and Table 7, last row, the ranking is included between parentheses just after the index of preference of each statement.

In order to get a more global view of the results, for the whole sample in the two sections together, Table 8 is constructed by combining (adding) one-to-one the numbers in the cells of the rows “Count”, “Not selected by”, “1st Preference”, “2nd Preference”, and “3rd Preference” from the two tables Table 6 and Table 7 then the index of preference is calculated using the formula, on the basis of average by 36 students.

Table 8: *Both-Sections Global Students' choices of statements 1 to 6, weighted by the three levels of preference (3 for first choice, 2 for second choice and 1 for third choice)*

Statement	1	2	3	4	5	6
COUNT	28	6	17	18	12	24
Not selected by	8	30	19	18	20	12
1st Preference	20	1	5	8	0	2
2nd Preference	7	2	6	5	6	10
3rd Preference	1	3	6	5	6	12
Index of preference	2.08 (1)	0.28 (6)	0.92 (4)	1.08 (2)	0.50 (5)	1.056 (3)

According to the analysis method explained above, we can conclude the following:

Statement 1 is the most globally adopted by students, globally, but also in each of the two sections, with an index of 2.13 on a 3-point scale in the GS section, 2.05 in the LS section, and 2.08 in both sections together. Therefore, a dominating conception of limit among the participants is that “A limit describes how a function moves as x moves toward a certain point”. This is a dynamic conception, where both the function and the variable move together, each on its track, and each “toward a point”. This conception overlooks infinity as a possible limit for either, or both of the variable and function.

The second-preferred statement is not the same in the two sections. General Science's students adopt Statement 3 with an index of preference of 1.25 on a 3-point scale, while Life Science students adopt Statement 4 with the same index of preference of 1.25 on a 3-point scale. So next to the first adopted conception, General Sciences students

think that “A limit is a number that the y-values of a function can be made arbitrarily close to by assigning specific numbers to the x-values”, while Life Science students think that “A limit is a number or point the function gets close to but never reaches”. This latter conception is, however, a bit stronger among the whole group of participants, with an index of preference of 1.08 on a 3-point scale.

The third-preferred statement, Statement 6, is the same for all groups, the General Sciences group, the Life Science group and the whole group. Therefore, the conception that “A limit is determined by plugging in numbers closer and closer to a given number until the limit is reached” is, at a moderate level, adopted by the participating students.

Statement 5 is the one that got an index of preference second to the least, with an index of 0.5 on a 3-point scale, for the global group of students. This statement is: “A limit is an approximation that can be made as accurate as you wish”.

The statement that got the least index of preference, with a considerable difference between it and the immediately higher one, is Statement 2, with a global index of 0.28 on a 3-point scale. This statement is also the least preferred by the two groups, GS and Ls, with respectively 0.19 and 0.35 indices of preference. Therefore, the conception least adopted by the participated students is that “A limit is a number or point past which a function cannot go”.

4.5.2.2 Question 2: Conception of limit

2. Please describe in a few sentences what you understand a limit to be. That is, describe

what it means to say that the limit of a function f as $x \rightarrow a$ is some number L .

This question aims, too, at exploring students’ perceptions of the notion of limit. While the first question provides students with a limited choice of pre-determined

statements, the present question leaves it open for them to freely express their ideas. Because of the fact that the question focuses on finite cases, whether for the variable or the function (describe what it means to say that the limit of a function f as $x \rightarrow a$ is some number L), the notion of infinity is not addressed in students' answers. Yet valuable insights can be obtained about students' understanding of cases with finite limits. The data collected are rich in the way they reflect both, students' perceptions / misconceptions, and many of the difficulties identified in the framework. On the other hand, clear differences are noticed between the General Sciences (GS) and the Life Science(LS) students' answers, which reflects a differentiating effect of the teaching approach. Therefore the following analysis will address them separately.

General Sciences Students' Answers

GS students' understanding of limit appears to be structured and almost uniform. Most of the answers express a kind of "parallelism", reflecting what can be named a "symmetrical duality" in the behaviors of the variable and the function. As one "moves", the other "moves", and as one "gets close" to a value, the other "gets close" to a value. Fourteen out of the 16 GS students used such a type of duality, while using different verbs, such as "moves" (M), "tends to" (T), "approaches" (A), "reaches" (R), "gets closer" (Cl), "comes" (Co) , "becomes" (B). The letters between parentheses are codes that we are assigning to these verbs, in order to show how imposing is this duality. Following are examples of students' answers:

- As x tends to a number a , y tends to a number L (TT)
- As x moves towards a , f moves towards L (MM)
- As the x reaches the number a the function reaches the number L (RR)

- $\lim_{x \rightarrow a} f(x) = L$. As x tends to a , $f(x)$ comes to L (TC)

The different verbs used reflect also different conceptions of functions and of limits. For example, the verbs “moves toward”, “approaches”, “get closer to”, “tend to” provide a dynamic nature to the variable and the function, as the locus of a point, for example. It also reflects the idea that x and / or $f(x)$ may not get equal to the values they are tending to. Such a conception is different from the one reflected by verbs such as “reaches”, “becomes”, “is” (I), which reflect a more static conception, while at the same time expressing the fact that the variable and/or function may be equal to the values they are tending to.

Among the 16 GS students,

four used T-T,

two used M-M,

two used Cl-Cl,

one used R-R,

one used A-A,

one used T-B,

two used T-I,

and one used T-Co.

It is worth noting that one of the answers included an extra sentence highlighting the fact that the limit does not reach the value L and using the idea of the infinitely small:

- $F(x)$ tends to L as x is a , but isn't L like 0.000001 but not 0

Besides the “symmetrical duality” model answers, only three students' statements can be identified as different from this pattern:

- L is the number that corresponds to the limit of the function as it gets closer the number a
- $F(x) = L$
- $\lim_{x \rightarrow a} f(x) = L \Rightarrow$ as f reach x=0 the function reaches the pt y=L and the fct may not be defined on f(a)

The first one is still within the duality model, with “less symmetry”, using “corresponds to the limit” and avoiding the specification about whether the limit is reached or not.

The second one just equates $F(x)$ to L

The third one reflects confusion, fixation around 0, confusion between “value” and “pt”. It also highlights the idea that “the fct may not be defined on f(a)”

Life Science Students' Answers

Duality between variable and function's behavior

Although some (ten out of 20) of the LS students' answers show the duality found in GS students' answers, it is clear that they don't abide by the same level of structure and symmetry. Following are the answers in which the duality of behavior of the variable and function can be detected, along with the corresponding couples of verbs used.

- $\lim_{x \rightarrow a} f(x) = L$. as curve approaches $x = a$, C_f will go towards L (A-go towards)
- x tends to a nb “a”, thus, y approaches the number L, but might never reach it (T-A)
- When x tends to a number (which is a here) the function $f(x)$ tends to reach L (T-T)

- A limit is, when x is getting closer to “ a ” where does $f(x)$ get close to? (Cl-Cl)
- The value that the $f(x)$ approaches as x gets infinitesimally [sic] close to a is L (Cl-A)
- As x tends to a $f(x)$ will move as L moves (T-M)
- As the function f approaches $x = a$, the ordinate approaches L i.e; the function curve approaches $y = L$ (A-A)
- As x becomes closer to a , $f(x)$ becomes closer to L regardless if L is reached or not, if $f(a) = L$ or not. $f(a)$ could not be defined (Cl-Cl)
- As the curve of a function moves across a plane closer and closer to $x = a$, it also moves closer to the number L , (it may or may not pass through the point (a,L) depending on the domain of f itself) (MCl-MCl)
- Closest value of y at a certain value x (Cl-at)

A = approaches; Cl = closer; M = moves; T = tends

Aside from the two sides of the duality – variable and function, many of those answers include other elements, such as interjected clauses, as in:

When x tends to a number (which is a here) the function $f(x)$ tends to reach L

Or explanative additions, as in:

As the function f approaches $x = a$, the ordinate approaches L , i.e; the function curve approaches $y = L$

Confusion

LS students’ statements include more instances of graphical connections than GS students’, whose statements are more formal and symbolic. However, many of students’

answers include erroneous use of the mathematical language that reflects serious confusions and misconceptions, mostly related to their knowledge of functions, the relationships between functions and their graphs, the concepts of variable and function, etc. Following is a list of examples, where the parts reflecting confusions are underlined. Note, for example, terms such as “differentiable pt”, “function gets close to $x = a$ ”, “ $f(x)$ will move as L moves”

- $\lim_{x \rightarrow a} f(x) = L$. as curve approaches $x = a$, C_f will go towards L
- A Limit helps us determine where a function moves to or ends at a differentiable pt
- As the function tends to a , $y = L$ $f(a) = L$
- As the function gets close to $x = a$ it reaches its limit and that y is approximately equal to L and very close to it
- The graph tends to be close to $x = a$, it can be $x \rightarrow a^-$ or $x \rightarrow a^+$, giving same limit $= L$
- As x tends to a $f(x)$ will move as L moves
- As the function f approaches $x = a$, the ordinate approaches L
i.e; the function curve approaches $y = L$
- The y or ordinate of the number (a) will be obtained by calc. the limit of it as a tends towards it. It might be a number or ∞
- As the curve of a function moves across a plane closer and closer to $x = a$, it also moves closer to the number L , (it may or may not pass through the point (a, L) depending on the domain of f itself)

Meaning of limit

A thorough language analysis of LS students' answers reflects various alternative meanings attributed to the concept of limit. Following are some examples.

- As the function gets close to $x = a$ it reaches its limit and that y is approximately equal to L and very close to it
- As x moves towards a certain value (a) the function reaches its limit; i.e. reaches a certain point
- A Limit helps us determine where a function moves to or ends at a differentiable pt
- The limit is the number that the function cannot reach, due to the function being undefined at this point. L represents the number that the function would have reached if it is defined at a (Figure 115)

Figure 115. Number Function Cannot Reach 1

The above examples show that one of the alternative meanings, for example, is that the function “reaches its limit” (first two examples), that is the limit is a value at which the function “ends” (third example). On the other hand, the fourth example defines the limit as the “number that the function cannot reach” because the function is not

defined at that point. Finally, the fifth example presents the limit in a more procedural way, as a way for finding an approximate value of the function when we cannot calculate the exact value.

Is the limit reached?

The dilemma about whether a limit is reached or not, or even about whether a limit can be reached or not, is clear in students' answers.

Limit is the value of the function at the specific point

Some of students' statements consider that limit is the value of the function at the point, as in " $f(x) = L$ ", in the fact that "the function ends at the pt", and in "the function reaches its limit"

- $f(a) = L$
- As the function tends to a, $y = L$ $f(a) = L$
- A Limit helps us determine where a function moves to or ends at a differentiable pt
- As x moves towards a certain value (a) the function reaches its limit; i.e. reaches a certain point

Limit is not necessarily reached or is only reached approximately

Some statements, on the other hand, explicitly emphasize the fact that the limit either cannot be reached, or may not be reached

- As the function gets close to $x = a$ it reaches its limit and that y is approximately equal to L and very close to it
- x tends to a nb " a ", thus, y approaches the number L , but might never reach it
- Closest value of y at a certain value x

- When x tends to a number (which is a here) the function $f(x)$ tends to reach L
- The limit is the number that the function cannot reach, due to the function being undefined at this point. L represents the number that the function would have reached if it is defined at a (Figure 116)

Figure 116. Number Function cannot Reach 2

- As x becomes closer to a , $f(x)$ becomes closer to L regardless if L is reached or not, if $f(a) = L$ or not. $f(a)$ could not be defined

Procedural

Some of the students' answers reflect a procedural concern, and, either present the limit as a way for calculating the value of the function in certain conditions, or just recite rules to use in solving, as in:

- $\lim_{x \rightarrow a} f(x) = \frac{f(x) - f(a)}{x - a} = L$ = slope of the tangent to the curve at $x = 0$

If $\lim_{x \rightarrow a} f(x) = \infty \Rightarrow x = a$ is a vertical asymptote

$\lim_{x \rightarrow +/-\infty} f(x) = a \Rightarrow y = a$ is a horizontal asymptote

- The y or ordinate of the number (a) will be obtained by calc. the limit of it as x tends towards it. It might be a number or ∞

4.5.2.3 Question 3: Difficulties and Obstacles

3. Please describe in a few sentences the main difficulties and obstacles you faced while learning the concept of limits.

This question aims to explore the way students perceive the difficulties that they have faced and/or they are facing while learning and working with limits.

The analysis of students' answers allowed a classification of their views of difficulties related to learning limits in several categories. Table 9 (snap shots of students answers are found in Appendix H) shows the different categories, and students' answers that fall under each. In order to distinguish GS and LS students, the code of either one of the two sections is added to the codes of students enrolled in the corresponding section. The number between parentheses, associated to each category, is the number of students' answers falling under this category.

Table 9: *Classification of Students' Perceptions of their Difficulties*

Operations and calculations to find a limit (10)	ST8GS	<ul style="list-style-type: none">- The properties of limits (adding, dividing, multiplying)- to know the difference b/w continuous differentiable
	ST9SG	<p>Making an undetermined [sic] limit determined [sic]</p> <ul style="list-style-type: none">- multiplying by the conjugate in the denominator- simplifying
	ST5LS	<ul style="list-style-type: none">- the understanding of its use at first- the calculation of certain limits
	ST8LS	The idea of differentiable, has limit, continuous, and

		idea of calculating a limit whether to factorize, divide, or plug in numbers.
	ST11LS	The main difficulties were finding the asymptotes and first calculating the limits starting from the definition.
	ST15LS	As a beginner the main concept of limits and how we can work out some limits.
	ST16LS	The ways and methods of how to solve a limit.
	ST17LS	At the beginning, it was something new. I had difficulties in understanding the purpose behind it, and how to solve it.
	ST18LS	The concept itself was pretty self-explainable. The problem was finding limits to relatively hard functions.
	ST20LS	I never fully understood l'Hopital's rule. I know how to utilize it while solving limits but I don't know why it's there.....or I just don't remember
Indeterminate form (7)	ST3GS	Solving indeterminate form.
	ST9SG	Making an undetermined limit determined - multiplying by the conjugate in the denominator - simplifying
	ST16SG	The undetermined posts $\frac{\infty}{\infty}, \frac{0}{0} \dots$

	ST4LS	If it is an IF and I can't find the proper method to make the limit work.
	ST12LS	Dealing with the indeterminate and the function where the limit doesn't exist due to right hand side not equaling left hand side.
	ST13LS	The idea of indeterminate forms
	ST19LS	I had difficulties memorizing the IF's of limits, Also, trying to understand the concept of a function being differentiable at a point and studying it's limit was tough.
Differentiability and continuity (7)	ST5GS	When a function isn't continuous at a certain point or when it is not defined at this point.
	ST8SG	- The properties of limits (adding, dividing, multiplying) - to know the difference b/w continuous differentiable
	ST10GS	Differentiability and continuity.
	ST14GS	Absolute value and non-differentiable functions.
	ST7LS	Differentiable and continuous.
	ST8LS	The idea of differentiable, has limit, continuous, and idea of calculating a limit whether to factorize, divide, or plug in numbers.
	ST19LS	I had difficulties memorizing the IF's of limits, Also,

		trying to understand the concept of a function being differentiable at a point and studying it's limit was tough.
Meaning and purpose of limit (6)	ST2GS	I found a difficulty in knowing it's purpose or how is it used But now I know
	ST3LS	The difficulties were about the definition.
	ST5LS	- the understanding of its use at first - the calculation of certain limits
	ST14LS	What is limits, and why it is used.
	ST15LS	As a beginner the main concept of limits and how we can work out some limits.
	ST17LS	At the beginning, it was something new. I had difficulties in understanding the purpose behind it, and how to solve it.
No answer (4)	ST11GS	
	ST12GS	
	ST15SG	
	ST2LS	
Metaphysical	ST6SG	- A new idea.

aspect (4)		<ul style="list-style-type: none"> - Can't relate with examples. - No application for limits in real life
	ST1LS	<ul style="list-style-type: none"> - we can't directly understand what are we working with - sometimes, we just calculate without thinking of what are we finding whether (graphically or logically)
	ST9LS	<p>Limits is a new concept, so at first I couldn't understand why we use it and its importance and how we calculate it. And even till now I don't feel that I understand it fully.</p> <p>I remember that even when the lesson was over (last year) still didn't understand the concept clearly.</p> <p>I couldn't picture the limit in my head I couldn't visualize it when we started learning it. After using limits in other lessons I understood limits more.</p>
	ST12LS	Dealing with the indeterminant and the function where the limit doesn't exist due to right hand side not equaling left hand side.
Easy – no difficulty (3)	ST4GS	It's too easy.
	ST13GS	Nothing everything is easy
	ST10LS	What difficulties?

Asymptotes (vertical & horizontal) (2)	ST1GS	Differentiating between vertical and Horizontal asymptotes.
	ST11LS	The main difficulties were finding the asymptotes and first calculating the limits starting from the definition.
Previous knowledge (2)	ST9SG	Making an undetermined limit determined - multiplying by the conjugate in the denominator - simplifying
	ST14SG	Absolute value and non-differentiable functions.
Undefined point (1)	ST7GS	The limit of an undefined point
Infinitely small (1)	ST6LS	The idea how a pt can approach another, but never reach it.

The types of difficulties most expressed by students (ten out of 36) relate to calculations for finding limits. This may be interpreted by the emphasis that the curriculum places on procedural knowledge and computational skills.

The indeterminate form and the procedures for dealing with them, and the confusion between continuity and differentiability come next in the list of difficulties expressed (each expressed in seven out of 36 statements).

Six students expressed their confusion about the meaning of limit and its use, “the main concept”, “what is limits and why it is used?”, etc.

Four students did not answer this question, either because they could not decide on the types of difficulties they faced while learning the concept of limits or because they did not have any.

Four students related their difficulties to the metaphysical aspect of limits. They considered the concept of limit to be a new idea and that it is hard to understand its usage and importance. One student could not relate the concept with examples, another student could not visualize the concept in his/her head, a third could deal with non-existing limit, and the fourth calculated the limits “without thinking of what are we finding whether (graphically or logically)”.

Three students considered that the concept was easy and that they did not face any difficulties.

Two students had problems with asymptotes, finding them and differentiating between horizontal and vertical ones.

Two students had difficulties related to previous knowledge such as: multiplying by the conjugate in the denominator, simplifying, and absolute values.

Only one student found it hard to deal with “the limit of an undifined point’.

Finally, only one student had difficulties with “the idea how a point can approach another, but never reach it” which is directly related to understanding the notion of infinitely small numbers.

In conclusion, based on the analysis of the three questions of the questionnaire, the following were noticed.

First, based on the analysis of the first question, most students (GS and LS) perceive the limit as a number that can never be reached overlooking the possibility of infinity. This reveals that students still do not fully understand the concept even after one whole year of dealing with the concept and using it.

The use of certain verbs (by both, GS and LS students) in answering the second question such as: “moves toward”, “approaches”, “get closer to” and “tend to” is a solid proof of the previous idea. Although that is true, some important difference between students in both tracks should be highlighted. LS students’ statements include more instances of graphical connections than GS students’, whose statements are more formal and symbolic. Moreover, LS students’ answers are more explanatory and long compared to the GS students’ answers which are mostly short and straight to the point. For these reasons LS students’ answers for question 2 needed to be analyzed further.

The analysis of students’ answers in the LS track show flawed use of the mathematical language that reflect serious confusions and misconceptions, mostly related to their knowledge of functions, the relationships between functions and their graphs, the concepts of variable and function, etc.

Moreover, their answers reveal a variety of substitute meanings ascribed to the concept of limit some of which are: that the function “reaches its limit”, the limit is a

value at which the function “ends”, the limit is the “number that the function cannot reach” because the function is not defined at that point, and the limit is found using a more procedural way, as a way for finding an approximate value of the function when we cannot calculate the exact value.

In addition, concerning the notion of whether a limit is reached or not, two main ideas were revealed in the answers of LS students: limit is the value of the function at the specific point and limit is not necessarily reached or is only reached approximately.

Finally, some of the students’ answers, LS, reflect a procedural concern, and, either present the limit as a way for calculating the value of the function in certain conditions, or just recite rules to use in solving.

As for the third question of the questionnaire (question 3) which aims to explore the way students perceive the difficulties that they have faced and/or they are facing while learning and working with limits, the analysis of students’ answers reveals the following categories of difficulties related to learning limits:

- Operations and calculations to find a limit (10 students)
- Indeterminate form (7 students)
- Differentiability and continuity (7 students)
- Meaning and purpose of limit (6 students)
- Metaphysical aspect (4 students)
- Asymptotes (vertical & horizontal) (2 students)
- Previous knowledge (2 students)
- Undefined point (1 student)
- Infinitely small (1 student)

CHAPTER FIVE

CONCLUSIONS AND RECOMMENDATIONS

This chapter consists of five parts. The first part summarizes all the answers to the research questions acquired from the analysis of the Lebanese National Curriculum and the textbook chapter on limits used for grade 11 scientific track, the class observations, the formative tests (Test1 and Test2) prepared by the teacher, and the post-test and questionnaire prepared by the researcher. The second part connects the results of the study with the literature, while the third discusses the limitations of this study. The fourth part presents some recommendations for teaching and learning limit, while the fifth discusses some perspectives for further research.

5.1 Discussion According to the Research Questions and Relation to Literature

This study aimed to examine how the concept of “limit of a function” is presented and developed in the Lebanese National Curriculum and textbooks versus its actual presentation and development in the classroom. The second purpose was to investigate the types of difficulties/obstacles that Lebanese high school students face while learning limits of functions. In addition, it aimed to explore how students perceive the concept of limit and describe their difficulties regarding this concept.

5.1.1 Research question 1

How is the concept of “limit of a function” presented and developed in the Lebanese National Curriculum and textbooks?

The analysis of the curriculum and textbook reveals how the concept of “limit of a function” is presented and developed throughout these two documents and the effect that this might have on creating difficulties for students while learning the concept. According to Barbe, Bosch, Espinoza, and Gascon (2005), some obstacles that students face while learning the concept of limits emerge due to the way mathematical knowledge is planned to be taught in textbooks official syllabi. Two basic restrictions are associated with such obstacles: Didactic restrictions and restrictions related to mathematical knowledge and the way it is presented in official syllabi and textbooks as well as the way it is taught in classrooms.

The analysis of the curriculum in section 4.2 reveals a big gap between grades 10 and 11 which might be the cause for several types of difficulties that students will face while learning the concept of limits. Grade 10 calculus content is limited to few concepts and skills that are not enough to create a solid basis for grade 11. Students in grade 11 have to learn many new concepts before being able to proceed to the concept of limits. This might create ambiguity and cause difficulties for students.

The analysis of the textbook in section 4.2 reveals several reasons for potential difficulties that students might face while learning the concept of limits. The descriptive analysis of the chapter on limits reveals several problems that might lead to difficulties.

The first problem is related to the activities and questions asked in the “preliminary activities” section of the chapter which is supposed to detect the gaps in students’ previous knowledge. The types of activities and questions used are limited to one aspect (functions) and have no discussion or explanation of the results. This concentration on one aspect in this section makes it hard to detect all the possible gaps in

students' previous knowledge and cover them before proceeding to the new concept of limits. Not having a solid basis of previous knowledge will result in several difficulties that hinder students' understanding of the concept of limits.

The second problem is related to the order of the sub-sections in the "Course" section of the chapter. Some sub-sections (6-behavior of a polynomial function at infinity, 7- limit at infinity of a rational function, and 2-limits of a function at infinity) are related to each other and it would have been better to have them more connected and adjacent. Furthermore, sub-section 10 (operations on numerical functions) is placed at the end of the "Course" section, although it is a pre-requisite to the concept of limits and should have been at the beginning. Without mastering these operations early enough, students will not be able to properly develop the concept of limits.

The third problem is related to the development of the concept throughout the "Course" section of the chapter. In some sub-sections the information included is either not clear or too short and need further explanation and discussion. In other sub-sections not enough examples are given to cover all possible cases of limits. Moreover, some sub-sections only include facts and draw conclusions out of these facts with no explanation. This makes it hard for students to understand these facts and might lead them to simply memorize the facts given. The above statements clearly show that the way the concept is developed throughout the "Course" section of the chapter might be a cause for creating some difficulties for students (D1, D2, D6, and D7).

The analytical analysis of the textbook shows many sources of difficulties mainly related to the following: the notion of the infinitely large and infinitely small (D2), the

metaphysical aspect of the notion of limit (D3), the dilemma whether the limit is attained or not (D4), and the failure to link geometry with numbers (D7).

The way the sub-sections in the “Course” section approach the notion of infinity by strictly stating facts and using procedures to solve limits including this notion, without even explaining the meaning of infinity or relating it to limits, is a main source of difficulties for students (D2, D3). Moreover, the “Course” section merely states the different cases of limits and without the help of examples (although they do not cover all cases) students are not able to see how calculations are performed in order to find limits. No discussion or explanation of the different examples is made. This might create some difficulties for students, especially when dealing with some cases that are hard to understand (D2, D3), such as cases that include infinity and Indeterminate Forms.

According to Tall (1992b), the concept of “limit of a function” generates several cognitive difficulties some of which are related to: The difficulty of understanding the concept of infinite numbers and infinitesimal concepts as well as the confusion that arises when passing from finite to infinite and understanding what occurs at infinity.

Another source of difficulty is mainly related to the dilemma of whether the limit is attained or not (D4). The use of some statements in the text such as “ $f(x)$ tends to” as well as the use of the “ $\rightarrow$ ” symbol as an alternative for “tends to” gives students an idea that limits cannot be reached. On the other hand the use of the “=” sign and its meaning in students’ minds gives a different impression that the limit is attained and has a finite value.

The same applies for the graphical representation of the different cases of limits. The use of arrows (Figure 7 for example) shows that the function approaches a certain

value but never actually reaches it (D7). This contradiction creates ambiguity in students' minds, hence creating some difficulties for them to understand the concept of limits (D4, D7).

Another source of difficulty is that students are prone to over-generalize some case, especially when very few examples are given which do not cover all different cases (Using Figure 7 as the only example to introduce the concept of limits, D4, D7).

Another source of difficulties is mainly related to linking geometry with numbers or graphical representations to symbolic ones (D7). The analytical analysis of the textbook shows several instances where the combination of graphs and symbols might create difficulties for students. Tall (1992b) and Dreyfus (1991) believe that flexibly using various approaches such as visual, symbolic, and numeric helps students to be more successful in solving limit related questions. However, most teachers adopt symbolic and numeric approaches rather than a visual approach due to the way the concept has been taught over the years. Students are also reluctant to use the visual approach although the usage of visual representations can make solving certain problems much easier.

In most parts of the chapter that contain both types of representations, no connection is made between the graphs and the text associated with it. Students and teachers have to figure out these connections on their own. The same applies to connecting graphical and symbolic representations from different sub-sections. Being able to compare different cases graphically and symbolically helps students in understanding the concept of limits. Unfortunately, there are no connections between the different sub-sections, fact that might obstruct students' understanding of the concept (D7).

Moreover, the lack of using both types of representation in the majority of the sub-sections (either numeric representations or graphic representations are exclusively used) creates a barrier for students' ability to make connections and transfers from one type of representation to another (D7). These connections and transfers are essential for the understanding of the concept of limits. The "Course" section includes many examples that show students how to procedurally find limits, which might lead students to memorize or over-generalize such procedures, instead of creating conceptual understanding. Graphs in this case would have helped in overcoming such a difficulty (D7). Moreover, when dealing with asymptotes (D2) or the behavior of a polynomial function at infinity (D1, D2), the use of graphs can help students visualize the notions better (D7). The text used to explain these notions is not clear on its own and might be confusing to the students. In most cases, it does not provide any justification or validation of the fact but just states it as something that should be admitted with no questioning. Although the included examples help in explaining the facts further, the usage of graphs is essential in order to eliminate ambiguities caused by the text (D7).

5.1.2 Research question 2

How is the concept of "limit of a function" actually presented and developed in the classroom?

The analysis of the observation log in the previous chapter section 4.3, shows many instances that might cause difficulties for students while learning the concept of limits. The first instance is related to the use of the mathematical and symbolic tools that have different meaning with limits than they used to have with previous concepts (D1). Some examples are the use of "=" sign as well as "+" and "-" signs. Sierpinska (1987)

believes that the use of “equal” sign that comprises the symbolism in limits, creates a structural problem related to the construction of a formula. Since the “equal” sign used with limits is not used in the same sense as in any equation or formula.

Based on students’ previous knowledge, the “=” sign means a finite value. When they start to deal with limits the meaning of the “=” sign starts to shift into a more abstract one. When used with limits, “=” sign becomes a symbol that represents statements such as “tends to” and “approaches”. For example, when we say that $f(x) = 3$ when $x = 2$ it means that the value of the function is exactly 3 when x is 2 and $x = 2$ belongs to the domain of definition of the given function. Whereas, when we say that $\lim_{x \rightarrow 2} f(x) = 3$ the value of the function might be very close to 3 but not exactly 3, and the given x might not even belong to the domain of definition of $f(x)$.

As for the use of “+” and “-” signs in cases such as 4^+ or 4^- , the use of this symbol is unlike its use in the algebra context, whereby the same symbolic representation is sometimes used to introduce the signed numbers, which makes it prone to confusion. In that context, 4^- for example, used to signify negative 4 or -4.

A second instance has to do with the confusion that might happen due to the passage from finite to infinite, hence understanding ‘what occurs *at infinity*’ which might explain why the “indeterminate form” is so vague (D2).

A third instance has to do with dealing with infinity, dividing by zero and the long process that is used to solve limits (D3). Dealing with the first two notions in relation with limits creates a perception in the students’ minds that this is not Mathematics, since the idea used to be rejected before in their opinion (D3). Dealing with the long process is a bit abstract for students, especially when the result in some cases is

“limit does not exist” (D3). Pehkonen, Hannula, Maijala, and Soro (2006) consider infinity as an inspiring but rather difficult concept for both mathematicians and students. Since the infinity concept is directly related to the concept of limits, any misconception of the former concept can hinder proper understanding of the latter one.

A fourth instance has to do with whether the limit is attained or not. Throughout the class observations, this instance is not clear. To the students it is intriguing that when a variable is approaching a number; the difference between them is disappearing, on the point of vanishing (D4). The extent to which this difference is disappearing is not clear (D4).

A fifth instance has to do with using certain terminology without clearly explaining the meaning of that terminology which might create some uncertainty in the students' minds. One example is the use of “positive sense” in exchange for “increasing sense” to show what the arrows mean on the axis of orthonormal system (D5).

A sixth instance has to do with the use of procedural methods to find limits. Since most of the time students cannot participate in deciding on the conventional symbolism and are hesitant to use the visual approach, the teacher ultimately had to choose the use of procedural methods over conceptual understanding (D6). Sometimes teachers opt for the procedural approach to save time and effort, or because they lack knowledge and/or skills of more active learning methods. Cottrill, Dubinsky, Nichols, Schwingendorf, Thomas, and Vidakovic (1996) consider that in order to learn the concept of “limit of a function” an explorative approach should be used starting with the use of tables, which include the values of a function, and graphs and later with the use of entities that can be expressed symbolically.

A seventh instance has to do with the transfer from geometrical or graphical figures to numerical and symbolic interpretation. The observation log shows few cases where there is a smooth transfer from graphical representations into symbolic ones. One example is the discrepancy in the way a piece-wise function is defined symbolically (vertically aligned per sub-domain) versus graphically (horizontally aligned), which could create some confusion in the students' minds (D7). Hiebert and Carpenter (1992) as well as Dreyfus (1991) believe that individuals can better understand any mathematical concept through creating more connections between mental representations.

5.1.3 Research question 3

What types of difficulties/obstacles do Lebanese secondary students face while learning limits of functions?

The results (section 4) of the analysis of the observation log, formative tests (Test1 and Test2), and the post-test reveal the main difficulties that students face while learning the concept of limits. The main detected difficulties that are common to all four are:

(D1) Insufficiency of simple arithmetic or algebra and shift in symbolism, particularly (d1) algebra and arithmetic are not enough anymore, (d2) sometimes algebra and arithmetic cannot even be used, otherwise they would lead to errors. The concept of limit requires a type of calculation that may counter simple algebra and arithmetic, (d3) concepts related to infinity arise and the whole context becomes 'surrounded in mystery', and (d6) resolving an indeterminate form to obtain a finite object. Tall (1993) considers that the concept of limits requires a type of calculation that cannot be performed using

simple algebra and arithmetic. It also includes infinite processes that can only be performed using indirect arguments (Tall, 1992b).

(D2) The notion of the infinitely large and infinitely small, particularly (d4) the process of ‘a variable getting arbitrarily small’ is often interpreted as an ‘arbitrarily small variable quantity’, implicitly suggesting infinitesimal concepts, even when these are not explicitly taught, (d5) likewise, the idea of ‘N getting arbitrarily large’, implicitly suggests conceptions of infinite numbers, and (d6) there is confusion over the passage from finite to infinite, in understanding ‘what occurs at infinity’. According to Tall (1992b) the concept of limits includes infinite processes that can only be performed using indirect arguments.

(D3) The metaphysical aspect of the notion of limit, particularly (d1) the belief that it is not really mathematics, (d2) limit cannot be calculated directly using familiar methods, (d3) dealing with limit related problems is not a rigorous process, and (d4) the concept of limit is very abstract. Juter (2007) considers that understanding the “termination of an infinite procedure as a finite object” is challenging to individuals and hard to understand.

After the introduction of the concept of limits, the algebraic and arithmetic procedures that students used to solve mathematical problems stop being enough. The concept of limit requires new types of calculations and procedures (removing the indeterminacy, rationalizing, dividing by a power of x , etc). The “=”, “+”, and “-” signs with limits shift their meanings from what they used to signify. Dealing with Indeterminate Forms, notion of infinity, and continuity of functions change students’ perspective of the nature and identity of Mathematics.

(D7) The failure to link geometry with numbers (particularly (d1) often there is no transfer between geometrical-graphical figures and a purely numerical interpretation and (d2) the geometrical-graphical interpretation, and its success in resolving pertinent problems, is seen to cause an obstacle which prevents the passage to the notion of a numerical limit) is a difficulty detected in three of the four analyses mentioned above; observation log, Test2, and post-test. The analysis shows that students face many problems reading graphs in order to find limits. Several instances of the difficulty of finding the limits of a piece-wise function from graphs are noticed in the analysis. This also applies to asymptotes and different types of functions. According to Cornu (1991), one of the main epistemological obstacles has to do with the failure to link numbers with geometry.

(D10) Prerequisite knowledge of topics related to the concept of “limit of a function” (particularly (d3) solving equations and inequalities, (d4) dealing with variables, (d5) factoring, (d6) dealing with radicals, (d8) absolute values, (d9) Fractions, and (d10) equation of a straight line) is a difficulty detected in three of the four analyses mentioned above; Test1, Test2, and post-test. The analysis shows several instances of mistakes related to solving equations and inequalities, which are directly related to the mentioned difficulty. Other instances have to do with dealing with variables, factoring, radicals, powers, absolute values, fractions, and equation of a straight line.

(D9) Lack of knowledge of the notion of function (particularly (d1) understanding the concept of limit depends to a great extent on the understanding of the concept of a function, (d5) in the case of a piece-wise function, the different equations representing f are always vertically aligned per sub-domain, whereas the graphs they represent are

horizontally aligned) is a difficulty detected in two of the four analyses mentioned above; Test1 and post-test. Understanding the concept of limit depends to a great extent on the understanding of the concept of a function. The analysis reveals several instances of mistakes related to this difficulty. Mistakes with finding the value of a function at a given point, identifying the domain and range of a function, choosing the correct side of a piece-wise function, and many other instances related to the concept of a function are identified in the analysis. Tall (1992b) believes that difficulties can emerge due to students' inability to understand functions which occurs when students are faced by problems a bit past their usual experiences such as in finding limits.

The following difficulties: (D4) Is the Limit attained or not?, (D5) Difficulties embodied in the language, and (D6) Teaching approach and use of representations, are only identified in the class observations, since they are mostly related to the way the concept is presented in the classroom.

5.1.4 Research question 4

How do students perceive the concept of limit and describe their difficulties regarding this concept?

Students' perception of the concept of limits can be clearly detected from the class observation analysis and the questionnaire analysis. Both analyses show that students and based on their previous knowledge consider that working with limits is not Mathematics. In their opinion this is mainly because operating with infinity or dividing by zero, is completely rejected by "exact" mathematics.

The questionnaire analysis of Question 1 reveals that statement 1: "A limit describes how a function moves as x moves toward a certain point", is the most adopted

statement by students (GS and LS tracks) among the six given. This choice shows that students try to overlook infinity as a possible limit for either, or both of the variable and function maybe due to the complexity of the notion of infinity.

The second dominating statement differs between the students in the two tracks, GS and LS. As for the GS students' choice of statement 3 "A limit is a number that the y-values of a function can be made arbitrarily close to by assigning specific numbers to the x-values", it shows that their perception of the limit is that it is a number that the y-values of a function can get close to but cannot reach for specific numbers of x-values. Again here the possibility of infinity is ignored. As for the LS students' choice of statement 4 "A limit is a number or point the function gets close to but never reaches", it reveals the same idea as the previous one with an addition of a graphical perception due to the use of the word "point". The value of x in this statement is totally ignored which might imply that students do not know exactly how this value is related to the limit. This perception that the limit is never reached is also evident in the class observation analysis of "Is the limit attained or not?"

The third-preferred statement, Statement 6 "A limit is determined by plugging in numbers closer and closer to a given number until the limit is reached", reveals the opposite of the previous ones in the sense that students perceive the limit as being reached. This statement does not explain where the numbers should be plugged or relate the limit whatsoever with functions.

Statements 5, "A limit is an approximation that can be made as accurate as you wish" which was chosen by students second to least, show that students perceive limit as

an approximation that they can manipulate as they wish in order to fit their needs. The statement itself is ambiguous and does not relate in any way to limits.

Statement 2, “A limit is a number or point past which a function cannot go”, which was the least preferred statement, shows that students perceive limits as they understand the English meaning of the word “past which a function cannot go”.

The questionnaire analysis of Question 2, “Please describe in a few sentences what you understand a limit to be. That is, describe what it means to say that the limit of a function f as $x \rightarrow a$ is some number L .”, shows different perceptions of the concept of limit.

Students’ understanding of limit appears to be structured and almost uniform. The different verbs used by students reflect different conceptions of functions and of limits. For example, the verbs “moves toward”, “approaches”, “get closer to”, “tend to” provide a dynamic nature to the variable and the function. It also reflects the idea that x and / or $f(x)$ may not get equal to the values they are tending to. Such a conception is different from the one reflected by verbs such as “reaches”, “becomes”, “is”, which reflect a more static conception, while at the same time expressing the fact that the variable and/or function may be equal to the values they are tending to.

The questionnaire analysis of Question 3, “Please describe in a few sentences the main difficulties and obstacles you faced while learning the concept of limits.”, aims to explore the way students perceive the difficulties that they have faced and/or they are facing while learning and working with limits.

The analysis of students’ answers reveals the following categories of difficulties related to learning limits:

- Operations and calculations to find a limit (10 students)
- Indeterminate form (7 students)
- Differentiability and continuity (7 students)
- Meaning and purpose of limit (6 students)
- Metaphysical aspect (4 students)
- Asymptotes (vertical & horizontal) (2 students)
- Previous knowledge (2 students)
- Undefined point (1 student)
- Infinitely small (1 student)

5.2 Limitations of the Study

There are few limitations to this study. The first limitation relates to the small number of participants since only one class in grade 11 (24 students) and two classes in grade 12 (36 students) are chosen due to the limited access to schools. The participants are conveniently selected from one school that adopts a Lebanese program, thus they are not considered a representative sample of all students in all schools in Lebanon.

Moreover, the qualitative nature of the study creates another limitation since any qualitative study is prone to the interference of the personal opinion of the researcher. However, many measures were taken to reduce this risk, among which the triangulation of data obtained from different sources.

5.3 Recommendations for Teaching and Learning Limits

The concept of limits of functions is a major concept in mathematics in general and calculus in particular. The way this concept is taught and learned is essential in order to create a solid basis for learning other mathematical concepts in general and calculus

concepts in particular. Moreover, it is an important concept for other disciplines such as physics and economics. Based on the importance of this concept and the results of the study, some recommendations for teaching and learning limits are given below.

The first recommendation is for teachers and curriculum developers to rethink the curriculum and textbooks in order to achieve a conceptual understanding of the concept and its application in mathematics, as well as other disciplines, i.e. assess the need for changes, extra activities and look for other resources.

The second recommendation is to create a suitable learning context through designing problem situations to understand and apply the concept of “limit of a function”.

Moreover, a third recommendation relates to the teaching strategies used in the classroom. The use of different teaching strategies and methods can help students in better understanding and learning the concept. A mixture of different representations, technology, and real life cases can promote a better understanding of the concept.

5.4 Perspectives for Further Research

Since few research studies have been conducted in Lebanon and the Arab region on such an important topic, this study will help in creating a base line for conducting further research on the topic in Lebanon.

One suggestion might be to conduct future studies with a bigger sample of participants which might help in better generalization of the results. Another suggestion is to revise the formative tests used (especially Test1) so that they become less procedural and be able to uncover conceptual understanding. A third suggestion is to perform some clinical interviews that will help uncover students’ conceptual understanding and concept

images. A fourth suggestion is to conduct studies on concepts related to limits such as derivatives, differentiation, areas, etc.

References

- Arnon, I., Cottrill, J., Dubinsky, E., Oktac, A., Fuentes, S. R., Trigueros, M., & Weller, K. (2014). *APOS Theory: A framework for research and curriculum development in mathematics education*. doi: 10.1007/978-1-4614-7966-6_12
- Artigue, M. (1992). Analysis. In D. Tall (Ed.), *Advanced mathematical thinking* (pp. 167-198). Dordrecht, the Netherlands: Kluwer Academic.
- Asiala, M., Brown, A., DeVries, D., Dubinsky, E., Mathews, D., & Thomas, K. (1996). A framework for research and curriculum development in undergraduate mathematics education. *Issues in Mathematics Education*, 6, 1–32.
- Bagni, G. T. (2005). The historical roots of the limit notion: Cognitive development and the development of representation registers. *Canadian Journal of Science, Mathematics and Technology*, 5(4), 454-468.
- Barbé, J., Bosch, M., Espinoza, L., & Gascón, J. (2005). Didactic restrictions on the teacher's practice: The case of limits of functions in Spanish high schools. *Educational Studies in Mathematics*, 59, 235–268.
- Bartolini Bussi, M. G., & Sierpiska, A. (2000). The relevance of historical studies in designing and analyzing classroom activities. In J. Fauvel & J. VanMaanen (Eds.), *History in mathematics education: The ICMI study* (pp. 154–161). Dordrecht, the Netherlands: Kluwer Academic.
- Beth, E. W., & Piaget, J. (1974). Mathematical epistemology and psychology (W. Mays, Trans.). Dordrecht, the Netherlands: D. Reidel.
- Bosch, M., Chevallard, Y., & Gascón, J. (2005, February). "Science or magic?" The use of models and theories in didactics of mathematics. *4th Congress of the European society for research in mathematics education*. SantFeliu de Guixols, Spain. Retrieved from <http://cerme4.crm.es/Papers%20definitius/11/Bosch%20Chevall.pdf>
- Cornu, B. (1981). Apprentissage de la notion de limite: Model espontanes et model espropres. *Proceedings of the Fifth Conference of the International Group for the Psychology of Mathematics Education*, (pp. 322-326). Grenoble, France.
- Cornu, B. (1991). Limits. In D. Tall (Ed.), *Advanced mathematical thinking* (pp. 153-166). Dordrecht, the Netherlands: Kluwer Academic.
- Cottrill, J., Dubinsky, E., Nichols, D., Schwingendorf, K., Thomas, K., & Vidakovic, D. (1996). Understanding the limit concept: Beginning with a coordinated process schema. *Journal of Mathematical Behavior*, 15, 167-192.

- Davis, R. B., & Vinner, S. (1986). The notion of limit: Some seemingly unavoidable misconception stages. *Journal of Mathematical Behavior*, 5, 281-303.
- Dreyfus, T. (1991). Advanced mathematical thinking processes. In D. Tall (Ed.), *Advanced mathematical thinking* (pp. 25–41). Dordrecht: Kluwer Academic Publishers.
- Dubinsky, E. (1984). The cognitive effect of computer experiences on learning abstract mathematical concepts. *Korkeakoulujen Atk-Uutiset*, 2, 41–47.
- Dubinsky, E. (1991). Reflective abstraction in advanced mathematical thinking. In D. Tall (Ed.), *Advanced mathematical thinking* (pp. 95–126). Dordrecht: Kluwer Academic Publishers.
- Dubinsky, E. (2000). A theory-based approach to help students learn post-secondary mathematics: The case of limits. *Research Reports in Mathematics Education* (pp. 1–18). Umea University.
- Dubinsky, E., & McDonald, M. D. (2001). APOS: A constructivist theory of learning in undergraduate mathematics education research. In D. Holton (Ed.), *The teaching and learning of mathematics at university level: An ICMI study* (pp. 275–282). Kluwer: Dordrecht.
- Dubinsky, E., Weller, K., McDonald, M. A., & Brown, A. (2005). Some historical issues and paradoxes regarding the concept of infinity: An APOS analysis: Part 2. *Educational Studies in Mathematics*, 60, 253–266.
- Ervynck, G. (1988). Conceptual difficulties for first year university students in the acquisition of the notion of limit of a function. In L.P. Mendoza & E.R. Williams (Eds.), *Canadian mathematics education study group. Proceedings of the Annual Meeting* (pp. 330-333). Kingston, Ontario: Memorial University of Newfoundland.
- Ferrini-Mundy, J., & Lauten, D. (1993). Teaching and learning calculus. In P. S. Wilson (Ed.), *Research ideas for the classroom: High school mathematics* (pp. 155–176). New York: Macmillan.
- Furinghetti, F., & Radford, L. (2002). Historical conceptual developments and the teaching of mathematics: From phylogenesis and ontogenesis theory to classroom practice. In L. English (Ed.), *Handbook of international research in mathematics education* (pp. 631–654). Mahwah, NJ: Lawrence Erlbaum Associates, Inc.
- Grugnetti, L. & Rogers, L. (2000). Philosophical, multicultural and interdisciplinary issues. In J. Fauvel & J. van Maanen (Eds.), *History in mathematics education: The ICMI study* (pp. 39-62). Dordrecht. The Netherlands: Kluwer Academic.

- Gray, E., & Tall, D. O. (1994). Duality, ambiguity and flexibility: A proceptual view of simple arithmetic. *Journal for Research in Mathematics Education*, 26, 115–141.
- Hardy, N. (2009). Students' perceptions of institutional practices: the case of limits of functions in college level Calculus courses. *Educational Studies in Mathematics*, 72, 341–358. doi: 10.1007/s10649-009-9199-8
- Hiebert, J., & Carpenter, T. P. (1992). Learning and teaching with understanding. In D. A. Grouws (Ed.), *Handbook of research on mathematics teaching and learning* (pp.65–97). New York: Macmillan.
- Juter, K. (2005). Students' attitudes to mathematics and performance in limits of functions. *Mathematics Education Research Journal*, 17(2), 91-110.
- Juter, K. (2007). Students' conceptions of limits: High achievers versus low achievers. *The Montana Mathematics Enthusiast*, 4(1), 53- 65.
- Katz, V. (1998). A history of mathematics: An introduction (2nd ed.). Reading, MA: Addison–Wesley.
- Ministry of Education & ECRD (1997). Mathematics curricula. In General education curricula and their objectives. Decree n° 10227 (pp. 287-327). Lebanon: Ministry of Education and Educational Center for Research and Development.
- Monaghan, J. (1991). Problems with the language of limits. *For the Learning of Mathematics*, 11(3), 20-24.
- Moru, E. K. (2008). Epistemological obstacles in coming to understand the limit of a function at undergraduate level: A case from the National University of Lesotho. *International Journal of Science and Mathematics Education*, 7, 431 – 454.
- Pehkonen, E., Hannula, M. S., Maijala, H., & Soro, R. (2006). Infinity of numbers: How students understand it. *Proceedings 30th Conference of the International Group for the Psychology of Mathematics Education: Vol. 4*, (pp. 4-345). Prague: PME.
- Piaget, J. (1970). *Structuralism*. (C. Maschler, Trans.). New York, NY: Basic Books.
- Piaget, J. (1972). Intellectual evolution from adolescences to adulthood. *Human Development*, 15, 1–12.
- Piaget, J. (1975). Piaget's theory (G. Cellerier & J. Langer, trans.). In P.B. Neubauer (Ed.), *The process of child development* (pp. 164–212). New York: Jason Aronson.
- Piaget, J. (1985). The equilibration of cognitive structures. (T. Brown & K. J. Thampy, Trans.). Cambridge, MA: Harvard University Press.

- Roh, K.H. (2008). Students' images Sequence. *Educational Studies in Mathematics*, 69(3), 217-233
- Roh, K.H. (2010). How to help students conceptualize the rigorous definition of the limit of a sequence. *PRIMUS*, 20(6), pp. 473–487. doi:10.1080/10511970802441704
- Sfard, A. (1991). On the dual nature of mathematical conceptions: Reflection on processes and objects as different sides of the same coins. *Educational Studies in Mathematics*, 22, 1-36.
- Sierpinska, A. (1987). Humanities students and epistemological obstacles related to limits, *Educational Studies in Mathematics*, 18, 371-397.
- Szydlik, J.E. (2000). Mathematical beliefs and conceptual understanding of the limit of a function. *Journal for Research in Mathematics Education*, 31(3), 258-276.
- Tall, D. (1980). Mathematical intuition, with special reference to limiting processes. *Proceedings of the Fourth International Conference for the Psychology of Mathematics Education* (pp.170-176).
- Tall, D. (1990). Inconsistencies in the learning of calculus and analysis. *Focus*, 12(3&4), 49-63.
- Tall, D. (1992a). The transition to advanced mathematical thinking: functions, limits, infinity, and proof. In D. A. Grouws (Ed.), *Handbook of research on mathematics teaching and learning*, 495–511. New York, NY: Macmillan.
- Tall, D. (1992b). Students' Difficulties in Calculus. *Proceedings of Working Group 3 on Students' Difficulties in Calculus, ICME-7* (pp. 13–28), Québec, Canada. ISBN 2 920916 23 8.
- Tall, D. (2004). Thinking through three worlds of mathematics. In M. Johnsen Høines & A. B. Fuglestad (Eds.), *Proceedings of the 28th Conference of the International Group for the Psychology of Mathematics Education* (pp. 281-288). Norway, Bergen: Bergen University College.
- Tall, D., & Vinner, S. (1981). Concept image and concept definition in mathematics with particular reference to limits and continuity. *Educational Studies in Mathematics*, 12, 151-169.
- Williams, S. R. (1991). Models of limit held by college calculus students. *Journal for Research in Mathematics Education*, 22, 219-236.

APPENDICES

Appendix A: Test1

Name: _____
Grade: 11(B)

Date: 27/10/2011
Duration: 20 min

Applying Mathematical Knowledge

Question I

Consider the function f defined by

$$f(x) = \begin{cases} \frac{2x-2}{(5x-2)(x-1)} & \text{if } x < 2 \text{ and } x \neq 1 \\ \frac{x^2-3x+5}{x-5} & \text{if } x > 2 \text{ and } x \neq 5 \end{cases}$$

and designate by (C) its representative curve.

- A) Does (C) admit the straight line (D) of equation $x = 1$ as a vertical asymptote ? Justify.
- B) Show that the straight line of equation $x = 5$ is an asymptote to (C) .
- C) How many horizontal asymptotes does (C) have ? Justify.

Question II

Calculate the following limits :

A) $\lim_{x \rightarrow 1} \frac{\frac{1}{1+x} - \frac{1}{2}}{x-1}$.

B) $\lim_{x \rightarrow +\infty} \frac{\sqrt{x^2-5x}}{2x+3}$.

C) $\lim_{x \rightarrow -5} f(x)$ where $f(x) = \begin{cases} 2x^2 - 49 & \text{if } x \in]-\infty, -5] \\ 2^{x+4} & \text{if } x \in]-5, +\infty[\end{cases}$

D) $\lim_{x \rightarrow 4} \frac{(x+1)^2-25}{x-4}$.

Question III

Determine $f(9)$ so that the function f defined by $f(x) = \frac{x-9}{\sqrt{x}-3}$ would be continuous at $x = 9$.

Appendix B: Test2

Name: _____

Date: 21/11/2011

Class: Grade 11 (A&B)

Duration: 100 min

Question I *Applying Mathematical Knowledge and Skills*

- A) Consider the function f defined by $f(x) = \frac{1-\sqrt{3x+1}}{2x}$. Does the curve of f admit the y-axis as a vertical asymptote? Justify your answer.

Question II *Applying Mathematical Knowledge and Skills* *Applying Mathematical Communication* *Applying Mathematical Reasoning*

Use the above representative curve of a function f to answer the following questions.

- A) Determine $\lim_{x \rightarrow -4^-} \frac{f(x) - f(-4)}{x + 4}$ and $\lim_{x \rightarrow -4^+} \frac{f(x) - f(-4)}{x + 4}$.

Question III

Applying Mathematical Knowledge and Skills
Applying Mathematical Communication
Applying Mathematical Reasoning

Consider the function f defined over $] -\infty, +\infty[$ whose representative curve (C) is shown above. (D) is an asymptote to (C) and (T) is the tangent to (C) at the point of abscissa 3.

Part I

A) Determine $\lim_{x \rightarrow -\infty} f(x)$ and $\lim_{x \rightarrow +\infty} f(x)$.

Part II

B) Let g be the function defined over $] -\infty, +\infty[$ by

$$g(x) = \begin{cases} \frac{x^2 + 4x + 4}{x^2 + 1} & \text{if } x \leq 3 \\ x^2 - 2x + \alpha & \text{if } x > 3 \end{cases} \quad \text{where } \alpha \text{ is a real number.}$$

Determine α so that g is continuous at $x = 3$.

Question IV *Applying Mathematical Knowledge and Skills*
Applying Mathematical Communication
Applying Mathematical Reasoning

Consider the function f defined over $] \infty, +\infty[$ by $f(x) = \frac{24}{x^2+4}$.

- A) Calculate $\lim_{x \rightarrow -\infty} f(x)$ and $\lim_{x \rightarrow +\infty} f(x)$. Give a graphical interpretation.

Appendix C: Post-test

Question I

Answer by True or False and justify your answer. (10 min.)

1. For any polynomial function defined by $p(x)$, and for any real number a , $\lim_{x \rightarrow a} p(x)$ is always equal to $p(a)$. $\lim_{x \rightarrow a} p(x) = p(a)$
2. The curve of a rational function may cross its vertical asymptote.
3. The curve of a function may cross its horizontal asymptote.
4. If a function f is not defined at $x = a$ then the $\lim_{x \rightarrow a} f(x)$ never exists.
5. If the $\lim_{x \rightarrow a} f(x)$ and the $\lim_{x \rightarrow a} g(x)$ exist, then $\lim_{x \rightarrow a} \frac{f(x)}{g(x)} = \frac{\lim_{x \rightarrow a} f(x)}{\lim_{x \rightarrow a} g(x)}$
6. If $\lim_{x \rightarrow a^+} f(x) = L1$, $\lim_{x \rightarrow a^-} f(x) = L2$, then $\lim_{x \rightarrow a} f(x)$ exists only if $L1 = L2$.

Question II

Each of the following questions has one correct answer. Choose the correct answer and justify your choice. (28 min.)

7.

If $f(x) = x^3 + 3x^2 + 4x + 5$ and $g(x) = 5$, then $g(f(x)) =$

- (A) $5x^2 + 15x + 25$ (B) $5x^3 + 15x^2 + 20x + 25$ (C) 1125
(D) 225 (E) 5

8. If $f(x_1) + f(x_2) = f(x_1 + x_2)$ for any real numbers x_1 and x_2 , which of the following could define f ?

- (A) $f(x) = x + 1$ (B) $f(x) = 2x$ (C) $f(x) = \frac{1}{x}$ (D) $f(x) = e^x$ (E) $f(x) = x^2$

9. If the domain of the function f given by $f(x) = \frac{1}{1-x^2}$ is $\{x : |x| > 1\}$, what is the range of f ?

- (A) $-\infty < f(x) < -1$ (B) $-\infty < f(x) < 0$ (C) $-\infty < f(x) < 1$
(D) $-1 < f(x) < \infty$ (E) $0 < f(x) < \infty$

10. What is the domain of the function f given by $f(x) = \frac{\sqrt{x^2 - 4}}{x - 3}$?

- (A) $\{x : x \neq 3\}$ (B) $\{x : |x| \leq 2\}$ (C) $\{x : |x| \geq 2\}$
(D) $\{x : |x| \geq 2 \text{ and } x \neq 3\}$ (E) $\{x : x \geq 2 \text{ and } x \neq 3\}$

11.

$$\lim_{n \rightarrow \infty} \frac{4n^2}{n^2 + 10,000n} \text{ is}$$

- (A) 0 (B) $\frac{1}{2,500}$ (C) 1 (D) 4 (E) nonexistent

12.

Let g be a continuous function on the closed interval $[0, 1]$. Let $g(0) = 1$ and $g(1) = 0$. Which of the following is NOT necessarily true?

- (A) There exists a number h in $[0, 1]$ such that $g(h) \geq g(x)$ for all x in $[0, 1]$.
(B) For all a and b in $[0, 1]$, if $a = b$, then $g(a) = g(b)$.
(C) There exists a number h in $[0, 1]$ such that $g(h) = \frac{1}{2}$.
(D) There exists a number h in $[0, 1]$ such that $g(h) = \frac{3}{2}$.
(E) For all h in the open interval $(0, 1)$, $\lim_{x \rightarrow h} g(x) = g(h)$.

13.

If f is a continuous function defined for all real numbers x and if the maximum value of $f(x)$ is 5 and the minimum value of $f(x)$ is -7 , then which of the following must be true?

- I. The maximum value of $f(|x|)$ is 5.
II. The maximum value of $|f(x)|$ is 7.
III. The minimum value of $f(|x|)$ is 0.

- (A) I only (B) II only (C) I and II only (D) II and III only (E) I, II, and III

14. If $\lim_{x \rightarrow 3} f(x) = 7$, which of the following must be necessarily true?

- I. f is continuous at $x = 3$.
- II. f is differentiable at $x = 3$.
- III. $f(3) = 7$

- (A) None (B) II only (C) III only
(D) I and III only (E) I, II, and III

15.

The graph of $y^2 = x^2 + 9$ is symmetric to which of the following?

- I. The x -axis
- II. The y -axis
- III. The origin

- (A) I only (B) II only (C) III only (D) I and II only (E) I, II, and III

16. The straight line of equation $y = 1$ is an asymptote to the curve of the function f defined by:

- (A) $y = \ln x$ (B) $y = \sin x$ (C) $y = \frac{x}{x-1}$ (D) $y = \frac{x^2}{x-1}$ (E) $y = e^{-x}$

17. For $x \neq 4$, $h(x) = \frac{x^2 + x - 20}{x - 4}$. What value should be assigned to $h(4)$ to make $h(x)$ continuous at $x = 4$?

- (A) -1 (B) 0 (C) 5 (D) 9 (E) 20

Question III

Find the following limits. (6 min.)

18. $\lim_{x \rightarrow 2} 3x + 8$

19. $\lim_{x \rightarrow \infty} \sin(x)$

20. $\lim_{t \rightarrow 3} \frac{t^2 - 9}{t - 3}$

21. $\lim_{x \rightarrow 5} \frac{(x-5)^2}{|x-5|}$

Question IV

Refer to the curve of function f given below to answer each of the following exercises. (6 min)

22. $\lim_{x \rightarrow 2} f(x)$

23. $\lim_{x \rightarrow -\infty} f(x)$

24. $\lim_{x \rightarrow 1} f(x)$

25. $\lim_{x \rightarrow 5} f(x)$

Appendix D: Questionnaire

Answer the following questions.

1. Which of the following statements best describes a limit as you understand it? Choose the three statements that best describe it and rate them from 1 to 3 in the order of preference.

- ☐ A limit describes how a function moves as x moves toward a certain point.
- ☐ A limit is a number or point past which a function cannot go.
- ☐ A limit is a number that the y-values of a function can be made arbitrarily close to by assigning specific numbers to the x-values.
- ☐ A limit is a number or point the function gets close to but never reaches.
- ☐ A limit is an approximation that can be made as accurate as you wish.
- ☐ A limit is determined by plugging in numbers closer and closer to a given number until the limit is reached

2. Please describe in a few sentences what you understand a limit to be. That is, describe what it means to say that the limit of a function f as $x \rightarrow a$ is some number L .

3. Please describe in a few sentences the main difficulties and obstacles you faced while learning the concept of limits.

Appendix E: Test1 A Priori Analysis Tables

Question I - Solution and Analysis

Part A)

Solution	Concepts and skills involved	Potential Difficulties
<p>Phase 1: Substitute x for 1 and check if an indeterminate form is obtained</p> $\lim_{x \rightarrow 1} \frac{2x - 2}{(5x - 2)(x - 1)} =$ $\frac{2(1) - 2}{(5(1) - 2)(1 - 1)} =$ $\frac{0}{(3)(0)} =$ $\frac{0}{0} (I.F.)$	<p>Vertical Asymptote as connected to an infinite limit as x approaches value</p> <p>Piece-wise function</p> <p>Limit</p> <p>Substituting values in Equations</p> <p>Calculation</p> <p>Recognizing indeterminate forms</p>	<p>- Do not connect the vertical asymptote at a point to the fact that the limit of the function at that point is infinite (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)</p> <p>- Do not know which side of the function to choose (D9, d1- d3)</p> <p>- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of function at a point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1- d4)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p> <p>- Cannot recognize indeterminate forms (D1, d1- d4, D2, d6, D10, d1, d2)</p>

<p>Phase 2: Factorize and reduce to find a finite value or infinity</p> $\lim_{x \rightarrow 1} \frac{2x - 2}{(5x - 2)(x - 1)} =$ $\lim_{x \rightarrow 1} \frac{2(x - 1)}{(5x - 2)(x - 1)} =$ $\lim_{x \rightarrow 1} \frac{2}{5x - 2} =$ $\frac{2}{5(x) - 2}$ $\frac{2}{5 - 2} = \frac{2}{3}$	<p>Factoring</p> <p>Reducing</p> <p>Substitution</p> <p>Calculation</p>	<p>- Do not recognize factoring numerator or denominator then simplifying as one way to avoid the indeterminate form (D1, d6; D10, d5)</p> <p>- Do not know how to take common factors (D10, d5)</p> <p>- Do not know how to reduce fractions by eliminating same factors (D10, d9)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p>
<p>Phase 3: Interpret the value of the limit in terms of asymptote</p> <p>$\therefore$ (C) does not admit the straight line (D) of equation $x = 1$ as a Vertical Asymptote</p>	<p>The concept of asymptote</p> <p>Asymptote as connected to an infinite limit</p>	<p>- Do not know that to have an asymptote, x or y, at least have to tend to infinity) (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)</p> <p>- Do not know that to have a vertical asymptote, y has to tend to infinity as x approached a value (here 1)) (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)</p>

Part B)

Solution	Concepts and skills involved	Potential Difficulties
<p>Phase 1: Substitute x for 5 and check if an indeterminate form or an infinity is obtained</p> $\lim_{x \rightarrow 5} \frac{x^2 - 3x + 5}{x - 5} =$ $\frac{5^2 - 3(5) + 5}{5 - 5} =$ $\frac{15}{0} =$ ∞ <p>Phase 2: Interpret the value of the limit in terms of asymptote</p>	<p>Vertical Asymptote as connected to an infinite limit as x approaches value</p> <p>Piece-wise Function</p> <p>Limit</p> <p>Substituting values in Equations</p> <p>Calculation</p> <p>Infinite form</p> <p>The concept of asymptote</p>	<p>- Do not connect the vertical asymptote at a point to the fact that the limit of the function at that point is infinite (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)</p> <p>- Do not know which side of the function to choose (D9, d1- d3)</p> <p>-Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of function at a point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1- d4)</p> <p>-Do not know how to substitute values in equations (D10, d3, d4)</p> <p>-Do not know how to perform simple calculations (D10, d3)</p> <p>-Cannot recognize infinite forms (D2, d5, d6, D10, d1, d2)</p> <p>-Do not know that to have an asymptote, x or y, at least have to tend to infinity (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)</p>

∴ (C) admits the straight line of equation $x = 5$ as a Vertical Asymptote	Asymptote as connected to an infinite limit	- Do not know that to have a vertical asymptote, y has to tend to infinity as x approached a value (here 5) (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)
--	---	---

Part C)

Solution	Concepts and skills involved	Potential Difficulties
<p>Phase 1: Substitute x for ∞ and check if an indeterminate form is obtained</p> $\lim_{x \rightarrow \infty} \frac{x^2 - 3x + 5}{x - 5} =$ $\frac{\infty}{\infty} (I.F.)$	<p>Horizontal Asymptote as connected to a finite limit as x approaches infinity</p> <p>Limits at Infinity</p> <p>Substituting values in equations</p> <p>Recognizing indeterminate forms</p>	<p>- Do not connect the horizontal asymptote at infinity to the fact that the limit of the function at that point is finite (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)</p> <p>- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of function at a point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1- d4)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Cannot recognize indeterminate forms (D1, d1- d4, D2, d6, D10, d1, d2)</p>

<p>Phase 2: Use the concept of Limit of highest power to find a finite or infinite value at + and - ∞ to check the existence of Limit</p> $\lim_{x \rightarrow +\infty} \frac{x^2 - 3x + 5}{x - 5} =$ $\lim_{x \rightarrow +\infty} \frac{x^2}{x} =$ $\lim_{x \rightarrow +\infty} x =$ <p>+ ∞</p>	<p>Piece-wise function</p> <p>Limit of highest power (Factorizing)</p> <p>Reducing</p> <p>Substituting values in Equations</p>	<p>- Do not know which side of the function to choose (D9, d1- d3)</p> <p>-Do not know when to consider highest power to find limits (D1, d1- d4; D2, d5, d6; D3, d1- d3; D5, d2 - d4; D10, d1, d2, d5)</p> <p>- Do not know how to reduce fractions by eliminating same factors (D10, d9)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p>
$\lim_{x \rightarrow -\infty} \frac{2x - 2}{(5x - 2)(x - 1)} =$ $\lim_{x \rightarrow -\infty} \frac{2(x - 1)}{(5x - 2)(x - 1)} =$ $\lim_{x \rightarrow -\infty} \frac{2}{5x - 2} =$ $\frac{2}{-\infty} =$ <p>0⁻</p>	<p>Piece-wise function</p> <p>Factoring</p> <p>Reducing</p> <p>Substitution</p> <p>Calculation including ∞</p>	<p>- Do not know which side of the function to choose (D9, d1- d3)</p> <p>- Do not know how to take common factors (D10, d5)</p> <p>- Do not know how to reduce fractions by eliminating same factors (D10, d9)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p>

Limit does not exist	Existence of Limits	<ul style="list-style-type: none"> -Do not know how to perform calculations involving infinity (D2, d5, d6, D10, d1, d2) - Do not recognize when a limit exist or not (D3, d6)
Phase 3: Interpret the value of the limit in terms of asymptote	The concept of asymptote	<ul style="list-style-type: none"> - Do not know that to have an asymptote, x or y, at least have to tend to infinity (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)
$\therefore$ (C) admits the straight line of equation $y = 0$ (x-axis) as a Horizontal Asymptote	Asymptote as connected to a finite limit at an infinite value	<ul style="list-style-type: none"> - Do not recognize when a curve admits a Vertical Asymptote versus a Horizontal one. (D9, d1; D10, d10) - Do not know that to have a horizontal asymptote, y has to tend to a finite value as x tends to infinity (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)

Question II - Solution and Analysis

Part A)

Solution	Concepts and skills involved	Potential Difficulties

<p>Phase 1: Substitute x for 1 and check if an indeterminate form is obtained</p> $\lim_{x \rightarrow 1} \frac{\frac{1}{1+x} - \frac{1}{2}}{x-1} =$ $\frac{\frac{1}{1+1} - \frac{1}{2}}{1-1} =$ $\frac{\frac{1}{2} - \frac{1}{2}}{0} =$ $\frac{0}{0} (I.F.)$	<p>Limit</p> <p>Substituting values in Equations</p> <p>Calculation</p> <p>Performing operations on equations with fractions</p> <p>Recognizing indeterminate forms</p>	<p>- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of function at that point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1- d4)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p> <p>- Cannot recognize indeterminate forms (D1, d1- d4, D2, d6, D10, d1, d2)</p>
<p>Phase 2: Work with fractions and reduce to find a finite value or infinity</p>	<p>Limit</p>	<p>- Do not recognize factoring numerator or denominator then simplifying as one way to avoid the indeterminate form (D1, d6; D10, d5)</p>

$\lim_{x \rightarrow 1} \frac{\frac{1}{1+x} - \frac{1}{2}}{x-1} =$ $\lim_{x \rightarrow 1} \frac{\frac{2-1-x}{2(1+x)}}{x-1} =$ $\lim_{x \rightarrow 1} \frac{\frac{1-x}{2(1+x)}}{x-1} =$ $\lim_{x \rightarrow 1} \frac{1-x}{2(1+x)(x-1)} =$ $\lim_{x \rightarrow 1} \frac{-(x-1)}{2(1+x)(x-1)} =$ $\lim_{x \rightarrow 1} \frac{-1}{2(1+x)} =$ $\frac{-1}{2(1+1)} =$ $\frac{-1}{4}$	<p>Operations on Fractions (subtraction)</p> <p>Calculation</p> <p>Operations on Fractions (division)</p> <p>Factoring</p> <p>Reducing</p> <p>Substitution</p> <p>Calculation</p>	<p>- Cannot perform operations on fractions (D10, d9)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p> <p>- Cannot perform operations on fractions (D10, d9)</p> <p>- Do not know how to take common factors (D10, d5)</p> <p>- Do not know how to reduce fractions by eliminating same factors (D10, d9)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p>
---	---	---

Part B)

Solution	Concepts and skills involved	Potential Difficulties
Phase 1: Substitute x for $+\infty$ and check if an indeterminate form is obtained	Limit	- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of function at a point (D1, d1- d4; D2, d6; D3, d1-

$\lim_{x \rightarrow +\infty} \frac{\sqrt{x^2 - 5x}}{2x + 3} =$ $\lim_{x \rightarrow +\infty} \frac{\sqrt{x^2(1 - \frac{5}{x})}}{2x + 3} =$ $\lim_{x \rightarrow +\infty} \frac{x\sqrt{1 - \frac{5}{x}}}{2x + 3}$ $\frac{\infty\sqrt{1}}{\infty} =$ $\frac{\infty}{\infty}$ <i>(I.F.)</i>	<p>Factoring</p> <p>Square root</p> <p>Substitution</p> <p>Calculation</p> <p>Recognizing indeterminate forms</p>	<p>d3; D5, d2 - d4; D10, d1- d4)</p> <p>- Do not know how to take common factors (D10, d5)</p> <p>- Do not know how to deal with square roots (D10, d6)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p> <p>- Cannot recognize indeterminate forms (D1, d1- d4, D2, d6, D10, d1, d2)</p>
<p>Phase 2: Factorize and reduce to find a finite value or infinity</p>	<p>Limit</p>	<p>- Do not recognize factoring numerator or denominator then simplifying as one way to avoid the indeterminate form (D1, d1- d4, D2, d6, D10, d1, d2)</p> <p>- Do not know how to deal with square roots regarding limits (D1, d6; D10, d6)</p>

$\lim_{x \rightarrow +\infty} \frac{\sqrt{x^2 - 5x}}{2x + 3} =$		
$\lim_{x \rightarrow +\infty} \frac{\sqrt{x^2(1 - \frac{5}{x})}}{2x + 3} =$		
$\lim_{x \rightarrow +\infty} \frac{x\sqrt{1 - \frac{5}{x}}}{2x + 3}$	Factoring	- Do not know how to take common factors (D10, d5)
$\lim_{x \rightarrow +\infty} \frac{x\sqrt{1 - \frac{5}{x}}}{x(2 + \frac{3}{x})}$	Square root	- Do not know how to deal with square roots (D10, d6)
$\lim_{x \rightarrow +\infty} \frac{\sqrt{1 - \frac{5}{x}}}{2 + \frac{3}{x}} =$	Factoring	- Do not know how to take common factors (D10, d5)
$\frac{\sqrt{1 - 0}}{2 + 0} =$	Reducing	- Do not know how to reduce fractions by eliminating same factors (D10, d9)
$\frac{1}{2}$	Substitution	- Do not know how to substitute values in equations (D10, d3, d4)
	Calculation	- Do not know how to perform simple calculations (D10, d3)

Part C)

Solution	Concepts and skills involved	Potential Difficulties
<p>Phase 1: Consider each side of the piece-wise function as x tends to -5 in order to find the limit</p> <p>$\lim_{x \rightarrow -5} 2x^2 - 49 =$</p> <p>$\lim_{x \rightarrow -5^-} 2x^2 - 49 =$ $2(-5^-)^2 - 49 =$ $2(25^-) - 49 =$ $50^- - 49 =$ 1^-</p> <p>$\lim_{x \rightarrow -5^+} 2^{x+4} =$ $2^{-5^++4} =$ 2^{-1} $\frac{1}{2}$</p>	<p>Piece-wise function</p> <p>Substitution</p> <p>Calculation</p> <p>Piece-wise function</p> <p>Substitution</p> <p>Calculation</p>	<p>- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of function at that point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1- d4)</p> <p>- Cannot recognize a piece-wise function (D9, d1- d3)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform calculations involving x^- numbers (D1, d5; D10, d3)</p> <p>- Cannot recognize a piece-wise function (D9, d1- d3)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform calculations involving x^+ numbers (D1, d5; D10, d3)</p>

<p>Phase 2: Check the existence of the Limit</p> <p>Since the limits of the given function at -5^- and -5^+ are not equal then the limit does not exist</p>	Existence of Limits	- Do not recognize when a limit exist or not (D3, d6)
---	---------------------	---

Part D)

	Possible errors	Meaning Regarding Difficulties
<p>Phase 1: Substitute x for 4 and check if an indeterminate form is obtained</p> $\lim_{x \rightarrow 4} \frac{(x+1)^2 - 25}{x-4} =$ $\frac{(4+1)^2 - 25}{4-4} =$ $\frac{0}{0}$ <p>(I.F.)</p>	<p>Limit</p> <p>Substitution</p> <p>Calculation</p> <p>Recognizing indeterminate forms</p>	<p>- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of function at a point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1- d4)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p> <p>- Cannot recognize indeterminate forms (D1, d1- d4, D2, d6, D10, d1, d2)</p>

<p>Phase 2: Factorize and reduce to find a finite value or infinity</p> $\lim_{x \rightarrow 4} \frac{(x+1)^2 - 25}{x-4} =$ $\lim_{x \rightarrow 4} \frac{(x+1-5)(x+1+5)}{x-4} =$ $\lim_{x \rightarrow 4} \frac{(x-4)(x+6)}{x-4}$ $\lim_{x \rightarrow 4} x + 6 =$ $4 + 6 =$ 10	<p>Factoring</p> <p>Calculation</p> <p>Reducing</p> <p>Substitution</p> <p>Calculation</p>	<p>- Do not recognize factoring numerator or denominator then simplifying as one way to avoid the indeterminate form (D1, d1- d4, D2, d6, D10, d1, d2)</p> <p>- Do not know how to factorize the form $a^2 - b^2$ (D10, d5- d7)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p> <p>- Do not know how to reduce fractions by eliminating same factors (D10, d9)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p>
---	--	--

Question III - Solution and Analysis

Solution	Concepts and skills involved	Potential Difficulties
<p>Phase 1: Setting the condition for continuity</p> <p>The function</p> $f(x) = \frac{x-9}{\sqrt{x}-3}$ <p>is continuous at</p> $x=9 \Leftrightarrow f(9) = \lim_{x \rightarrow 9} f(x)$	Continuity	<p>- Cannot apply the concept of continuity (D1, d1, d2, d4, d5; D3, d1 – d4; D9, d1- d3)</p>
<p>Phase 2: Substitute x for 9 and check if an indeterminate form is obtained</p> $\lim_{x \rightarrow 9} \frac{x-9}{\sqrt{x}-3} =$ $\frac{9-9}{\sqrt{9}-3} =$ $\frac{0}{3-3} =$ $\frac{0}{0}$ <p><i>I.F.</i></p>	<p>Limit</p> <p>Substitution</p> <p>Calculation</p> <p>Calculation</p> <p>Indeterminate Form</p>	<p>- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of function at a point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1- d4)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform calculations involving square roots (D10, d6)</p> <p>- Do not know how to perform simple</p>

		<p>calculations (D10, d3)</p> <p>- Cannot recognize indeterminate forms (D1, d1- d4, D2, d6, D10, d1, d2)</p>
<p>Phase 2: Factorize and reduce to find a finite value or infinity</p> $\lim_{x \rightarrow 9} \frac{x-9}{\sqrt{x}-3} =$ $\lim_{x \rightarrow 9} \frac{(\sqrt{x}-3)(\sqrt{x}+3)}{\sqrt{x}-3} =$ $\lim_{x \rightarrow 9} \sqrt{x} + 3 =$ $\sqrt{9} + 3 =$ $3 + 3 =$ 6 <p>So, $f(9) = 6$</p>	<p>Factoring</p> <p>Reducing</p> <p>Substitution</p> <p>Calculation</p> <p>Calculation</p>	<p>- Do not recognize factoring numerator or denominator then simplifying as one way to avoid the indeterminate form (D1, d1- d4, D2, d6, D10, d1, d2)</p> <p>- Do not know how to factorize the form $a^2 - b^2$ (D10, d5- d7)</p> <p>- Do not know how to reduce fractions by eliminating same factors (D10, d9)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform calculations involving square roots (D10, d6)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p>
<p>Phase 3: Apply the concept of continuity in order to find the value of a function at a give point (here at x =</p>		

9)		
Since the function is continuous at $x = 9$ and its limit as x tends to 9 is equal to 6, then $f(9) = 6$	Continuity of a function at a given point	- Cannot apply the concept of continuity (D1, d1, d2, d4, d5; D3, d1 – d4; D9, d1- d3)

Appendix F: Test2 A Priori Analysis Tables

Question I - Solution and Analysis

Solution	Concepts and skills involved	Potential Difficulties
<p>Phase 1: Substitute x for 0 and check if an indeterminate form is obtained</p> $\lim_{x \rightarrow 0} f(x) =$ $\lim_{x \rightarrow 0} \frac{1 - \sqrt{3x + 1}}{2x} =$ $\frac{0}{0}$ <p>(I.F.)</p>	<p>Vertical Asymptote as connected to an infinite limit as x approaches value</p> <p>The y-axis as connected to x being zero</p> <p>Limit</p> <p>Substituting values in Equations</p> <p>Recognizing indeterminate forms</p>	<p>- Do not connect the vertical asymptote at a point to the fact that the limit of the function at that point is infinite (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)</p> <p>- Do not connect the y-axis being a vertical asymptote to $x \rightarrow 0$ (D9, d1; D10, d10)</p> <p>- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of the function at that point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1- d4)</p> <p>- Do not know how to substitute values in equations (D10,d3, d4)</p> <p>- Cannot recognize indeterminate forms (D1, d1- d4, D2, d6, D10, d1, d2)</p>

<p>Phase 2: Rationalize the numerator and reduce to find a finite value or infinity</p> $\lim_{x \rightarrow 0^-} \frac{1 - \sqrt{3x+1}}{2x} =$ $\lim_{x \rightarrow 0^-} \frac{(1 - \sqrt{3x+1})(1 + \sqrt{3x+1})}{2x(1 + \sqrt{3x+1})} =$ $\lim_{x \rightarrow 0^-} \frac{1 - 3x - 1}{2x(1 + \sqrt{3x+1})} =$ $\lim_{x \rightarrow 0^-} \frac{-3x}{2x(1 + \sqrt{3x+1})} =$ $\frac{-3}{2(1 + \sqrt{3(0)+1})} =$ $\frac{-3}{2(1+1)} =$ $\frac{-3}{4}$	<p>Rationalizing</p> <p>Products with radicals</p> <p>Calculations</p> <p>Reducing fractions</p> <p>Substitution</p> <p>Calculation</p>	<p>- Do not know how to avoid indeterminate forms when radicals are involved (D1, d6; D10, d6)</p> <p>- Do not know how to perform calculations using identities. $(a - b)(a + b) = a^2 - b^2$ (D10, d5- d7)</p> <p>- Do not know how to reduce fractions by eliminating same factors (D10, d9)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p>
---	---	---

$\lim_{x \rightarrow 0^+} \frac{1 - \sqrt{3x+1}}{2x} =$ $\lim_{x \rightarrow 0^+} \frac{(1 - \sqrt{3x+1})(1 + \sqrt{3x+1})}{2x(1 + \sqrt{3x+1})} =$ $\lim_{x \rightarrow 0^+} \frac{1 - 3x - 1}{2x(1 + \sqrt{3x+1})} =$ $\lim_{x \rightarrow 0^+} \frac{-3x}{2x(1 + \sqrt{3x+1})} =$ $\frac{-3}{2(1 + \sqrt{3(0)+1})} =$ $\frac{-3}{2(1+1)} =$ $\frac{-3}{4}$	<p>Rationalizing</p> <p>Products with radicals</p> <p>Calculations</p> <p>Reducing fractions</p> <p>Substitution</p> <p>Calculation</p>	<ul style="list-style-type: none"> - Do not know how to avoid indeterminate forms when radicals are involved (D1, d6; D10, d6) - Do not know how to perform calculations using identities. $(a - b)(a + b) = a^2 - b^2$ (D10, d5- d7) - Do not know how to reduce fractions by eliminating same factors (D10, d9) - Do not know how to substitute values in equations (D10, d3, d4) - Do not know how to perform simple calculations (D10, d3)
<p>Phase 3: Interpret the value of the limit in terms of asymptote</p> <p>$\therefore$ the function f does not admit the y-axis of equation $x = 0$ as a Vertical Asymptote because the limit of the function as $x \rightarrow 0$ is a finite value</p>	<p>The concept of asymptote</p> <p>Asymptote as connected to an infinite limit</p>	<ul style="list-style-type: none"> - Do not know that to have a vertical asymptote, y has to tend to infinity as x approaches a value (here 0) (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D6, d3; D9, d1; D10, d10)

Question II - Solution and Analysis

Solution	Concepts and skills involved	Potential Difficulties
$\lim_{x \rightarrow -4^-} \frac{f(x) - f(-4)}{x + 4}$ <p>is infinite since the curve has a vertical semi-tangent (slope is infinite). Therefore,</p> $\lim_{x \rightarrow -4^-} \frac{f(x) - f(-4)}{x + 4} = \infty$ $\lim_{x \rightarrow -4^+} \frac{f(x) - f(-4)}{x + 4} =$ <p>Slope of tangent at $-4^+ =$</p> $\frac{9}{1} = 9$ <p>By counting units and finding rise over run</p>	<p>Numerical form of the slope of a straight line</p> <p>Slope of a vertical line</p> <p>Slope of a straight line as the ratio rise/run</p>	<p>- Do not know how to read a graph (D6, d3; D7, d1- d3)</p> <p>- Do not recognize the form and expression of the slope of the tangent to the curve at a point (D7, d1- d3; D10, d10)</p> <p>- Do not know that the slope of a vertical line is infinite (D10, d10)</p> <p>- Do not distinguish limit of a function on the left and on the right of a point (D1, d1- d5; D2, d6; D3, d1 – d4; D4, d1; D5, d4; D6, d3; D7, d1- d3; D9, d1-d3)</p> <p>- Do not know how to read clues on a graph to find the slope of a straight line (D7, d1- d3, D10, d1- d4, D10, d10)</p>

Question III, Part I - Solution and Analysis

Solution	Concepts and skills involved	Potential Difficulties
<p>Since $y = 1$ is a horizontal asymptote to (C) at $-\infty$ and $+\infty$</p> <p>then $\begin{cases} \lim_{x \rightarrow -\infty} f(x) = 1 \\ \lim_{x \rightarrow +\infty} f(x) = 1 \end{cases}$</p>	<p>Limits of a function at infinity</p> <p>Horizontal asymptote</p>	<p>- Do not know how to read a curve in order to find limits when horizontal asymptotes are involved (D6, d3; D7, d1- d3; D9, d1; D10, d10)</p> <p>- Meaning of asymptote as connected to the limit of the function at infinity (D1, d3, d4; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D10, d10)</p>

Question III, Part II - Solution and Analysis

Solution	Concepts and skills involved	Potential Difficulties
$g(x) = \begin{cases} \frac{x^2 + 4x + 4}{x^2 + 1} & \text{if } x \leq 3 \\ x^2 - 2x + \alpha & \text{if } x > 3 \end{cases}$ $g(3) = \frac{9 + 12 + 4}{9 + 1} = \frac{25}{10} = 2.5$ $\lim_{x \rightarrow 3^-} \frac{x^2 + 4x + 4}{x^2 + 1} = 2.5$ <p>For g to be continuous at $x = 3$</p>	<p>Piece-wise function</p> <p>Continuity</p> <p>Limits to the left</p>	<p>- Do not recognize the suitable piece of the function to consider in each case (D9, d1- d3; D10, d3)</p> <p>- Do not understand the notion of continuity (D1, d1, d2, d4, d5; D3, d1 - d4; D9, d1- d3)</p>

$g(x) = \lim_{x \rightarrow 3^-} g(x) = \lim_{x \rightarrow 3^+} g(x)$ <p>Then $\lim_{x \rightarrow 3^+} g(x)$ should be 2.5</p> $\lim_{x \rightarrow 3^+} x^2 - 2x + \alpha = 2.5$ $9 - 6 + \alpha = 2.5$ $\alpha = 2.5 - 3 = -0.5$	<p>and right of a point</p> <p>Value of a function at a point</p> <p>Solve first degree equation in one unknown</p>	<p>- Do not know how to solve an equation with one unknown (D10, d3)</p>
---	---	--

Question IV - Solutions and Analysis

Solution	Concepts and skills involved	Potential Difficulties
$\lim_{x \rightarrow -\infty} \frac{24}{x^2 + 4} = \frac{24}{+\infty} = 0^+$ $\lim_{x \rightarrow +\infty} \frac{24}{x^2 + 4} = \frac{24}{+\infty} = 0^+$ <p>Then the straight line with equation $y = 0$ is a horizontal asymptote to the curve of f</p>	<p>Limits of functions at infinity</p> <p>Calculations involving infinity</p> <p>Graphical interpretation</p>	<p>- Do not know how to find limits of functions at positive and negative infinity (D1, d1 – d4; D2, d2, d4 – d6; D3, d1- d3; D5, d2 – d4)</p> <p>- Do not know how to perform calculations involving infinity (D1, d1 – d3; D2, d6; D10, d1 – d4)</p> <p>- Do not connect tendency of a function, as x tends to infinity, to a certain value, to the fact that the graph has a horizontal asymptote (D1, d3, d4; D2, d2 – d6; D3, d1-</p>

		<p>d3, D5, d1, d3, d4; D7, d1 – d3; D10, d10)</p> <p>- Do not connect numerical limits and graphical properties (D7, d1 – d3)</p>
--	--	--

Appendix G: Post-test A Priori Analysis Tables

Question I - Solution and Analysis

Solution	Concepts and skills involved	Potential Difficulties
<p>a. True.</p> <p>All polynomial functions are continuous functions and therefore $\lim_{x \rightarrow a} p(x) = p(a)$.</p>	<p>Meaning of a Polynomial function</p> <p>Finding the value of a function at a point</p> <p>Finding the limit of a function at a point</p> <p>Testing the continuity of a polynomial function</p>	<p>- Do not know what a polynomial function is and when it is continuous (D9, d1- d3)</p> <p>- Do not recognize the relation between the continuity of a function, its limit at a point, and its value at that point (D1, d1, d2, d4, d5; D3, d1 – d4; D9, d1- d3)</p>
<p>2) False.</p> <p>Vertical asymptotes are defined at x values that make the denominator of the</p>	<p>Meaning of Rational function</p>	<p>- Do not know what a rational function is (D9, d1- d3)</p>

<p>rational function equal to 0 and therefore the function is undefined at these values.</p>	<p>Checking the position of vertical asymptote w.r.t. its rational function</p>	<p>- Do not know when a rational function is not defined (D9, d1- d3)</p> <p>- Do not recognize when a function admits a Vertical Asymptote (D1, d3; D2, d2 - d6; D3, d1- d3; D6, d3; D9, d1; D10, d10)</p>
<p>3) True.</p> <p>Here is an example.</p> $f(x) = (x - 2) / [(x - 1)(x + 3)]$ <p>The degree of the denominator (2) is higher than the degree of the numerator (1) hence the graph has a horizontal asymptote $y = 0$ which is the x axis.</p> <p>But the graph of f has an x intercept at $x = 2$, which means it cuts the x axis which is the horizontal asymptote at $x = 2$.</p>	<p>Meaning of a function</p> <p>Checking the position of a horizontal asymptote w.r.t. its function</p>	<p>- Do not recognize when a function admits a horizontal Asymptote (D1, d3; D2, d2 - d6; D3, d1- d3; D9, d1- d3; D10, d10)</p>
<p>4) False.</p> <p>$\lim_{x \rightarrow a} f(x)$ as x approaches a may exist even if function f is undefined at $x = a$. The concept of limits has to do with the behavior of the function <u>close</u> to $x = a$ and not</p>	<p>Meaning of an undefined function at a point</p> <p>Finding the limit of an undefined function as it</p>	<p>- Do not know the meaning of an undefined function at a point (D9, d1- d3)</p> <p>- Do not recognize the difference between the limit of an undefined function as it approaches a point and its value at that point (D1, d4;</p>

at $x = a$.	approaches that point	D3, d1- d3)
5) False. Only if $\lim g(x)$ is not equal to 0.	Meaning of an undefined function Finding the limit of undefined function	- Do not know the meaning of an undefined function (D9, d1- d3) - Do not know how to find the limit of undefined function (D1, d3, d4; D3, d1- d3; D9, d1 – d3)
6) True. This is an important property of the limits.	Finding the limit of a function Main property of Limit	- Do not know the property (D3, d1 – d3)

Question II - Solution and Analysis

Solution	Concepts and skills involved	Potential Difficulties
7) (E) $g(f(x)) = 5$	Substituting values in equations Calculation Finding the value of a function of a function	- Do not know how to substitute values in equations (D10, d3, d4) - Do not know how to perform calculations (D10, d3) - Do not know how to find the value of a function of a function (D9, D1 – d3)

<p>8) (B)</p> <p>For $f(x) = 2x$</p> $f(x_1) + f(x_2) = 2x_1 + 2x_2$ $= 2(x_1 + x_2)$ <p>OR Lines through the origin have this property only (B) applies.</p>	<p>Substituting values in equations of functions</p> <p>Recognizing a line passing through the origin</p> <p>Using the property of a line passing through the origin</p>	<p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Cannot recognize lines passing through the origin and use their property (D9, d1 – d3; D10, 10)</p>
<p>9) (B)</p> $ x > 1 \Rightarrow x^2 > 1$ $\Rightarrow f(x) < 0 \text{ for all } x$ <p><i>in the domain.</i></p> $\lim_{ x \rightarrow 1} f(x) = -\infty$	<p>Solving Inequalities with absolute values</p> <p>Finding range of a rational function over a specified domain</p> <p>Substituting values in equations of functions</p>	<p>- Do not know how to solve inequalities with absolute values (D10, d3, d4, d8)</p> <p>- Do not know the meaning of range of a function (D9, d1 – d3)</p> <p>- Do not know how to evaluate functions and find their signs (D10, d3, d4)</p>

<p>10) (D)</p> $x^2 - 4 \geq 0 \text{ and } x \neq 3$ $\Rightarrow x \geq 2 \text{ and } x \neq 3$	<p>- Finding the domain of a rational function with radical in the numerator</p> <p>Equations with square roots</p>	<p>- Do not know the meaning of domain of a function (D9, d1 – d3)</p> <p>- Do not know that square roots are always greater than or equal to zero (D10, d6)</p> <p>- Do not know how to solve equations with square roots (D10, d3, d4, d6)</p>
<p>11) (D)</p> $\lim_{n \rightarrow \infty} \frac{4n^2}{n^2 + 10000n} =$ $\lim_{n \rightarrow \infty} \frac{4n^2}{n^2} = 4$	<p>Using highest degree to find the limit of a function at infinity</p>	<p>- Do not know when to consider highest power to find limits of rational functions limits (D1, d1- d4; D2, d5, d6; D3, d1- d3; D5, d2 - d4; D10, d1, d2, d5)</p>
<p>12) (D)</p> <p>D could be false, consider $g(x) = 1 - x$ on $[0,1]$</p> <p>A is true by Extreme Value Theorem</p> <p>B is true because g is a function</p> <p>C is true by the Intermediate Value Theorem</p> <p>E is true because g is continuous</p>	<p>Using Extreme value Theorem</p> <p>Meaning of a function</p> <p>Using Intermediate value Theorem</p> <p>Meaning of continuity of</p>	<p>- Do not know how to use the Extreme Value Theorem and the Intermediate Value Theorem (D9, d1 – d3)</p> <p>- Do not know what a function means (D9, d1 – d3)</p> <p>- Do not know what a continuity of a function over an interval means (D9, d1 – d3)</p>

	function over a closed interval	
<p>13) (B)</p> <p>Since $-7 = 7$ will be the maximum value of $f(x)$</p>	<p>Maximum and minimum values of a function</p> <p>Absolute value</p> <p>Continuity of a function</p>	<p>- Do not know how to use minimum and maximum values of a function to evaluate values of functions related to them (D9, d1 – d3)</p> <p>- Do not know how to evaluate absolute values (D10, d8)</p> <p>- Do not know what a continuity of a function means (D9, d1 – d3)</p>
<p>14) (A)</p> <p>The statement makes no claim as to the behavior of f at $x = 3$, only the value of f for values of x arbitrary close to $x = 3$</p>	<p>Limits</p> <p>Continuity</p> <p>Differentiability</p> <p>Relation between the limit of a function at a point and its</p>	<p>- Do not know the meaning of a limit</p> <p>- Can not differentiate between the limit at a point and the value at that point (D1, d1, d2, d4, d5; D3, d1 – d4; D9, d1- d3)</p> <p>- Do not know what continuity means (D9, d1- d3)</p> <p>- Do not know what differentiability means (D9, d1- d3)</p> <p>- Do not know how to relate limit of a function at a point and its continuity, differentiability, and</p>

	continuity, differentiability, and value at that point	value at that point (D1, d1, d2, d4, d5; D3, d1 – d4; D9, d1- d3)
<p>15) (E)</p> <p>I: Replace</p> <p>$y \text{ with } (-y) : (-y)^2 = x^2 + 9 \Rightarrow y^2 = x^2 + 9, \text{ no change, so yes}$</p> <p>II: Replace</p> <p>$x \text{ with } (-x) : y^2 = (-x)^2 + 9 \Rightarrow y^2 = x^2 + 9, \text{ no change, so yes}$</p> <p>III: Since there is symmetry w.r.t. both axis there is origin symmetry</p>	Symmetry w.r.t. x-axis, y-axis and origin	- Do not know how to check the symmetry of a function w.r.t. x-axis, y-axis and origin (D9, d1 – d3, D10, d10)
<p>16) (C)</p> <p>$\lim_{x \rightarrow \infty} \frac{x}{x+1} =$</p> <p>$\lim_{x \rightarrow \infty} \frac{x}{x} = 1$</p> <p>None of the other functions have a limit of 1 as $x \rightarrow \infty$</p>	<p>Horizontal Asymptote</p> <p>Using highest degree to find the limit of a function at infinity</p>	<p>- Do not know that to have an asymptote, x or y, at least have to tend to infinity</p> <p>- Do not recognize when a curve admits a Horizontal asymptote (D1, d3; D2, d2 - d6; D3, d1- d3, D5, d3, d4; D9, d1; D10, d10)</p> <p>- Do not know when to consider highest power to find limits of rational functions limits (D1, d1- d4; D2, d5, d6; D3, d1- d3; D5, d2 -</p>

		d4; D10, d1, d2, d5)
17) (D) Continuous $\Leftrightarrow \lim_{x \rightarrow 4} \frac{x^2 + x - 20}{x - 4} = h(4)$ $\Leftrightarrow \lim_{x \rightarrow 4} \frac{(x + 5)(x - 4)}{x - 4} = h(4)$ $\Leftrightarrow \lim_{x \rightarrow 4} (x + 5) = h(4)$ $\Leftrightarrow h(4) = 9$	Limits Continuity	- Do not know how to evaluate the limit of a rational function at a point not in its domain in order to make that function continuous at that point (D1, d1, d2, d4, d5; D3, d1 – d4; D9, d1- d3)

Question III - Solution and Analysis

Solution	Concepts and skills involved	Potential Difficulties
18) $\lim_{x \rightarrow 2} 3x + 8$ $= 3(2) + 8$ $= 14$	Limit of a polynomial function Substitution Calculation	- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of function at that point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1- d4) - Do not know how to substitute values in equations (D10, d3, d4) - Do not know how to perform simple calculations

		(D10, d6)
<p>19) $\lim_{x \rightarrow \infty} \sin(x)$</p> <p>Does not exist Oscillating function</p>	Limit of Oscillating Function	<p>- Cannot recognize an oscillating function (D9, d1 – d3)</p> <p>- Do not know that the limit of an oscillating function at infinity does not exist (D1, d1 – d4; D2, d5, d6; D3, d1 – d3; D9, d1 – d3)</p>
<p>Phase 1: Substitute x for 3 and check if an indeterminate form is obtained</p> <p>20)</p> $\lim_{t \rightarrow 3} \frac{t^2 - 9}{t - 3} = \frac{0}{0}$ <p>(I.F.)</p> <p>Phase 2: Factoring the numerator and reduce to find a finite value or infinity</p>	<p>Limit of rational function</p> <p>Substituting values in Equations</p> <p>Recognizing indeterminate forms</p>	<p>- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of the function at that point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1- d4)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Cannot recognize indeterminate forms (D1, d1- d4, D2, d6, D10, d1, d2)</p>

$\lim_{t \rightarrow 3} \frac{t^2 - 9}{t - 3} =$ $\lim_{t \rightarrow 3} \frac{(t - 3)(t + 3)}{t - 3} =$ $\lim_{x \rightarrow 3} t + 3 =$ <p>6</p>	<p>Factoring</p> <p>Reducing</p> <p>Substitution</p> <p>Calculation</p>	<p>- Do not recognize factoring numerator or denominator then simplifying as one way to avoid the indeterminate form (using identities. $(a - b)(a + b) = a^2 - b^2$) (D10, d5-d7)</p> <p>- Do not know how to reduce fractions by eliminating same factors (D10, d9)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform simple calculations (D10, d3)</p>
<p>Phase 1: Substitute x for 1 and check if an indeterminate form is obtained</p> <p>21)</p> $\lim_{x \rightarrow 5} \frac{(x - 5)^2}{ x - 5 } =$ $\frac{0}{0}$	<p>Limit of rational function</p> <p>Substituting values in Equations</p> <p>Calculation</p>	<p>- Do not know that, to find the limit of a function at a point, the first thing to do is to try to find the value of function at a point (D1, d1- d4; D2, d6; D3, d1- d3; D5, d2 - d4; D10, d1-d4)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p>

<p>(I.F.)</p> <p>Phase 2: Consider each side of the piece-wise function as x tends to 5 in order to find the limit by reducing to find a finite value or infinity</p> $\lim_{x \rightarrow 5^+} \frac{(x-5)^2}{ x-5 } =$ $\lim_{x \rightarrow 5^+} \frac{(x-5)^2}{x-5} =$ $\lim_{x \rightarrow 5^+} x-5 =$ <p>0⁺</p> $\lim_{x \rightarrow 5^-} \frac{(x-5)^2}{ x-5 } =$	<p>Recognizing indeterminate forms</p> <p>Piece-wise function</p> <p>Reducing</p> <p>Substitution</p> <p>Calculation</p> <p>Piece-wise function</p>	<p>- Do not know how to perform simple calculations (D10, d3)</p> <p>- Cannot recognize indeterminate forms (D1, d1-d4, D2, d6, D10, d1, d2)</p> <p>- Cannot recognize a piece-wise function (D9, d1- d3)</p> <p>- Do not know how to reduce fractions by eliminating same factors (D10, d9)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform calculations involving x^- numbers (D1, d5; D10, d3)</p> <p>- Cannot recognize a piece-wise function (D9, d1- d3)</p> <p>- Do not know how to reduce</p>
--	---	---

$\lim_{x \rightarrow 5^-} \frac{(x-5)^2}{-(x-5)} =$ $\lim_{x \rightarrow 5^-} -(x-5) =$ 0^-	<p>Reducing</p> <p>Substitution</p> <p>Calculation</p>	<p>fractions by eliminating same factors (D10, d9)</p> <p>- Do not know how to substitute values in equations (D10, d3, d4)</p> <p>- Do not know how to perform calculations involving x^+ numbers (D1, d5; D10, d3)</p>
<p>Phase 3: Check the existence of the Limit</p> <p>Since the limits of the given function at 5^- and 5^+ are equal then</p> $\lim_{x \rightarrow 5} \frac{(x-5)^2}{ x-5 } = 0$	<p>Existence of Limits</p>	<p>- Do not recognize when a limit exist or no (D3, d6)</p>

Question IV - Solution and Analysis

Solution	Concepts and skills involved	Potential Difficulties
22) $\lim_{x \rightarrow 2} f(x) = +\infty$	Reading the curve to find the limit at a point not in the domain (limit =	Do not know how to read a curve in order to find limit of a function at a point not in the

	infinity)	domain (D2, d5, d6; D6, d3; D7, d1- d3)
23) $\lim_{x \rightarrow -\infty} f(x) = 0$	Reading the curve to find the limit at infinity (limit = real number)	Do not know how to read a curve in order to find limit of a function at minus infinity (D2, d5, d6; D6, d3; D7, d1- d3)
24) $\lim_{x \rightarrow 1} f(x) = 2$	Reading the curve to find the limit at a point in the domain (limit = real number)	Do not know how to read a curve in order to find limit of a function at a point in the domain (D6, d3; D7, d1- d3)
25) $\lim_{x \rightarrow 5} f(x) = 3^-$	Reading the curve to find the limit at a point not in the domain (limit = real number)	Do not know how to read a curve in order to find limit of a function at a point not in the domain (D6, d3; D7, d1- d3)

Appendix H: Classification of Students' Perceptions of their Difficulties

Operations and calculations to find a limit (10)	ST8GS	<ul style="list-style-type: none"> - The properties of limits (adding, dividing, multiplying) - to know the difference b/w continuous and differentiable
	ST9SG	<p>making an into undetermined limit determined</p> <ul style="list-style-type: none"> • multiplying by the conjugate in the denominator • simplifying
	ST5LS	<ul style="list-style-type: none"> • the understanding of its use at first • the calculation of certain limits
	ST8LS	<p>The idea of differentiable, has limit, continuous and idea of calculating a limit rather than factorize, divide, or plug in numbers.</p>
	ST11LS	<p>The main difficulties were finding the asymptotes and first calculating the limits starting from the definition.</p>
	ST15LS	<p>The As a beginner the main concept of limits and how we can work out some limits.</p>
	ST16LS	<p>The ways for and methods of how to solve a limit.</p>
	ST17LS	<p>At the beginning, it was something new. I had difficulties in understanding the purpose behind it, and how to solve it.</p>
	ST18LS	<p>The concept itself was pretty self-explainable. The problem was finding limits to some relatively hard functions.</p>

	ST20LS	I never fully understood L'Hopital's rule. I know how to utilize it while solving limits but I don't know why it's there... or I just don't remember.
Indeterminate form (7)	ST3GS	solving indeterminate form.
	ST9SG	making an into undetermined limit determined • multiplying by the conjugate in the denominator • simplifying.
	ST16SG	The undetermined forms: $\frac{\infty}{\infty}$, $\frac{0}{0}$ ~
	ST4LS	If it it is an IF and I can't find the proper method to make the limit work.
	ST12LS	dealing with the indeterminate and the function where the limit doesn't exist due to right hand side not equaling left hand side.
	ST13LS	the concept of limits. The idea of indeterminate forms
	ST19LS	I had difficulties memorizing the IF's of limits. Also, trying to understand the concept of a function being differentiable at a point and studying it's limit was tough.
Differentiability and continuity (7)	ST5GS	When a function isn't continuous at a certain point or when it is not defined at this point.
	ST8SG	- The properties of limits (adding dividing multiplying) - to know the difference b/w continuous differentiable
	ST10GS	Differentiability and continuity.

	ST14GS	absolute value and non-differentiable functions.
	ST7LS	Differentiable and continuous.
	ST8LS	The idea of differentiable, its limit, continuous, ... And idea of calculating a limit whether to factorize, divide, or plug in numbers.
	ST19LS	I had difficulties memorizing the IF's of limits. Also, trying to understand the concept of a function being differentiable at a point and studying its limit was tough.
Meaning and purpose of limit (6)	ST2GS	I found a difficulty in knowing its purpose or how it is used. BUT NOW I KNOW.
	ST3LS	the difficulties were about the definition
	ST5LS	<ul style="list-style-type: none"> • the understanding of its use at first • the calculation of certain limits
	ST14LS	1) what is limits and why it is used.
	ST15LS	As a beginner the main concept of limits and how we can work out some limits.
	ST17LS	At the beginning, it was something new. I had difficulties in understanding the purpose behind it, and how to solve it.
No answer (4)	ST11GS	
	ST12GS	
	ST15SG	
	ST2LS	

Metaphysical aspect (4)	ST6SG	<ul style="list-style-type: none"> - A new idea. - Can't relate with examples. - No application for limits in real-life
	ST1LS	<ul style="list-style-type: none"> • we can't directly understand what are we working with • some times we just calculate without thinking of what are we finding whether (graphically or logically)
	ST9LS	<p>Limits is a new concept, so at first I couldn't understand why we use it and its importance. And even till now I don't feel that I understand it fully.</p> <p>I remember that even when the lesson was over (last year) still didn't understand the concept clearly.</p> <p>I couldn't picture the limit in my head I couldn't visualize it when we started learning it. After using limits in other lessons I understood limits more.</p>
	ST12LS	dealing with the indeterminate and the function where the limit doesn't exist due to right hand side not equaling left hand side.
Easy – no difficulty (3)	ST4GS	It's too easy.
	ST13GS	nothing nothing everything is easy
	ST10LS	what difficulties?
Asymptotes (vertical & horizontal) (2)	ST1GS	difference between vertical and horizontal asymptotes.
	ST11LS	The main difficulties were finding the asymptotes and first calculating the limits starting from the definition.

Previous knowledge (2)	ST9SG	making an into undetermined limit determined • multiplying by the conjugate in the denominator • simplifying.
	ST14SG	absolute value and non-differentiable functions.
Undefined point (1)	ST7GS	The limit of an undefined point
Infinitely small (1)	ST6LS	The idea how a pt can approach another, but never reach it.